



## SCREW & RIVETING SOLUTIONS

### SDS

#### SELF DRILLING SCREWS FOR METAL




#### Hex Head SDS — CLASS 4 — BARE / COARSE THREAD

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		Drilling Range mm	qty	qty
					Length				
<b>173</b>	SDHCC40812	8-18x12	HEX 1/4	CLASS 4	Full		1.0 - 2.50	1000	8000



Ezi Find	Part No.	Description	Head / Drive	Coating	Length	Drilling Range mm	qty	qty
<b>180</b>	SDHCC41016	10-16x16	HEX 5/16	CLASS 4	Full	1.0 - 3.50	1000	4000
<b>185</b>	SDHCC41025	10-16x25	HEX 5/16	CLASS 4	Full	1.0 - 3.50	1000	3000



Ezi Find	Part No.	Description	Head / Drive	Coating	Length	Drilling Range mm	qty	qty
<b>190</b>	SDHCC41220	12-14x20	HEX 5/16	CLASS 4	Full	1.2 - 4.50	500	2000
<b>195</b>	SDHCC41235	12-14x35	HEX 5/16	CLASS 4	Full	1.2 - 4.50	n/a	1000
<b>200</b>	SDHCC41245	12-14x45	HEX 5/16	CLASS 4	Full	1.2 - 4.50	n/a	1000
<b>205</b>	SDHCC41255	12-14x55	HEX 5/16	CLASS 4	42	1.2 - 4.50	n/a	1000
<b>210</b>	SDHCC41265	12-14x65	HEX 5/16	CLASS 4	50	1.2 - 4.50	n/a	1000
<b>215</b>	SDHCC41275	12-14x75	HEX 5/16	CLASS 4	50	1.2 - 4.50	n/a	500



up to 175mm

Ezi Find	Part No.	Description	Head / Drive	Coating	Length	Drilling Range mm	qty	qty
<b>220</b>	SDHCC41425	14-10x25	HEX 3/8	CLASS 4	Full	1.20 - 3.00	500	1500
<b>225</b>	SDHCC41442	14-10x42	HEX 3/8	CLASS 4	Full	1.20 - 3.00	n/a	1000
<b>230</b>	SDHCC41450	14-10x50	HEX 3/8	CLASS 4	Full	1.20 - 3.00	n/a	1000
<b>235</b>	SDHCC41465	14-10x65	HEX 3/8	CLASS 4	50	1.20 - 3.00	n/a	1000
<b>240</b>	SDHCC41475	14-10x75	HEX 3/8	CLASS 4	62	1.20 - 3.00	n/a	500
<b>245</b>	SDHCC41495	14-10x95	HEX 3/8	CLASS 4	81	1.20 - 3.00	n/a	500
<b>246</b>	SDHCC414175	14-14x175	HEX 3/8	CLASS 4	70	1.20 - 3.00	n/a	250

TO ASSIST YOU WITH  
YOUR FASTENER  
SELECTION ALL SCREW  
ILLUSTRATIONS SHOWN  
HERE ARE DRAWN 1:1  
SCALE, ACTUAL SIZE.



## SDS

SELF DRILLING  
SCREWS FOR METAL



### Hex Head SDS — ZINC YELLOW — BARE / COARSE THREAD

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread	Length	Drilling Range mm	qty	qty
506	SDHCZY1016	10-16X16	HEX 5/16	ZINC YELLOW	Full		1.0 - 3.50	1000	4000



Ezi Find	Part No.	Description	Head / Drive	Coating	Length	Drilling Range mm	qty	qty
508	SDHCZY1220	12-14x20	HEX 5/16	ZINC YELLOW	Full	1.20 - 4.50	500	2000

TO ASSIST YOU WITH  
YOUR FASTENER  
SELECTION ALL SCREW  
ILLUSTRATIONS SHOWN  
HERE ARE DRAWN 1:1  
SCALE, ACTUAL SIZE.

## IMPORTANT NOTE

### Painted SDS stock lines

Any of the following stock listed screws lines in the following colours are subject to an additional paint charge of \$15.00 / 1000  
Blue Ridge, Bushland, Classic Cream, Cottage Green, Deep Ocean, Dune, Headland, Iron Stone, Jasper, Manor Red, Night Sky,  
Paperbark, Pale Eucalypt, Plantation, Pale Terracotta, Sandbank, Shale Grey, Surfmist, Woodland Grey, Wilderness & Windspray



Ezi Find	Part No.	Description	qty
180	SDHCC41016	10-16x16	1000

For other Self Drilling Screws requiring painting the following order qty's and painting charges apply

- 1000 to 9000 pieces additional charge of \$35.00 /1000
- 10,000 pieces + additional charge of \$15.00/1000
- Delivery 5 to 7 days on non stocked painted lines






## SCREW & RIVETING SOLUTIONS


### SDS

SELF DRILLING  
SCREWS FOR METAL



### Hex Head SDS — CLASS 4 — WITH SEALING WASHER / COARSE

						Thread			
Ezi Find	Part No.	Description	Head / Drive	Coating	Length	Drilling Range mm	qty	qty	
273	SDHNCC40812	8-18x12N	HEX 1/4	CLASS 4	Full	1.0 - 2.50	1000	8000	




Ezi Find	Part No.	Description	Head / Drive	Coating	Length	Drilling Range mm	qty	qty
<b>275</b>	SDHNCC41016	10-16x16N	HEX 5/16	CLASS 4	Full	1.0 - 3.50	1000	4000
<b>280</b>	SDHNCC41025	10-16x25N	HEX 5/16	CLASS 4	Full	1.0 - 3.50	1000	3000



Ezi Find	Part No.	Description	Head / Drive	Coating	Length	Drilling Range mm	qty	qty
<b>285</b>	SDHNCC41220	12-14x20N	HEX 5/16	CLASS 4	Full	1.20 - 4.50	500	2000
<b>290</b>	SDHNCC41235	12-14x35N	HEX 5/16	CLASS 4	Full	1.20 - 4.50	n/a	1000
<b>300</b>	SDHNCC41245	12-14x45N	HEX 5/16	CLASS 4	Full	1.20 - 4.50	n/a	1000
<b>310</b>	SDHNCC41255	12-14x55N	HEX 5/16	CLASS 4	42	1.20 - 4.50	n/a	1000
<b>315</b>	SDHNCC41265	12-14x65N	HEX 5/16	CLASS 4	50	1.20 - 4.50	n/a	1000
<b>320</b>	SDHNCC41275	12-14x75N	HEX 5/16	CLASS 4	50	1.20 - 4.50	n/a	1000

TO ASSIST YOU WITH  
YOUR FASTENER  
SELECTION ALL SCREW  
ILLUSTRATIONS SHOWN  
HERE ARE DRAWN 1:1  
SCALE, ACTUAL SIZE.



up to 175mm

Ezi Find	Part No.	Description	Head / Drive	Coating	Length	Drilling Range mm	qty	qty
<b>325</b>	SDHNCC41425	14-10x25N	HEX 3/8	CLASS 4	Full	1.20 - 3.00	500	1500
<b>330</b>	SDHNCC41442	14-10x42N	HEX 3/8	CLASS 4	Full	1.20 - 3.00	n/a	1000
<b>335</b>	SDHNCC41450	14-10x50N	HEX 3/8	CLASS 4	Full	1.20 - 3.00	n/a	1000
<b>340</b>	SDHNCC41465	14-10x65N	HEX 3/8	CLASS 4	50	1.20 - 3.00	n/a	1000
<b>345</b>	SDHNCC41475	14-10x75N	HEX 3/8	CLASS 4	62	1.20 - 3.00	n/a	500
<b>350</b>	SDHNCC41495	14-10x95N	HEX 3/8	CLASS 4	81	1.20 - 3.00	n/a	500
<b>346</b>	SDHNCC414175	14-14x175N	HEX 3/8	CLASS 4	70	1.20 - 3.00	n/a	250




## SDS

SELF DRILLING  
SCREWS FOR METAL



### Hex Head SDS — CLASS 4 — WITH SEALING WASHER CREST GRIP™

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		qty	qty
					Length	Drilling Range mm		
295	SDHNCGC41237	12-14x37CGN	HEX 5/16	CLASS 4	Full	1.20 - 4.50	n/a	1000
305	SDHNCGC41248	12-14x48CGN	HEX 5/16	CLASS 4	Full	1.20 - 4.50	n/a	1000



TO ASSIST YOU WITH  
YOUR FASTENER  
SELECTION ALL SCREW  
ILLUSTRATIONS SHOWN  
HERE ARE DRAWN 1:1  
SCALE, ACTUAL SIZE.



### Hex Head SDS — CLASS 4 — FOR METAL BATTENS

Powers Metal Batten Screws have been specifically designed for attaching metal roofing profiles to thin metal battens.

Excellent pullout resistance is achieved with the specially designed drill tip and thread profile

Fast drilling performance and less screw wobble

High Pullout Strength 1.9kN in 0.55mm Metal Batten

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		qty	qty
					Length	Drilling Range mm		
302	SDHNBC41341	13-13x41	HEX 5/16	CLASS 4	Full	0.55 - 1.60	n/a	1000



### Hex Head SDS Class 4 – with 16mm Dekfast washer — COARSE THREAD

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		qty	qty
					Length	Min Embedment mm		
331	SDHNCC41442-DF16	14-10x42	HEX 3/8	CLASS 4	Full	1.2 - 3.0mm	n/a	1000
336	SDHNCC41450-DF16	14-10x50	HEX 3/8	CLASS 4	Full	1.2 - 3.0mm	n/a	1000

NEW

## IMPORTANT NOTE

### Painted SDS stock lines

Any of the following stock listed screws lines in the following colours are subject to an additional paint charge of \$15.00 / 1000  
Blue Ridge, Bushland, Classic Cream, Cottage Green, Deep Ocean, Dune, Headland, Iron Stone, Jasper, Manor Red, Night Sky,  
Paperbark, Pale Eucalypt, Plantation, Pale Terracotta, Sandbank, Shale Grey, Surfist, Woodland Grey, Wilderness & Windspray



Ezi Find	Part No.	Description	qty
275	SDHNCC41016	10-16X16N	1000
280	SDHNCC41025	10-16X25N	1000
285	SDHNCC41220	12-14X20N	1000
295	SDHNCGC41237	12-14X37CGN	1000
305	SDHNCGC41248	12-14X48CGN	1000

For other Self Drilling Screws requiring painting the following order qty's and painting charges apply


- 1000 to 9000 pieces additional charge of \$35.00 /1000
- 10,000 pieces + additional charge of \$15.00 /1000
- Delivery 5 to 7 days on non stocked painted lines






## SCREW & RIVETING SOLUTIONS

### SDS

#### SELF DRILLING SCREWS FOR METAL



#### Hex Head SDS — CLASS 4 — BARE / FINE THREAD

Thread								
Ezi Find	Part No.	Description	Head / Drive	Coating	Length	Drilling Range mm	qty	qty
247	SDHFC41025	10-24x25	HEX 5/16	CLASS 4	Full	1.60 - 4.50	1000	3000




Ezi Find	Part No.	Description	Head / Drive	Coating	Length	Drilling Range mm	qty	qty
250	SDHFC41230	12-24x30	HEX 5/16	CLASS 4	Full	1.60 - 5.30	n/a	1000





Ezi Find	Part No.	Description	Head / Drive	Coating	Length	Drilling Range mm	qty	qty
255	SDHFC414025	14-20x25	HEX 3/8	CLASS 4	Full	1.60 - 6.40	500	1500
260	SDHFC414115	14-20x115	HEX 3/8	CLASS 4	75	1.60 - 6.40	n/a	250
265	SDHFC414135	14-20x135	HEX 3/8	CLASS 4	75	1.60 - 6.40	n/a	250
270	SDHFC414150	14-20x150	HEX 3/8	CLASS 4	75	1.60 - 6.40	n/a	250

TO ASSIST YOU WITH  
YOUR FASTENER  
SELECTION ALL SCREW  
ILLUSTRATIONS SHOWN  
HERE ARE DRAWN 1:1  
SCALE, ACTUAL SIZE.



#### Hex Head SDS — ZINC YELLOW — BARE / FINE THREAD

Thread								
Ezi Find	Part No.	Description	Head / Drive	Coating	Length	Drilling Range mm	qty	qty
253	SDHFZY14025	14-20x25	HEX 3/8	ZINC YELLOW	Full	1.2 - 4.5	500	2000



## SDS

SELF DRILLING  
SCREWS FOR METAL



### Hex Head SDS — CLASS 4 — WITH SEALING WASHER / FINE THREAD

Ezi Find	Part No.	Description	Head / Drive	Coating	Length	Thread	Drilling Range mm	qty	qty
351	SDHNFC41025	10-24x25N	HEX 5/16	CLASS 4	Full		1.60 - 4.50	1000	3000



Ezi Find	Part No.	Description	Head / Drive	Coating	Length	Drilling Range mm	qty	qty
352	SDHNFC41230	12-24x30N	HEX 5/16	CLASS 4	Full	1.60 - 5.30	n/a	1000



Ezi Find	Part No.	Description	Head / Drive	Coating	Length	Drilling Range mm	qty	qty
355	SDHNFC414025	14-20x25N	HEX 3/8	CLASS 4	Full	1.60 - 6.40	500	1500
360	SDHNFC414115	14-20x115N	HEX 3/8	CLASS 4	75	1.60 - 6.40	n/a	250
365	SDHNFC414135	14-20x135N	HEX 3/8	CLASS 4	75	1.60 - 6.40	n/a	250
370	SDHNFC414150	14-20x150N	HEX 3/8	CLASS 4	75	1.60 - 6.40	n/a	250

TO ASSIST YOU WITH  
YOUR FASTENER  
SELECTION ALL SCREW  
ILLUSTRATIONS SHOWN  
HERE ARE DRAWN 1:1  
SCALE, ACTUAL SIZE.






## SCREW & RIVETING SOLUTIONS


### SDS

#### SELF DRILLING SCREWS FOR METAL



#### Hex Head SDS No.5 Point — CLASS 4

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		Drilling Range mm	qty	qty
					Length				
480	SDH5FC41232	12-24X32	HEX 5/16	CLASS 4	Full		4.50 - 12.5	500	1500
482	SDH5FC41250	12-24X50	HEX 5/16	CLASS 4	Full		4.50 - 12.5	n/a	1000
484	SDH5FC41265	12-24X65	HEX 5/16	CLASS 4	50		4.50 - 12.5	n/a	1000
481	SDH5FC414250	14-20X250	HGX 3/8	CLASS 4	70		4.50 - 12.0	n/a	200
483	SDH5FC414300	14-20X300	HGX 3/8	CLASS 4	70		4.50 - 12.0	n/a	200



#### Hex Head SDS No.5 Point — CLASS 4 — SEALING WASHER

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		Drilling Range mm	qty	qty
					Length				
486	SDH5NFC41232	12-24x32N	HEX 5/16	CLASS 4	Full		4.50 - 12.5	500	1500
488	SDH5NFC41250	12-24x50N	HEX 5/16	CLASS 4	Full		4.50 - 12.5	n/a	1000
490	SDH5NFC41265	12-24x65N	HEX 5/16	CLASS 4	50		4.50 - 12.5	n/a	1000
491	SDH5NFC414195	14-20x195N	HEX 3/8	CLASS 4	150		4.50 - 12.5	n/a	1000
492	SDH5NFC414250	14-20X250N	HEX 3/8	CLASS 4	70		4.50 - 12.0	n/a	200
494	SDH5NFC414300	14-20X300N	HEX 3/8	CLASS 4	70		4.50 - 12.0	n/a	200

TO ASSIST YOU WITH  
YOUR FASTENER  
SELECTION ALL SCREW  
ILLUSTRATIONS SHOWN  
HERE ARE DRAWN 1:1  
SCALE, ACTUAL SIZE.



## SDS


**SELF DRILLING  
SCREWS FOR TIMBER  
AND METAL**

- Security Applications
- Architectural Solutions
- Stainless Steel range available on request

### SFS intec carbon steel Class 4 self drilling universal screw — with irius®-drive system

For Timber & Light Gauge Steel (0.55 – 1.2mm)

Part No.	Description	Coating	effective thread length mm	washer diameter mm	overall length mm	Minimum Embed. mm	qty
SWL-T-L12-L12-55x28	5.2mm SFS irius	Class 4	20		28	Timber-20	250
SW2-T-L12-A12-5,5x55	5.5mm SFS irius	Class 4	40	A12	55	Timber-30	250
SW2-T-L12-A12-5,5x65	5.5mm SFS irius	Class 4	50	A12	65	Timber-30	250




### SFS intec carbon steel Class 4 self drilling screw for steel — with irius®-drive system

Part No.	Description	Coating	effective thread length mm	washer diameter mm	overall length mm	Drilling Range mm	qty
SDL3/8-L12-A12-5,5x25	5.5mm SFS irius	Class 4	8	A12	25	1.0 - 3.0	250
SD3/24-L12-A12-5,5x38	5.5mm SFS irius	Class 4	24	A12	38	1.2 - 3.0	500
SD5/12-L12-5,5x25	5.5mm SFS irius	Class 4	12		25	1.5 - 5.0	500
SD5/12-L12-A12-5,5x25	5.5mm SFS irius	Class 4	12	A12	25	1.5 - 5.0	500
SD8/8-L12-5,5x25	5.5mm SFS irius	Class 4	8		25	2.0 - 8.0	250
SD8/8-L12-A12-5,5x25	5.5mm SFS irius	Class 4	8	A12	25	2.0 - 8.0	250
SD14/12-L12-5,5x32	5.5mm SFS irius	Class 4	12		32	3.0 - 14.0	250
SD14/12-L12-A12-5,5x32	5.5mm SFS irius	Class 4	12	A12	32	3.0 - 14.0	250



### SFS intec Setting Tool — with irius®-drive system

Part No.	Description	qty
E420	Setting Tool	1



[www.youtube.com/  
watch?v=q-zyVnly8WE](http://www.youtube.com/watch?v=q-zyVnly8WE)





**SDS**

AUSTENITIC GRADE  
STAINLESS STEEL  
SELF DRILLING SCREWS

# Stainless Steel Screws

## SELF DRILLING SCREWS FOR METAL

## SDS

### AUSTENITIC GRADE STAINLESS STEEL SELF DRILLING SCREWS

#### Austenitic 302/304 grade stainless steel

Powers Fasteners are pleased to introduce the new **Bi-Metal** range of screws with the special **PSK** head marking for easy identification and inspection.

The **PSK** stainless steel range come in an impressive range of head styles for numerous applications for fixing to steel, aluminium or timber structures.

When you need to be reassured that your project is being protected against Australia's corrosive coastline, industrial areas or chemical hazards look no further than Powers range of Stainless Steel Fasteners.

Powers Fasteners are a dedicated supplier to the Construction Industry offering technical advice on the suitability and compatibility of screw fastening systems for today's demanding applications and conditions.

Powers Fasteners has adopted a policy of supplying only Class 4 Coated Screw products in the Hex Headed range of carbon steel self drilling screws, with the P+ head mark.

**Why Class 4?** Simple! Because of the harsh environment we have in Australia. The Class 4 coated range is a step in the right direction.

**What is the next step?** Powers Fasteners **PSK** range of stainless steel screws.

Keeping in line with roof and cladding manufacturers specifications for suggested fixing use, Powers Fasteners has developed a wide range of stainless steel screws suitable for use in:

- metal base material
- timber base material
- aluminum base material.

**What is "Bi-Metal" and why does it perform so well?** The characteristics of the new **PSK** innovated screw has moulded technology together by fusing hardened steel self drilling points to austenitic stainless steel material.

**The result!** Exceptional corrosion resistance plus superior drilling performance, all in the one screw.


#### The Bi-Metal Self Drilling Screw

The fused harden steel self drilling screw includes a No 5 point that will self drill and thread into steel 12.00mm thick!!!

In the past a pre drilled hole would be required then a thread cutting fastener installed, a two part operation that is time consuming incurring higher cost.

Powers **PSK** Stainless Steel Screw not only saves labor time and money, they offer the ultimate corrosion resistance. All **PSK** head marked screws are coated with a Zinc Clear Electroplating which is applied to assist the drilling and thread forming process.

The **PSK** head marked product not only delivers performance and corrosive resistance, the head style options provides the designer with a number of aesthetic solutions.






## SCREW & RIVETING SOLUTIONS


### SDS

AUSTENITIC GRADE  
STAINLESS STEEL  
SELF DRILLING SCREWS



#### SDS Hex Head 304 Bi-Metal — BARE — 2500rpm


Ezi Find	Part No.	Description	Head / Drive	Drilling Range mm	Grip Range	qty	qty
900	SSSDHC1016	10-16 x 16	HEX (5/16)	2.0 - 4.0	8mm	500	4000
901	SSSDHC1035	10-16 x 35	HEX (5/16)	2.0 - 4.0	22mm	TBA	TBA



Ezi Find	Part No.	Description	Head / Drive	Drilling Range mm	Grip Range	qty	qty
902	SSSDHC1220	12-14 x 20	HEX (5/16)	3.0 - 6.0	9mm	500	2000




Ezi Find	Part No.	Description	Head / Drive	Drilling Range mm	Grip Range	qty	qty
904	SSSDHC14025	14-14 x 25	HEX (5/16)	3.0 - 6.0	12mm	500	1500
906	SSSDHC14050	14-14 x 50	HEX (5/16)	3.0 - 6.0	37mm	n/a	500
908	SSSDHC14075	14-14 x 75	HEX (5/16)	3.0 - 6.0	62mm	n/a	500



#### SDS Hex Head 304 Bi-Metal — SEALING WASHER — 2500rpm

Ezi Find	Part No.	Description	Head / Drive	Drilling Range mm	Grip Range	qty	qty
910	SSSDHNC1016	10-16 x 16	HEX (5/16)	2.0 - 4.0	8mm	500	4000




Ezi Find	Part No.	Description	Head / Drive	Drilling Range mm	Grip Range	qty	qty
912	SSSDHNC1220	12-14 x 20	HEX (5/16)	3.0 - 6.0	9mm	500	2000



Ezi Find	Part No.	Description	Head / Drive	Drilling Range mm	Grip Range	qty	qty
914	SSSDHNC14025	14-14 x 25	HEX (3/8)	3.0 - 6.0	12mm	500	1500
916	SSSDHNC14050	14-14 x 50	HEX (3/8)	3.0 - 6.0	37mm	n/a	500
918	SSSDHNC14075	14-14 x 75	HEX (3/8)	3.0 - 6.0	62mm	n/a	500

Note — 10 x 16, 12 x 20, and 14 x 25 are assembled with standard washers.

14 x 50 and 14 x 75 are assembled with a 16mm Stainless Steel Bonded Washer



## SDS

AUSTENITIC GRADE  
STAINLESS STEEL  
SELF DRILLING SCREWS


**NEW**

### SDS 304 Bi-Metal low profile — 2500rpm

304 Grade Bi-Metal stainless steel screw with Low Profile mushroom head style and No2 square drive recess. Aesthetic headstyle for use in applications that require a neat finish such as the fixing of aluminium facade panels. Also suitable for fixing of clip deck roofing brackets that require a low profile stainless steel screw




Ezi Find	Part No.	Description	Head / Drive	Drilling Range mm	Grip Range	qty	qty
960	SSSDLPC1238	12-14 x 38	Mush / No2 Sq. Drive	1.0 - 3.0	23mm	n/a	1000



### SDS Wafer 302 Bi-Metal — 2500rpm




Ezi Find	Part No.	Description	Head / Drive	Drilling Range mm	Grip Range	qty	qty
920	SSSDWAC1025	10-16 x 25	Wafer / PHILLIPS #2	2.0 - 4.0	12mm	500	4000



### CSK Wing 302 Bi-Metal — 2500rpm



Ezi Find	Part No.	Description	Head / Drive	Drilling Range mm	Grip Range	qty	qty
925	SSSDCWC1050	10-16 x 50	CSK Wing / PHILLIPS #2	2.0 - 4.0	31.5mm	500	1500



### SDS CSK 302 Bi-Metal — 2500rpm



Ezi Find	Part No.	Description	Head / Drive	Drilling Range mm	Grip Range	qty	qty
922	SSSDCC1030	10-16 x 30	CSK / PHILLIPS #2	2.0-4.0	13.5mm	1000	4000



### SDS PAN HEAD 302 Bi-Metal — 2500rpm



Ezi Find	Part No.	Description	Head / Drive	Drilling Range mm	Grip Range	qty	qty
926	SSSDPA816	SD Pan SS 8-18 x 16	Pan / PHILLIPS #2	2.0 - 3.0	8mm	1000	8000
927	SSSDPA819	SD Pan SS 8-18 x 19	Pan / PHILLIPS #2	2.0 - 3.0	8mm	1000	8000
928	SSSDPA825	SD Pan SS 8-18 x 25	Pan / PHILLIPS #2	2.0 - 3.0	12mm	1000	6000






## SCREW & RIVETING SOLUTIONS


### SDS

AUSTENITIC GRADE  
STAINLESS STEEL  
SELF DRILLING SCREWS



#### SDS Hex Head 304 Bi-Metal No. 5 Point — Bare — 2500rpm


Ezi Find	Part No.	Description	Head / Drive	Drilling Range mm	Grip Range	qty	qty
950	SSSDH5F14055	14-24 x 55	HEX 3/8	6.0 - 12.0	32mm	n/a	500
952	SSSDH5F14085	14-24 x 85	HEX 3/8	6.0 - 12.0	62mm	500	1500



#### SDS Hex Head 304 Bi-Metal No. 5 Point — SEALING WASHER — 2500rpm


Ezi Find	Part No.	Description	Head / Drive	Drilling Range mm	Grip Range	qty	qty
954	SSSDH5NF14055	14-24 x 55	HEX 3/8	6.0 - 12.0	32mm	n/a	500
956	SSSDH5NF14085	14-24 x 85	HEX 3/8	6.0 - 12.0	62mm	500	500

Note 14 x 55 and 14 x 85 are assembled with a 16mm Washer



#### Type 17 Hex Head 304 Grade Stainless Steel — BARE — 1500rpm

Ezi Find	Part No.	Description	Head / Drive	Thread Length	Min Embedment mm	qty	qty
930	SST17H14025	14-10 x 25	HEX 3/8	Full	23	500	1500
931	SST17H14040	14-10 x 40	HEX 3/8	Full	35	n/a	500
932	SST17H14050	14-10 x 50	HEX 3/8	34	35	n/a	500
934	SST17H14065	14-10 x 65	HEX 3/8	44	35	n/a	500
936	SST17H14075	14-10 x 75	HEX 3/8	50	35	n/a	500
938	SST17H14090	14-10 x 90	HEX 3/8	60	35	n/a	500




#### Type 17 Hex Head 304 Grade Stainless Steel — SEALING WASHER — 1500rpm

Ezi Find	Part No.	Description	Head / Drive	Thread Length	Min Embedment mm	qty	qty
940	SST17HN14025	14-10 x 25	HEX 3/8	Full	23	500	1500
941	SST17HN14040	14-10 x 40	HEX 3/8	Full	35	n/a	500
942	SST17HN14050	14-10 x 50	HEX 3/8	34	35	n/a	500
944	SST17HN14065	14-10 x 65	HEX 3/8	44	35	n/a	500
946	SST17HN14075	14-10 x 75	HEX 3/8	50	35	n/a	500
948	SST17HN14090	14-10 x 90	HEX 3/8	60	35	n/a	500







## SDS

AUSTENITIC GRADE  
STAINLESS STEEL  
SELF DRILLING SCREWS





### Low Profile Head 304SS Torx T20W Timber Screw

				Thread			
Ezi Find	Part No.	Description	Head / Drive	Length	Minimum Embed. mm	qty	qty
n/a	TW-S-D12-4.8x30	10-4.8 x 30	Torx	Full	25	n/a	250
n/a	TW-S-D12-4.8x38	10-4.8 x 38	Torx	Full	25	n/a	250
n/a	TW-S-D12-4.8x44	10-4.8 x 44	Torx	Full	25	n/a	250
n/a	TW-S-D12-4.8x60	10-4.8 x 60	Torx	Full	25	n/a	250



### Low Profile Head 304SS Torx T20W Timber Screw

					
Part No.	Description			qty	qty
ZA1/4-UNIVERSAL	1/4" Drive Bar with clamping bit holder			1	n/a
T20W	Bit - Torx for TW-S Screws			1	n/a






## SCREW & RIVETING SOLUTIONS

### SDS

#### SELF DRILLING SCREWS FOR METAL



#### Wafer Head SDS — CLASS 3


Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		Drilling Range mm	qty	qty
					Length				
380	SDWACC31016	10-16x16	WAFER / PHILLIPS #2	CLASS 3	Full		1.0 - 3.50	1000	8000
382	SDWACC31022	10-16x22	WAFER / PHILLIPS #2	CLASS 3	Full		1.0 - 3.50	1000	6000
384	SDWACC31030	10-16x30	WAFER / PHILLIPS #2	CLASS 3	Full		1.0 - 3.50	1000	3000
386	SDWACC31040	10-16x40	WAFER / PHILLIPS #2	CLASS 3	Full		1.0 - 3.50	1000	3000




#### Wafer Head SDS — ZINC YELLOW

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		Drilling Range mm	qty	qty
					Length				
388	SDWACZY1016	10-16x16	WAFER / PHILLIPS #2	ZINC YELLOW	Full		1.0 - 3.50	1000	8000
390	SDWACZY1022	10-16x22	WAFER / PHILLIPS #2	ZINC YELLOW	Full		1.0 - 3.50	1000	6000
392	SDWACZY1030	10-16x30	WAFER / PHILLIPS #2	ZINC YELLOW	Full		1.0 - 3.50	1000	3000
394	SDWACZY1040	10-16x40	WAFER / PHILLIPS #2	ZINC YELLOW	Full		1.0 - 3.50	1000	3000

TO ASSIST YOU WITH  
YOUR FASTENER  
SELECTION ALL SCREW  
ILLUSTRATIONS SHOWN  
HERE ARE DRAWN 1:1  
SCALE, ACTUAL SIZE.



Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		Drilling Range mm	qty	qty
					Length				
396	SDWAFZY1016	10-24x16	WAFER / PHILLIPS #2	ZINC YELLOW	Full		1.60 - 4.50	1000	8000



#### Wafer Head 12-14 x 18 Super Strength 12 gauge shank with 10 gauge head

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		Drilling Range mm	qty	qty
					Length				
389	SDWACZY1218	12-14 x 18	WAFER / PHILLIPS #2	ZINC YELLOW	Full		1.20 - 4.50	1000	6000
381	SDWACC31218	12-14 x 18	WAFER / PHILLIPS #2	CLASS 3	Full		1.20 - 4.50	1000	6000




## SDS

SELF DRILLING  
SCREWS FOR METAL



### Button Head SDS — ZINC YELLOW

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread Length	Drilling Range mm	qty	qty
430	SDBHZY812	8-18x12	BUTTON / PHILLIPS #2	ZINC YELLOW	Full	1.0 - 2.50	1000	8000
432	SDBHZY816	8-18x16	BUTTON / PHILLIPS #2	ZINC YELLOW	Full	1.0 - 2.50	1000	6000
434	SDBHZY820	8-18x20	BUTTON / PHILLIPS #2	ZINC YELLOW	Full	1.0 - 2.50	1000	6000
436	SDBHZY825	8-18x25	BUTTON / PHILLIPS #2	ZINC YELLOW	Full	1.0 - 2.50	1000	4000
438	SDBHZY832	8-18x32	BUTTON / PHILLIPS #2	ZINC YELLOW	Full	1.0 - 2.50	1000	3000



### Button Head SDS — CLASS 3

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread Length	Drilling Range mm	qty	qty
431	SDBHC30812	8-18x12	BUTTON / PHILLIPS #2	CLASS 3	Full	1.0 - 2.50	1000	8000
433	SDBHC30816	8-18x16	BUTTON / PHILLIPS #2	CLASS 3	Full	1.0 - 2.50	1000	6000
435	SDBHC30820	8-18x20	BUTTON / PHILLIPS #2	CLASS 3	Full	1.0 - 2.50	1000	6000
437	SDBHC30825	8-18x25	BUTTON / PHILLIPS #2	CLASS 3	Full	1.0 - 2.50	1000	4000
439	SDBHC30832	8-18x32	BUTTON / PHILLIPS #2	CLASS 3	Full	1.0 - 2.50	1000	3000

NEW

### Powers Flat Tops™ — The original and the best

The new **Powers Flat Top** patented design has 50% higher pullout capacity in thin steel material compared to imitations. The new **Powers Flat Top** ensures fixture material is clamped up tightly under the lowest profile head available on the market. **DON'T RISK IT - CHOOSE POWERS FLAT TOPS EVERYTIME, FOR TROUBLE FREE INSTALLATION**

- Needle point for light gauge steel, SDS point for steel up to 3mm
- Suitable for light gauge steel stud connection
- Flat low profile head style
- Suitable for confined areas
- Eliminates bulging of plasterboard
- Choice of Zinc Yellow or Class 3 category finish

#### Original Flat Top




#### Beware of imitations



### Flat Tops™ SDS — ZINC YELLOW

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread Length	Drilling Range mm	qty	qty
420	SDSHZY1016	10-16x16	SMALL / PHILLIPS #2	ZINC YELLOW	Full	1.0 - 3.0	1000	8000



### Flat Tops™ SDS — CLASS 3


Ezi Find	Part No.	Description	Head / Drive	Coating	Thread Length	Drilling Range mm	qty	qty
422	SDSHC31016	10-16x16	SMALL / PHILLIPS #2	CLASS 3	Full	1.0 - 3.0	1000	8000



## SCREW & RIVETING SOLUTIONS


### SDS

#### SELF DRILLING SCREWS FOR METAL




#### CSK Wing SDS Class 3 — 6 NIBB

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		Drilling Range mm	qty	qty
					Length				
400	SDCWC30832	8-18x32	CSK / PHILLIPS #2	CLASS 3	Full		1.0 - 3.5	1000	4000



Ezi Find	Part No.	Description	Head / Drive	Coating	Length	Drilling Range mm	qty	qty
402	SDCWC31040	10-16x40	CSK / PHILLIPS #2	CLASS 3	Full	1.20 - 3.50	1000	3000
404	SDCWC31045	10-16x45	CSK / PHILLIPS #2	CLASS 3	Full	1.20 - 3.50	500	2000
406	SDCWC31055	10-16x55	CSK / PHILLIPS #2	CLASS 3	Full	1.20 - 3.50	500	1500
408	SDCWC31075	10-16x75	CSK / PHILLIPS #2	CLASS 3	Full	1.20 - 3.50	n/a	1000

TO ASSIST YOU WITH  
YOUR FASTENER  
SELECTION ALL SCREW  
ILLUSTRATIONS SHOWN  
HERE ARE DRAWN 1:1  
SCALE, ACTUAL SIZE.



#### CSK Wing SDS — ZINC YELLOW / 6 NIBB


Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		Drilling Range mm	qty	qty
					Length				
410	SDCWZY0642	6.20x42	CSK / PHILLIPS #2	ZINC YELLOW	Full		0.80 - 2.30	1000	4000



Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		Drilling Range mm	qty	qty
					Length				
416	SDCWZY1040	10-16x40	CSK / PHILLIPS #2	ZINC YELLOW	Full		1.20 - 3.50	1000	3000
418	SDCWZY1045	10-16x45	CSK / PHILLIPS #2	ZINC YELLOW	Full		1.20 - 3.50	500	2000

## SDS

### SELF DRILLING SCREWS FOR METAL




#### Bugle Head SDS — ZINC YELLOW

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		qty	qty
					Length	Drilling Range mm		
440	SDBUZY625	6-20x25	BUGLE / PHILLIPS #2	ZINC YELLOW	Full	0.80 - 2.30	1000	6000
442	SDBUZY632	6-20x32	BUGLE / PHILLIPS #2	ZINC YELLOW	Full	0.80 - 2.30	1000	6000
444	SDBUZY645	6-20x45	BUGLE / PHILLIPS #2	ZINC YELLOW	Full	0.80 - 2.30	1000	3000



Ezi Find	Part No.	Description	Head / Drive	Coating	Length	Drilling Range mm	qty	qty
445	SDBUZY875	8-18x75	BUGLE / PHILLIPS #2	ZINC YELLOW	Full	0.80 - 2.50	n/a	1000



#### Collated Bugle SDS — ZINC YELLOW

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		qty	qty
					Length	Drilling Range mm		
446	CSDBUZY0625	6-20 X 25	BUGLE / PHILLIPS #2	ZINC YELLOW	Full	0.80 - 2.30	1000	10,000
448	CSDBUZY0632	6-20 X 32	BUGLE / PHILLIPS #2	ZINC YELLOW	Full	0.80 - 2.30	1000	10,000
450	CSDBUZY0641	6-20 X 41	BUGLE / PHILLIPS #2	ZINC YELLOW	Full	0.80 - 2.30	1000	10,000

TO ASSIST YOU WITH  
YOUR FASTENER  
SELECTION ALL SCREW  
ILLUSTRATIONS SHOWN  
HERE ARE DRAWN 1:1  
SCALE, ACTUAL SIZE.



## SCREW & RIVETING SOLUTIONS


### SDS

#### SELF DRILLING SCREWS FOR METAL



#### Countersunk SDS — ZINC YELLOW

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		Drilling Range mm	qty	qty
					Length				
460	SDCFZY1030	10-24x30	CSK / PHILLIPS #2	ZINC YELLOW	Full		1.20 - 4.50	1000	4000
462	SDCFZY1040	10-24x40	CSK / PHILLIPS #2	ZINC YELLOW	Full		1.20 - 4.50	1000	3000
464	SDCFZY1050	10-24x50	CSK / PHILLIPS #2	ZINC YELLOW	Full		1.20 - 4.50	500	2000
466	SDCFZY1065	10-24x65	CSK / PHILLIPS #2	ZINC YELLOW	40		1.20 - 4.50	500	1500



#### Countersunk SDS — CLASS 3 / COARSE THREAD

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		Drilling Range mm	qty	qty
					Length				
456	SDCCC31030	10-16x30	CSK / PHILLIPS #2	Class 3	FULL		1.20 - 4.50	1000	4000
457	SDCCC31040	10-16x40	CSK / PHILLIPS #2	Class 3	FULL		1.20 - 4.50	1000	3000

TO ASSIST YOU WITH  
YOUR FASTENER  
SELECTION ALL SCREW  
ILLUSTRATIONS SHOWN  
HERE ARE DRAWN 1:1  
SCALE, ACTUAL SIZE.




#### Countersunk SDS — ZINC YELLOW / COARSE THREAD

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		Drilling Range mm	qty	qty
					Length				
458	SDCCZY1030	10-16x30	CSK / PHILLIPS #2	ZINC YELLOW	FULL		1.20 - 4.50	1000	4000
459	SDCCZY1040	10-16x40	CSK / PHILLIPS #2	ZINC YELLOW	FULL		1.20 - 4.50	1000	3000



#### Countersunk SDS Head Self Embedding — ZINC YELLOW / 6 NIBB

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		Drilling Range mm	qty	qty
					Length				
470	SDSEZY820	8-18x20	CSK / PHILLIPS #2	ZINC YELLOW	Full		1.0 - 2.50	1000	8000
472	SDSEZY830	8-18x30	CSK / PHILLIPS #2	ZINC YELLOW	Full		1.0 - 2.50	1000	4000



## SDS


SELF DRILLING  
SCREWS FOR METAL



### Pan Head SDS — ZINC YELLOW

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		qty	qty
					Length	Drilling Range mm		
500	SDPAZY812	8-18x12	PAN / PHILLIPS #2	ZINC YELLOW	Full	1.0 - 2.50	1000	8000
502	SDPAZY816	8-18x16	PAN / PHILLIPS #2	ZINC YELLOW	Full	1.0 - 2.50	1000	8000

TO ASSIST YOU WITH  
YOUR FASTENER  
SELECTION ALL SCREW  
ILLUSTRATIONS SHOWN  
HERE ARE DRAWN 1:1  
SCALE, ACTUAL SIZE.



### Powers Cyclonic Plates — HEX HEAD SDS CLASS 4 - NEO

The PCP4 Cyclonic Metal plate and EPDM Seal has been designed to suit both round and square metal roofing profiles. The EPDM Seal offers a complete water-tight seal top & bottom also protecting the metal roof surface from scratching. Meets requirements of AS 4040.3

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		qty	qty
					Length	Drilling Range mm		
780	SDHPCP414050	14-10 x 50	HEX 3/8	Class 4	Full	1.5 - 3.0	n/a	250

DISCONTINUED  
RANGE ONCE  
STOCK EXHAUSTED

Note - PCP4 available in painted heads. Check availability.



### Orb-It — SDS CLASS 4

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		qty	qty
					Length	Drilling Range mm		
514	SDOICC41020	10-16 x 20	Small / Phillips #2	Class 4	Full	1.0 - 3.0	1000	6000
516	SDOICC41030	10-16 x 30	Small / Phillips #2	Class 4	Full	1.0 - 3.0	1000	4000

NEW





## 2 IN 1 drills & screws in one



<http://www.youtube.com/watch?v=01oo038h-Zo>

TO ASSIST YOU WITH  
YOUR FASTENER  
SELECTION ALL SCREW  
ILLUSTRATIONS SHOWN  
HERE ARE DRAWN 1:1  
SCALE, ACTUAL SIZE.

### THE ULTIMATE DECKING & FENCING SCREW


WOODPECKER® is the best

- 316SS
- Self embedding head
- Reverse thread for clean install
- Special clamping thread
- Torx Drive for guaranteed easy install
- Will not split the end grain
- All deck types - hard, soft & treated
- No pre-drilling needed
- Clean trim head



If you are a:


- Trades Person
- Architect
- Designer
- Fencer
- Just want the best & easiest decking screw WOODPECKER is for you!

**Comes complete  
with torx driver**



#### WOODPECKER® — TIMBERDEK TORX 316 STAINLESS STEEL

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread Length	Drilling Range mm	 	
							qty	qty
<b>743</b>	SDTDSS12050-250	12-11x50	Torx	S/S	Full		250	3000
<b>744</b>	SDTDSS12050-500	12-11x50	Torx	S/S	Full		500	6000
<b>745</b>	SDTDSS12065-250	12-11x65	Torx	S/S	Full		250	3000
<b>746</b>	SDTDSS12050-500	12-11x65	Torx	S/S	Full		500	3000



**NEW**

#### WOODPECKER® TORX DRIVE

Ezi Find	Part No.	Description	 	
			qty	qty
	ZSDTDTRXDRV	Woodpecker Torx Drive	1	1

# OTHER DECK FASTENING SOLUTIONS FROM POWERS



## SDS

**SELF DRILLING  
SCREWS FOR DECKING  
AND FENCING**

### Timberdek — 304 GRADE STAINLESS STEEL

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		Min Embedment mm	qty	qty
					Length				
<b>738</b>	T17TDSS09053	9-9x53	CSK / No.2 SQ	SS	38		25	250	2000



### Timberdek — 304 GRADE STAINLESS STEEL

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		Min Embedment mm	qty	qty
					Length				
<b>741</b>	T17TDSS10050	10-8 x 50	CSK / No.2 SQ	SS	34		25	250	1000
<b>742</b>	T17TDSS10065	10-8 x 65	CSK / No.2 SQ	SS	44		25	150	600



### Type 17 CSK Head Timberdeks Trade Bag — STAINLESS STEEL 304

Re-Order Part No. Ezi Find	Size	Feature	Head / Drive Style	Material	Colour	Thread Length	Min. Embedment mm	Bag qty
TB738	9-9x53		304 / No.2 SQ	Stainless Steel	Plain	38	25	100

TO ASSIST YOU WITH  
YOUR FASTENER  
SELECTION ALL SCREW  
ILLUSTRATIONS SHOWN  
HERE ARE DRAWN 1:1  
SCALE, ACTUAL SIZE.

### Headcote — 305 GRADE STAINLESS STEEL DECKING SCREW WITH A COLOUR COATED HEAD

AVAILABLE COLOURS - on request

Grade 305 stainless steel for superior protection against staining and corrosion.  
Blade-shape auger point tip for faster, easier entry.  
Extra-deep square recess for improved handling; favoured by professionals.  
Flat heads are reinforced at the neck for greater strength  
Approved for use with ACQ treated timber  
Both flat and trim head styles with nibs for better countersinking where pre-drilling is not required.



**NEW**

### Type 17 Headcote — 305 GRADE STAINLESS STEEL

Ezi Find	Part No.	Description	Head / Drive	Material	Thread		Min Embedment mm	qty	qty
					Length				
<b>748</b>	T17TDSSBHC0756-350	7-9 x 56	No.2 SQ Drive	SS	37		20	350	3150



**NEW**

### Type 17 Headcote — 305 GRADE STAINLESS STEEL

Ezi Find	Part No.	Description	Head / Drive	Material	Thread		Min Embedment mm	qty	qty
					Length				
<b>750</b>	T17TDSSBHC1050-350	10-8 x 50	No.2 SQ Drive	SS	35		20	350	3150





## SCREW & RIVETING SOLUTIONS


### TYPE 17

SELF DRILLING  
SCREWS FOR TIMBER




#### Type 17 Hex Head Class 4 — BARE / COARSE THREAD

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		qty	qty
					Length	Min Embedment mm		
520	T17HC41025	10-12x25	HEX 5/16	CLASS 4	Full	23	1000	3000



Ezi Find	Part No.	Description	Head / Drive	Coating	Length	Min Embedment mm	qty	qty
525	T17HC41225	12-11x25	HEX 5/16	CLASS 4	Full	23	500	2000
528	T17HC41235	12-11x35	HEX 5/16	CLASS 4	Full	30	n/a	1000
530	T17HC41240	12-11x40	HEX 5/16	CLASS 4	Full	30	n/a	1000
535	T17HC41245	12-11x45	HEX 5/16	CLASS 4	30	30	n/a	1000
540	T17HC41250	12-11x50	HEX 5/16	CLASS 4	33	30	n/a	1000


**NEW**



up to  
300mm

Ezi Find	Part No.	Description	Head / Drive	Coating	Length	Min Embedment mm	qty	qty
545	T17HC414025	14-10x25	HEX 3/8	CLASS 4	Full	23	500	1500
550	T17HC414040	14-10x40	HEX 3/8	CLASS 4	Full	35	n/a	1000
555	T17HC414050	14-10x50	HEX 3/8	CLASS 4	33	35	n/a	1000
560	T17HC414065	14-10x65	HEX 3/8	CLASS 4	43	35	n/a	1000
565	T17HC414075	14-10x75	HEX 3/8	CLASS 4	50	35	n/a	500
570	T17HC414090	14-10x90	HEX 3/8	CLASS 4	60	35	n/a	500
575	T17HC414100	14-10x100	HEX 3/8	CLASS 4	60	35	n/a	250
580	T17HC414115	14-10x115	HEX 3/8	CLASS 4	60	35	n/a	250
585	T17HC414125	14-10x125	HEX 3/8	CLASS 4	60	35	n/a	250
590	T17HC414150	14-10x150	HEX 3/8	CLASS 4	100	35	n/a	250
591	T17HC414175	14-10x175	HEX 3/8	CLASS 4	100	35	n/a	250
592	T17HC414200	14-10x200	HEX 3/8	CLASS 4	100	35	n/a	200
593	T17HC414240	14-10x240	HEX 3/8	CLASS 4	70	35	n/a	200
594	T17HC414300	14-10x300	HEX 3/8	CLASS 4	70	35	n/a	200

TO ASSIST YOU WITH  
YOUR FASTENER  
SELECTION ALL SCREW  
ILLUSTRATIONS SHOWN  
HERE ARE DRAWN 1:1  
SCALE, ACTUAL SIZE.



## TYPE 17

SELF DRILLING  
SCREWS FOR TIMBER



### Type 17 Hex Head — ZINC YELLOW / COARSE THREAD

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		qty	qty
					Length	Min Embedment mm		
740	T17HZY1225	12-11X25	HEX 5/16	ZINC YELLOW	Full	23	500	2000
760	T17HZY1250	12-11X50	HEX 5/16	ZINC YELLOW	33	30	n/a	1000

TO ASSIST YOU WITH  
YOUR FASTENER  
SELECTION ALL SCREW  
ILLUSTRATIONS SHOWN  
HERE ARE DRAWN 1:1  
SCALE, ACTUAL SIZE.

## IMPORTANT NOTE

### Painted Type 17 Stock Lines

Any of the following stock listed screws lines in the following colours are subject to an additional paint charge of \$15.00 / 1000  
Blue Ridge, Bushland, Classic Cream, Cottage Green, Deep Ocean, Dune, Headland, Iron Stone, Jasper, Manor Red, Night Sky,  
Paperbark, Pale Eucalypt, Plantation, Pale Terracotta, Sandbank, Shale Grey, Surfmist, Woodland Grey, Wilderness & Windspray



Ezi Find	Part No.	Description	qty
520	T17HC41025	10-12X25	1000

For other Type 17 Screws requiring painting the following order qty's and painting charges apply

- 1000 to 9000 pieces additional charge of \$35.00 /1000
- 10,000 pieces + additional charge of \$15.00/1000
- Delivery 5 to 7 days on non stocked painted lines





## SCREW & RIVETING SOLUTIONS


### TYPE 17

SELF DRILLING  
SCREWS FOR TIMBER



#### Type 17 Hex Head Class 4 — WITH SEALING WASHER

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread Length	Min Embedment mm	qty	qty
595	T17HNC41025	10-12x25N	HEX 5/16	CLASS 4	Full	23	1000	3000



Ezi Find	Part No.	Description	Head / Drive	Coating	Length	Min Embedment mm	qty	qty
600	T17HNC41225	12-11x25N	HEX 5/16	CLASS 4	Full	23	500	2000
603	T17HNC41240	12-11x40N	HEX 5/16	CLASS 4	Full	30	n/a	1000
605	T17HNC41245	12-11x45N	HEX 5/16	CLASS 4	30	30	n/a	1000
610	T17HNC41250	12-11x50N	HEX 5/16	CLASS 4	33	30	n/a	1000



up to 300mm

TO ASSIST YOU WITH  
YOUR FASTENER  
SELECTION ALL SCREW  
ILLUSTRATIONS SHOWN  
HERE ARE DRAWN 1:1  
SCALE, ACTUAL SIZE.

Ezi Find	Part No.	Description	Head / Drive	Coating	Length	Min Embedment mm	qty	qty
615	T17HNC414025	14-10x25N	HEX 3/8	CLASS 4	Full	23	500	1500
620	T17HNC414040	14-10x40N	HEX 3/8	CLASS 4	Full	35	n/a	1000
625	T17HNC414050	14-10x50N	HEX 3/8	CLASS 4	36	35	n/a	1000
630	T17HNC414065	14-10x65N	HEX 3/8	CLASS 4	43	35	n/a	1000
635	T17HNC414075	14-10x75N	HEX 3/8	CLASS 4	50	35	n/a	500
640	T17HNC414090	14-10x90N	HEX 3/8	CLASS 4	60	35	n/a	500
645	T17HNC414100	14-10x100N	HEX 3/8	CLASS 4	60	35	n/a	250
650	T17HNC414115	14-10x115N	HEX 3/8	CLASS 4	60	35	n/a	250
655	T17HNC414125	14-10x125N	HEX 3/8	CLASS 4	60	35	n/a	250
660	T17HNC414150	14-10x150N	HEX 3/8	CLASS 4	100	35	n/a	250
661	T17HNC414175	14-10x175N	HEX 3/8	CLASS 4	100	35	n/a	250
662	T17HNC414200	14-10x200N	HEX 3/8	CLASS 4	100	35	n/a	200
663	T17HNC414240	14-10x240N	HEX 3/8	CLASS 4	70	35	n/a	200
664	T17HNC414300	14-10x300N	HEX 3/8	CLASS 4	70	35	n/a	200

#### IMPORTANT NOTE

##### Painted Type 17 Stock Lines

Any of the following stock listed screws lines in the following colours are subject to an additional paint charge of \$15.00 / 1000  
Blue Ridge, Bushland, Classic Cream, Cottage Green, Deep Ocean, Dune, Headland, Iron Stone, Jasper, Manor Red, Night Sky,  
Paperbark, Pale Eucalypt, Plantation, Pale Terracotta, Sandbank, Shale Grey, Surfmist, Woodland Grey, Wilderness & Windspray



Ezi Find	Part No.	Description	qty
595	T17HNC41025	10-12x25N	1000
600	T17HNC41225	12-11x25N	1000
665	T17HNCGC41250	12-11x50CGN	1000
670	T17HNCGC41265	12-11x65CGN	1000

For other Type 17 Screws requiring painting the following order qty's and painting charges apply

- 1000 to 9000 pieces additional charge of \$35.00 /1000
- 10,000 pieces + additional charge of \$15.00/1000
- Delivery 5 to 7 days on non stocked painted lines



## TYPE 17

SELF DRILLING  
SCREWS FOR TIMBER



### Type 17 Hex Head Class 4 — SEALING WASHER CREST GRIP™


Ezi Find	Part No.	Description	Head / Drive	Coating	Thread Length	Min Embedment mm	qty	qty
665	T17HNCGC41250	12-11x50CGN	HEX 5/16	CLASS 4	Full	30	n/a	1000
670	T17HNCGC41265	12-11x65CGN	HEX 5/16	CLASS 4	Full	30	n/a	1000



### Type 17 Hex Head Class 4 – with 16mm Dekfast washer — COARSE THREAD

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread Length	Min Embedment mm	qty	qty
626	T17HNC414050-DF16	14-10x50	HEX 3/8	CLASS 4	33	30	n/a	1000
631	T17HNC414065-DF16	14-10x65	HEX 3/8	CLASS 4	43	35	n/a	1000

NEW



TO ASSIST YOU WITH  
YOUR FASTENER  
SELECTION ALL SCREW  
ILLUSTRATIONS SHOWN  
HERE ARE DRAWN 1:1  
SCALE, ACTUAL SIZE.



### Powers Cyclonic Plates — HEX HEAD TYPE 17 CLASS 4 - NEO

The PCP4 Cyclonic Metal plate and EPDM Seal has been designed to suit both round and square metal roofing profiles. The EPDM Seal offers a complete water-tight seal top & bottom also protecting the metal roof surface from scratching. Meets requirements of AS 4040.3

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread Length	Min Embedment mm	qty	qty
770	T17HPCP414050	14-10 x 50	HEX 3/8	CLASS 4	33	35	n/a	250
770-CC	Classic Cream	14-10 x 50	HEX 3/8	CLASS 4	33	35	n/a	250
770-DU	Dune	14-10 x 50	HEX 3/8	CLASS 4	33	35	n/a	250
770-PA	Paperbark	14-10 x 50	HEX 3/8	CLASS 4	33	35	n/a	250
770-PE	Pale Eucalypt	14-10 x 50	HEX 3/8	CLASS 4	33	35	n/a	250
770-SM	Surf Mist	14-10 x 50	HEX 3/8	CLASS 4	33	35	n/a	250
771	T17HPCP414065	14-10 x 65	HEX 3/8	CLASS 4	43	35	n/a	250

DISCONTINUED  
RANGE ONCE  
STOCK EXHAUSTED





## SCREW & RIVETING SOLUTIONS

### TYPE 17

SELF DRILLING  
SCREWS FOR TIMBER



#### Type 17 Wafer Head — CLASS 3

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		Min Embedment mm	qty	qty
					Length				
680	T17WAC31025	10-12x25	WAFER / PHILLIPS #2	CLASS 3	Full		23	1000	4000
682	T17WAC31035	10-12x35	WAFER / PHILLIPS #2	CLASS 3	Full		25	1000	3000
684	T17WAC31045	10-12x45	WAFER / PHILLIPS #2	CLASS 3	30		25	500	2000



#### Type 17 Wafer Head — ZINC YELLOW

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		Min Embedment mm	qty	qty
					Length				
686	T17WAZY1025	10-12x25	WAFER / PHILLIPS #2	ZINC YELLOW	Full		23	1000	4000
688	T17WAZY1035	10-12x35	WAFER / PHILLIPS #2	ZINC YELLOW	Full		25	1000	3000
690	T17WAZY1045	10-12x45	WAFER / PHILLIPS #2	ZINC YELLOW	36		25	500	2000



up to 150mm



#### Type 17 Bugle Batten — CLASS 3

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		Min Embedment mm	qty	qty
					Length				
700	T17BBC314050	14 - 10x50	BUGLE / 5mm Int HEX	CLASS 3	29		30	n/a	1000
702	T17BBC314075	14 - 10x75	BUGLE / 5mm Int HEX	CLASS 3	50		35	n/a	1000
704	T17BBC314100	14 - 10x100	BUGLE / 5mm Int HEX	CLASS 3	50		35	n/a	500
706	T17BBC314150	14 - 10x150	BUGLE / 5mm Int HEX	CLASS 3	50		35	n/a	250




#### Type 17 Bugle Batten 5mm Internal Drive — STAINLESS STEEL / 304

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		Min Embedment mm	qty	qty
					Length				
708	T17BBSS14075	14 - 10x75	BUGLE / 5mm Int HEX	SS 304	50		35	n/a	1000
710	T17BBSS14100	14 - 10x100	BUGLE / 5mm Int HEX	SS 304	50		35	n/a	500

## TYPE 17

SELF DRILLING  
SCREWS FOR TIMBER



### Type 17 Bugle Batten 5mm Internal Drive — ZINC YELLOW

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		Min Embedment mm	qty	qty
					Length				
<b>712</b>	T17BBZY14050	14 - 10x50	BUGLE / 5mm Int HEX	ZINC YELLOW	29		30	n/a	1000
<b>714</b>	T17BBZY14075	14 - 10x75	BUGLE / 5mm Int HEX	ZINC YELLOW	50		35	n/a	1000
<b>716</b>	T17BBZY14100	14 - 10x100	BUGLE / 5mm Int HEX	ZINC YELLOW	50		35	n/a	500




### Type 17 Countersunk — ZINC YELLOW


Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		Min Embedment mm	qty	qty
					Length				
<b>720</b>	T17CZY0620	6-18 x 20	CSK / PHILLIPS #2	ZINC YELLOW	Full		16	1000	8000
<b>722</b>	T17CZY0625	6-18 x 25	CSK / PHILLIPS #2	ZINC YELLOW	Full		16	1000	8000



Ezi Find	Part No.	Description	Head / Drive	Coating	Length	Min Embedment mm	qty	qty
<b>724</b>	T17CZY0820	8-15 x 20	CSK / PHILLIPS #2	ZINC YELLOW	Full	18	1000	8000
<b>726</b>	T17CZY0825	8-15 x 25	CSK / PHILLIPS #2	ZINC YELLOW	Full	18	1000	6000



Ezi Find	Part No.	Description	Head / Drive	Coating	Length	Min Embedment mm	qty	qty
<b>728</b>	T17CZY1030	10-12 x 30	CSK / PHILLIPS #2	ZINC YELLOW	Full	25	1000	4000
<b>730</b>	T17CZY1040	10-12 x 40	CSK / PHILLIPS #2	ZINC YELLOW	Full	25	1000	3000
<b>732</b>	T17CZY1050	10-12 x 50	CSK / PHILLIPS #2	ZINC YELLOW	36	25	500	2000
<b>734</b>	T17CZY1075	10-12 x 75	CSK / PHILLIPS #2	ZINC YELLOW	50	25	n/a	1000



Ezi Find	Part No.	Description	Head / Drive	Coating	Length	Min Embedment mm	qty	qty
<b>735</b>	T17CC31040	10-12 x 40	CSK / PHILLIPS #2	CLASS 3	Full	25	1000	3000
<b>736</b>	T17CC31050	10-12 x 50	CSK / PHILLIPS #2	CLASS 3	36	25	500	2000

TO ASSIST YOU WITH  
YOUR FASTENER  
SELECTION ALL SCREW  
ILLUSTRATIONS SHOWN  
HERE ARE DRAWN 1:1  
SCALE, ACTUAL SIZE.



## SCREW & RIVETING SOLUTIONS

### TYPE 17

304 GRADE  
STAINLESS STEEL  
SELF DRILLING  
SCREWS FOR TIMBER




#### Timberdek — 304 GRADE STAINLESS STEEL

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		qty	qty
					Length	Min Embedment mm		
738	T17TDSS09053	9-9x53	CSK / No.2 SQ	SS	38	25	250	2000



#### Timberdek — 304 GRADE STAINLESS STEEL


Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		qty	qty
					Length	Min Embedment mm		
741	T17TDSS10050	10-8 x 50	CSK / No.2 SQ	SS	34	25	1000	1000
742	T17TDSS10065	10-8 x 65	CSK / No.2 SQ	SS	44	25	500	500



TO ASSIST YOU WITH  
YOUR FASTENER  
SELECTION ALL SCREW  
ILLUSTRATIONS SHOWN  
HERE ARE DRAWN 1:1  
SCALE, ACTUAL SIZE.

#### Type 17 Hex Head 304 Grade Stainless Steel — BARE — 1500rpm

Ezi Find	Part No.	Description	Head / Drive	Thread		qty	qty
				Length	Min Embedment mm		
930	SST17H14025	14-10 x 25	HEX 3/8	Full	23	500	1500
931	SST17H14040	14-10 x 40	HEX 3/8	Full	35	n/a	500
932	SST17H14050	14-10 x 50	HEX 3/8	34	35	n/a	500
934	SST17H14065	14-10 x 65	HEX 3/8	44	35	n/a	500
936	SST17H14075	14-10 x 75	HEX 3/8	50	35	n/a	500
938	SST17H14090	14-10 x 90	HEX 3/8	60	35	n/a	500




#### Type 17 Hex Head 304 Grade Stainless Steel — SEALING WASHER — 1500rpm

Ezi Find	Part No.	Description	Head / Drive	Thread		qty	qty
				Length	Min Embedment mm		
940	SST17HN14025	14-10 x 25	HEX 3/8	Full	23	500	1500
941	SST17HN14040	14-10 x 40	HEX 3/8	Full	35	n/a	500
942	SST17HN14050	14-10 x 50	HEX 3/8	34	35	n/a	500
944	SST17HN14065	14-10 x 65	HEX 3/8	44	35	n/a	500
946	SST17HN14075	14-10 x 75	HEX 3/8	50	35	n/a	500
948	SST17HN14090	14-10 x 90	HEX 3/8	60	35	n/a	500


# NEEDLE POINT

GENERAL PURPOSE  
SELF DRILLING SCREW  
FOR FASTENING TO  
TIMBER OR LIGHT  
GAUGE STEEL FRAMING  
UP TO 0.60MM



## Bugle Head — FINE THREAD / ZINC YELLOW

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread	qty	qty
					Length		
80	NPBUZYF0620	6-18x20	BUGLE / PHILLIPS #2	ZINC YELLOW	Full	1000	8000
82	NPBUZYF0625	6-18x25	BUGLE / PHILLIPS #2	ZINC YELLOW	Full	1000	8000
86	NPBUZYF0632	6-18x32	BUGLE / PHILLIPS #2	ZINC YELLOW	Full	1000	6000
90	NPBUZYF0635	6-18x35	BUGLE / PHILLIPS #2	ZINC YELLOW	Full	500	6000
92	NPBUZYF0641	6-18x41	BUGLE / PHILLIPS #2	ZINC YELLOW	Full	1000	4000
94	NPBUZYF0645	6-18x45	BUGLE / PHILLIPS #2	ZINC YELLOW	Full	1000	3000



Ezi Find	Part No.	Description	Head / Drive	Coating	Length	qty	qty
96	NPBUZYF0725	7-15x25	BUGLE / PHILLIPS #2	ZINC YELLOW	Full	1000	8000
98	NPBUZYF0732	7-15x32	BUGLE / PHILLIPS #2	ZINC YELLOW	Full	1000	6000
100	NPBUZYF0745	7-15x45	BUGLE / PHILLIPS #2	ZINC YELLOW	Full	1000	4000
102	NPBUZYF0750	7-15x50	BUGLE / PHILLIPS #2	ZINC YELLOW	Full	500	2000
104	NPBUZYF0757	7-15x57	BUGLE / PHILLIPS #2	ZINC YELLOW	Full	n/a	1000



Ezi Find	Part No.	Description	Head / Drive	Coating	Length	qty	qty
106	NPBUZYF0865	8-15x65	BUGLE / PHILLIPS #2	ZINC YELLOW	50	n/a	1000
108	NPBUZYF0875	8-15x75	BUGLE / PHILLIPS #2	ZINC YELLOW	50	n/a	1000



Ezi Find	Part No.	Description	Head / Drive	Coating	Length	qty	qty
110	NPBUZYF10100	10-15x100	BUGLE / PHILLIPS #2	ZINC YELLOW	64	n/a	500
109	NPBUZYF10130	10-12x130	BUGLE / PHILLIPS #2	ZINC YELLOW	64	n/a	500
111	NPBUZYF10150	10-12x150	BUGLE / PHILLIPS #2	ZINC YELLOW	64	n/a	250



Ezi Find	Part No.	Description	Head / Drive	Coating	Length	qty	qty
175	NPBUC3F10100	10-12x100	BUGLE / PHILLIPS #2	CLASS 3	64	n/a	500
176	NPBUC3F10130	10-12x130	BUGLE / PHILLIPS #2	CLASS 3	64	n/a	500


TO ASSIST YOU WITH  
YOUR FASTENER  
SELECTION ALL SCREW  
ILLUSTRATIONS SHOWN  
HERE ARE DRAWN 1:1  
SCALE, ACTUAL SIZE.



## SCREW & RIVETING SOLUTIONS


### NEEDLE POINT

GENERAL PURPOSE  
SELF DRILLING SCREW  
FOR FASTENING TO  
TIMBER OR LIGHT  
GAUGE STEEL FRAMING  
UP TO 0.60MM



### Countersunk Self Embedding Head — ZINC YELLOW / 6 NIBB


Ezi Find	Part No.	Description	Head / Drive	Coating	Thread Length	qty	qty
134	NPSEZY0820	8-15x20	CSK / PHILLIPS #2	ZINC YELLOW	Full	1000	8000
136	NPSEZY0830	8-15x30	CSK / PHILLIPS #2	ZINC YELLOW	Full	1000	6000



### Collated — ZINC YELLOW / FINE THREAD

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread Length	Min Embedment mm	qty	qty
152	CNPBUZYF0625	6-18 X 25	BUGLE / PHILLIPS #2	ZINC YELLOW	Full	18	1000	10,000
154	CNPBUZYF0632	6-18 X 32	BUGLE / PHILLIPS #2	ZINC YELLOW	Full	18	1000	10,000
156	CNPBUZYF0641	6-18 X 41	BUGLE / PHILLIPS #2	ZINC YELLOW	Full	18	1000	10,000

TO ASSIST YOU WITH  
YOUR FASTENER  
SELECTION ALL SCREW  
ILLUSTRATIONS SHOWN  
HERE ARE DRAWN 1:1  
SCALE, ACTUAL SIZE.




### Collated — ZINC YELLOW / COURSE THREAD

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread Length	Min Embedment mm	qty	qty
153	CNPBUZYC0625	6-9 X 25	BUGLE / PHILLIPS #2	ZINC YELLOW	Full	18	1000	10,000
155	CNPBUZYC0632	6-9 X 32	BUGLE / PHILLIPS #2	ZINC YELLOW	Full	18	1000	10,000
157	CNPBUZYC0641	6-9 X 41	BUGLE / PHILLIPS #2	ZINC YELLOW	Full	18	1000	10,000

Original Flat Top



Beware of imitations



### Powers Flat Tops™ — The original and the best

The new **Powers Flat Top** patented design has 50% higher pullout capacity in thin steel material compared to imitations. The new **Powers Flat Top** ensures fixture material is clamped up tightly under the lowest profile head available on the market. **DON'T RISK IT - CHOOSE POWERS FLAT TOPS EVERYTIME, FOR TROUBLE FREE INSTALLATION**

- Needle point for light gauge steel, SDS point for steel up to 3mm
- Flat low profile head style
- Eliminates bulging of plasterboard
- Suitable for light gauge steel stud connection
- Suitable for confined areas
- Choice of Zinc Yellow or Class 3 category finish



### Flat Tops™ — ZINC YELLOW & CLASS 3

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread Length	Drilling Range mm	qty	qty
137	NPSHZY1016	10-15x16	SMALL / PHILLIPS #2	ZINC YELLOW	Full	.55-1.2	1000	8000
139	NPSHC31016	10-15x16	SMALL / PHILLIPS #2	CLASS 3	Full	.55-1.2	1000	8000





## NEEDLE POINT


GENERAL PURPOSE  
SELF DRILLING SCREW  
FOR FASTENING TO  
TIMBER OR LIGHT  
GAUGE STEEL FRAMING  
UP TO 0.60MM

### Bugle Head — ZINC YELLOW / COARSE THREAD

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		qty	qty
					Length	Min Embedment mm		
112	NPBUZYC0720	7-9x20	BUGLE / PHILLIPS #2	ZINC YELLOW	Full	16	1000	8000
114	NPBUZYC0725	7-9x25	BUGLE / PHILLIPS #2	ZINC YELLOW	Full	18	1000	8000
116	NPBUZYC0732	7-9x32	BUGLE / PHILLIPS #2	ZINC YELLOW	Full	18	1000	6000



Ezi Find	Part No.	Description	Head / Drive	Coating	Length	Min Embedment mm	qty	qty
122	NPBUZYC0845	8-9x45	BUGLE / PHILLIPS #2	ZINC YELLOW	Full	20	1000	3000
124	NPBUZYC0850	8-9x50	BUGLE / PHILLIPS #2	ZINC YELLOW	Full	20	500	2000
128	NPBUZYC0875	8-9x75	BUGLE / PHILLIPS #2	ZINC YELLOW	50	20	n/a	1000




Ezi Find	Part No.	Description	Head / Drive	Coating	Length	Min Embedment mm	qty	qty
130	NPBUZYC1038	10-8x38	BUGLE / PHILLIPS #2	ZINC YELLOW	Full	20	500	2000
132	NPBUZYC1050	10-8x50	BUGLE / PHILLIPS #2	ZINC YELLOW	Full	20	500	1500



TO ASSIST YOU WITH  
YOUR FASTENER  
SELECTION ALL SCREW  
ILLUSTRATIONS SHOWN  
HERE ARE DRAWN 1:1  
SCALE, ACTUAL SIZE.

### Button Head — ZINC YELLOW

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		qty	qty
					Length			
138	NPBHZY0812	8-15 x 12	BUTTON / PHILLIPS #2	ZINC YELLOW	Full		1000	8000
140	NPBHZY0815	8-15 x 15	BUTTON / PHILLIPS #2	ZINC YELLOW	Full		1000	6000
142	NPBHZY0820	8-15 x 20	BUTTON / PHILLIPS #2	ZINC YELLOW	Full		1000	6000
144	NPBHZY0825	8-15 x 25	BUTTON / PHILLIPS #2	ZINC YELLOW	Full		1000	4000
146	NPBHZY0832	8-15 x 32	BUTTON / PHILLIPS #2	ZINC YELLOW	Full		1000	3000



### Button Head — CLASS 3

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		qty	qty
					Length			
143	NPBHC30820	8-15 x 20	BUTTON / PHILLIPS #2	CLASS 3	Full		1000	6000
145	NPBHC30825	8-15 x 25	BUTTON / PHILLIPS #2	CLASS 3	Full		1000	4000
147	NPBHC30832	8-15 x 32	BUTTON / PHILLIPS #2	CLASS 3	Full		1000	3000

NEW





## SCREW & RIVETING SOLUTIONS

### NEEDLE POINT

**GENERAL PURPOSE  
SELF DRILLING SCREW  
FOR FASTENING TO  
TIMBER OR LIGHT  
GAUGE STEEL FRAMING  
UP TO 0.60MM**



#### Hex Head — CLASS 4

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		Max Capacity	qty	qty
					Length				
<b>148</b>	NPHEXC40812	8-15 x 12	HEX 1/4	CLASS 4	Full		0.6	1000	8000



Ezi Find	Part No.	Description	Head / Drive	Coating	Length	Max Capacity	qty	qty
<b>150</b>	NPHEXC41020	10-12 x 20	HEX 5/16	CLASS 4	Full	0.6	1000	4000



Ezi Find	Part No.	Description	Head / Drive	Coating	Length	Max Capacity	qty	qty
<b>149</b>	NPHEXNC40812	8-15 x 12	HEX 1/4	CLASS 4	Full	0.6	1000	8000



Ezi Find	Part No.	Description	Head / Drive	Coating	Length	Max Capacity	qty	qty
<b>151</b>	NPHEXNC41020	10-12 x 20	HEX 5/16	CLASS 4	Full	0.6	1000	4000

TO ASSIST YOU WITH  
YOUR FASTENER  
SELECTION ALL SCREW  
ILLUSTRATIONS SHOWN  
HERE ARE DRAWN 1:1  
SCALE, ACTUAL SIZE.



#### Pan Head — ZINC YELLOW / FINE THREAD

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		Max Capacity	qty	qty
					Length				
<b>162</b>	NPPAZY0620	6-15 x 20	PAN / PHILLIPS #2	ZINC YELLOW	Full			1000	8000



Ezi Find	Part No.	Description	Head / Drive	Coating	Length	qty	qty
<b>160</b>	NPPAZY0712	7-16 x 12	PAN / PHILLIPS #2	ZINC YELLOW	Full	1000	8000
<b>164</b>	NPPAZY0720	7-16 x 20	PAN / PHILLIPS #2	ZINC YELLOW	Full	1000	8000
<b>166</b>	NPPAZY0725	7-16 x 25	PAN / PHILLIPS #2	ZINC YELLOW	Full	1000	6000
<b>168</b>	NPPAZY0730	7-16 x 30	PAN / PHILLIPS #2	ZINC YELLOW	Full	1000	6000
<b>170</b>	NPPAZY0740	7-16 x 40	PAN / PHILLIPS #2	ZINC YELLOW	Full	1000	4000
<b>172</b>	NPPAZY0750	7-16 x 50	PAN / PHILLIPS #2	ZINC YELLOW	Full	500	2000

## CHIPBOARD SCREWS



### Chipboard Screws — ZINC YELLOW / 6 NIBB

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		qty	qty
					Length	Min Embedment mm		
2	CBSZY0820	8-9 x 20	CSK / PHILLIPS #2	ZINC YELLOW	Full	18	1000	8000
4	CBSZY0825	8-9 x 25	CSK / PHILLIPS #2	ZINC YELLOW	Full	18	1000	6000
6	CBSZY0828	8-9 x 28	CSK / PHILLIPS #2	ZINC YELLOW	19	18	1000	6000
8	CBSZY0832	8-9 x 32	CSK / PHILLIPS #2	ZINC YELLOW	22	18	1000	4000
10	CBSZY0835	8-9 x 35	CSK / PHILLIPS #2	ZINC YELLOW	24	18	1000	4000
12	CBSZY0840	8-9 x 40	CSK / PHILLIPS #2	ZINC YELLOW	27	18	1000	4000
14	CBSZY0845	8-9 x 45	CSK / PHILLIPS #2	ZINC YELLOW	30	18	1000	3000
16	CBSZY0850	8-9 x 50	CSK / PHILLIPS #2	ZINC YELLOW	35	18	1000	3000
18	CBSZY0857	8-9 x 57	CSK / PHILLIPS #2	ZINC YELLOW	39	18	500	1500



Ezi Find	Part No.	Description	Head / Drive	Coating	Length	Min Embedment mm	qty	qty
20	CBSZY10065	10-8 x 65	CSK / PHILLIPS #2	ZINC YELLOW	45	25	500	1500
22	CBSZY10075	10-8 x 75	CSK / PHILLIPS #2	ZINC YELLOW	50	25	n/a	1000
24	CBSZY10100	10-8 x 100	CSK / PHILLIPS #2	ZINC YELLOW	65	25	n/a	500
23	CBSZY10125	10-8 x 125	CSK / PHILLIPS #2	ZINC YELLOW	67	25	n/a	500
25	CBSZY10150	10-8 x 150	CSK / PHILLIPS #2	ZINC YELLOW	67	25	n/a	250

TO ASSIST YOU WITH YOUR FASTENER SELECTION ALL SCREW ILLUSTRATIONS SHOWN HERE ARE DRAWN 1:1 SCALE, ACTUAL SIZE.

Careful consideration should be given when installing fasteners into treated timbers.



### Chipboard Screws — CLASS 3

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		qty	qty
					Length	Min Embedment mm		
26	CBSC30820	8-9 x 20	CSK / PHILLIPS #2	CLASS 3	Full	18	1000	8000
28	CBSC30825	8-9 x 25	CSK / PHILLIPS #2	CLASS 3	Full	18	1000	6000
30	CBSC30828	8-9 x 28	CSK / PHILLIPS #2	CLASS 3	19	18	1000	6000
32	CBSC30832	8-9 x 32	CSK / PHILLIPS #2	CLASS 3	22	18	1000	4000
34	CBSC30835	8-9 x 35	CSK / PHILLIPS #2	CLASS 3	24	18	1000	4000
36	CBSC30840	8-9 x 40	CSK / PHILLIPS #2	CLASS 3	27	18	1000	4000
38	CBSC30845	8-9 x 45	CSK / PHILLIPS #2	CLASS 3	30	18	1000	3000
40	CBSC30850	8-9 x 50	CSK / PHILLIPS #2	CLASS 3	35	18	1000	3000
42	CBSC30857	8-9 x 57	CSK / PHILLIPS #2	CLASS 3	39	18	500	1500



## SCREW & RIVETING SOLUTIONS

### CHIPBOARD SCREWS



#### Chipboard Screws — CLASS 3 / 6 NIBB

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		Min Embedment mm	qty	qty
					Length				
44	CBSC310065	10-8 x 65	CSK / PHILLIPS #2	CLASS 3	45		25	500	1500
46	CBSC310075	10-8 x 75	CSK / PHILLIPS #2	CLASS 3	50		25	n/a	1000
48	CBSC310100	10-8 x 100	CSK / PHILLIPS #2	CLASS 3	65		25	n/a	500



#### Chipboard Screws — 304 Stainless Steel

Ezi Find	Part No.	Description	Head / Drive	Material	Thread		Min Embedment mm	qty	qty
					Length				
980	SSCBS0825 <sup>‡</sup>	8-9 x 25	CSK / #2 SQUARE	SS304	25		18	250	2000
982	SSCBS0832 <sup>‡</sup>	8-9 x 32	CSK / #2 SQUARE	SS304	32		18	250	2000
984	SSCBS0840 <sup>‡</sup>	8-9 x 40	CSK / #2 SQUARE	SS304	40		18	250	2000
986	SSCBS0845 <sup>‡</sup>	8-9 x 45	CSK / #2 SQUARE	SS304	45		18	250	2000
988	SSCBS0850 <sup>‡</sup>	8-9 x 50	CSK / #2 SQUARE	SS304	50		18	250	2000
990	SSCBS0865 <sup>‡</sup>	8-9 x 65	CSK / #2 SQUARE	SS304	65		18	250	1500



Ezi Find	Part No.	Description	Head / Drive	Material	Length	Min Embedment mm	qty	qty
992	SSCBS1050 <sup>‡</sup>	10-8 x 50	CSK / #2 SQUARE	SS304	50	18	250	1500
994	SSCBS1065 <sup>‡</sup>	10-8 x 65	CSK / #2 SQUARE	SS304	65	18	250	750
996	SSCBS1075 <sup>‡</sup>	10-8 x 75	CSK / #2 SQUARE	SS304	75	18	250	750

<sup>‡</sup> available ex stock NZ. Special request for Australia (POA)



#### Quadrex Drive — ZINC YELLOW

##### DISCONTINUED RANGE ONCE STOCK EXHAUSTED

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		Min Embedment mm	qty	qty
					Length				
50	CBSQZY0820*	8-9X20	CSK/PHILLIPS #2 No.2 SQ	ZINC YELLOW	Full		18	1000	8000
52	CBSQZY0825*	8-9X25	CSK/PHILLIPS #2 No.2 SQ	ZINC YELLOW	Full		18	1000	6000
54	CBSQZY0828*	8-9X28	CSK/PHILLIPS #2 No.2 SQ	ZINC YELLOW	19		18	1000	6000
62	CBSQZY0845*	8-9X45	CSK/PHILLIPS #2 No.2 SQ	ZINC YELLOW	30		18	1000	3000
64	CBSQZY0850*	8-9X50	CSK/PHILLIPS #2 No.2 SQ	ZINC YELLOW	35		18	1000	3000



Ezi Find	Part No.	Description	Head / Drive	Coating	Length	Min Embedment mm	qty	qty
72	CBSQZY10100*	10-8X100	CSK/PHILLIPS #2 No.2 SQ	ZINC YELLOW	64	25	n/a	500

\* discontinued item once current stock exhausted

TO ASSIST YOU WITH  
YOUR FASTENER  
SELECTION ALL SCREW  
ILLUSTRATIONS SHOWN  
HERE ARE DRAWN 1:1  
SCALE, ACTUAL SIZE.

DISCONTINUED  
RANGE ONCE  
STOCK EXHAUSTED

Careful consideration  
should be given when  
installing fasteners into  
treated timbers.

## PINECOAT™ Screws for treated pine

PINECOAT™

**The Screw Solution for all types of copper based Treated Pine Timber is now available from Powers Fasteners Australasia.**


In Australia and New Zealand the Treated Pine Timber Industry predominantly uses CCA (Chromate Copper Arsenate) as the treatment preservative, more recently there has been an introduction of ACQ (Ammonium Copper Quaternary), with its higher copper concentrate there has been increased concern in the market on the issues surrounding the suitability and compatibility of the various fastener materials for use with all copper based treated pine timber.

The requirement for one type of cost effective screw fastening solution that can withstand galvanic corrosion attack for all types of Treated Pine Timber has now been solved with the innovative PINECOAT™ range of Treated Pine Screws.

Powers PINECOAT™ Screws have a proprietary mechanical plating that has been developed in Australia; PINECOAT™ provides a barrier against these treatment chemicals and also seals and protects the exposed heads of the screws and the drive recesses which are commonly prone to corrosion as they capture and hold moisture. (see picture - right)


Powers PINECOAT™ treated pine screws are now available, included in this range is the new PINEDEK™ screw ,a purpose designed 9 gauge trim headed countersunk screw specifically designed for fixing treated pine decking .

PINECOAT™ CAN BE APPLIED TO A WIDE RANGE OF POWERS FASTENING SYSTEMS ON SPECIAL REQUEST.



### Type 17 PINECOAT™ Screws for treated pine

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		qty	qty
					Length	Min Embedment mm		
820	T17BBPC14050	14 - 10x50	BUGLE / No.5 Int HEX	PINECOAT™	30	30	n/a	1000
821	T17BBPC14075	14 - 10x75	BUGLE / No.5 Int HEX	PINECOAT™	50	35	n/a	1000
822	T17BBPC14100	14 - 10x100	BUGLE / No.5 Int HEX	PINECOAT™	50	35	n/a	500



### Type 17 PINEDEK™ Screws for treated pine

Ezi Find	Part No.	Description	Head / Drive	Coating	Thread		qty	qty
					Length	Min Embedment mm		
739	T17TDDPC09053	9-9x53	CSK-Trim / No.2 SQ	PINECOAT™	38	30	250	2000