

BAILEY®

PLATFORM STEPLADDERS & TEMPORARY WORK PLATFORMS



AUSTRALIA'S #1 LADDER BRAND
BAILEYLADDERS.COM.AU

P170

JOB STATION

NEW

The Bailey P170 is the latest innovation from Australia's #1 ladder brand...

More than just a platform stepladder, the P170 has a range of features aimed at improving safety and productivity.

1. Massive 610 x 460mm platform deck
2. Huge 170kg load rating
3. Convenient carry handle
4. Super strong tread design
5. Multi-functional handrail
6. Large robust feet
7. Innovative brace and castor system (castors included)



P170 JOB STATION ALUMINIUM + FIBREGLASS

170KG PROFESSIONAL HEAVY DUTY INDUSTRIAL

- Huge platform area (610 x 460mm) adds comfort and stability
- New 'trapezoidal tread design' provides an incredibly strong tread to stile joint
- Multi-function handrail with optional 'DropLok' accessories converts a hand rail into a Job Station (15kg capacity)
- Fully reinforced polypropylene platform with metal rod inserts for optimal strength
- Diamond plate 'deck pattern' provides an anti-slip standing area
- Extra strong, heavy duty aluminium construction for superior durability
- Large anti-slip feet for maximum stability and durability
- Convenient carry handle allows for easy transport from job to job
- 360 castors for improved mobility and improved productivity
- Fully integrated bracing and castor system - industry leading design (castors included)
- Made to AS/NZS 1892



Castors Included

AUSTRALIA'S #1 LADDER BRAND
BAILEYLADDERS.COM.AU

ALUMINIUM PLATFORM STEPLADDER

170KG PROFESSIONAL EXTRA HEAVY DUTY INDUSTRIAL



- ✓ **PUNCHLOCK SUPER STRONG**
- ✓ **DOUBLE HOLLOW TREAD**
- ✓ **TRI-BRACING SUPER STABLE**
- ✓ **LIGHTWEIGHT DESIGN**
- ✓ **AUSTRALIAN MADE**
- ✓ **AS/NZS 1892.1**

- Punchlock® tread design increases the torsional rigidity of the overall ladder frame
- Designed for use on industrial work sites where strength, durability and safety is required
- Retractable safety gate encloses user (easy to transport)
- Strong, heavy duty extruded aluminium construction with Tri-brace tread bracing
- Welded rear frame for strength and durability
- Wide, anti-slip platform (490x400mm) for a secure work area
- Multi function polypropylene handrail/accessories holder
- Anti-slip rubber feet for maximum grip on any surface
- 10ft and 12ft models come with parcel shelf, side hand rails and tilt & go wheels fitted as standard

OPTIONS

- 'Fold away' Safety gate
- Castor/wheel kit

LADDERWELD™ ALUMINIUM PLATFORM STEPLADDER

150KG PROFESSIONAL HEAVY DUTY INDUSTRIAL



- ✓ **FULLY WELDED CONSTRUCTION**
- ✓ **LIGHTWEIGHT DESIGN**
- ✓ **AUSTRALIAN MADE**
- ✓ **AS/NZS 1892.1**

- Designed for industrial work sites where greater strength and safety is required
- Fully welded front and rear frames for strength and durability
- Strong, aluminium construction
- Wide, aluminium anti-slip platform (490x400mm) for a secure work area
- 900mm handrail height from platform
- Anti-slip rubber feet for added safety and stability

OPTIONS

- Castor/wheel kit

BAILEY
Ladderweld

ALUMINIUM STOCK ASSIST PLATFORM STEPLADDER

150KG TRADE INDUSTRIAL



- ✓ **WELDED REAR FRAME**
- ✓ **DOUBLE HOLLOW TREAD**
- ✓ **TRI-BRACING SUPER STABLE**
- ✓ **LIGHTWEIGHT DESIGN**
- ✓ **AUSTRALIAN MADE**
- ✓ **AS/NZS 1892.1**

- Specially designed for narrow aisles, the Industrial range of Bailey Stock Assist are ideally suited for small/medium retailers who have shelf packing requirements not suited to larger order pickers and specialist equipment
- Designed for use on industrial work sites
- Strong, Henrob™ riveted aluminium construction with additional tread bracing
- Fully welded rear frame for strength and durability
- Wide, anti-slip platform (490x400mm) for a secure work area
- Functional 'parcel shelf' fitted as standard. Handrails fitted for additional safety.
- Safety gate fitted to models FS13476 and FS13477
- Spring loaded castors - highly portable
- 900mm handrail height from platform
- Anti-slip feet for added safety and stability

OPTIONS

- Safety Gate

NEW

ALUMINIUM PLATFORM STEPLADDER

150KG TRADE INDUSTRIAL



- ✓ **WELDED REAR FRAME**
- ✓ **TRI-BRACING SUPER STABLE**
- ✓ **LIGHTWEIGHT DESIGN**
- ✓ **AUSTRALIAN MADE**
- ✓ **AS/NZS 1892.1**

- Designed for use on industrial work sites
- Strong, Henrob riveted aluminium construction with additional tread bracing
- Welded rear frame for strength and durability
- Wide, anti-slip platform (490x400mm) for a secure work area
- Multi function polypropylene handrail/accessories holder
- 900mm handrail height from platform
- Anti-slip feet for added safety and stability

OPTIONS

- 'Fold away' Safety gate

FIBREGLASS PLATFORM STEPLADDER

150KG PROFESSIONAL HEAVY DUTY INDUSTRIAL



- ✓ **PUNCHLOCK SUPER STRONG**
- ✓ **DOUBLE HOLLOW TREAD**
- ✓ **TRI-BRACING SUPER STABLE**
- ✓ **LIGHTWEIGHT DESIGN**
- ✓ **AUSTRALIAN MADE**
- ✓ **AS/NZS 1892.3**

- Punchlock® tread design increases the torsional rigidity of the overall ladder frame
- Designed for use on industrial work sites where greater strength and safety is required
- Strong, fibreglass construction with triangular plate bracing
- Electro - Safe™
- Wide, anti-slip platform (490x400mm) for a secure work area
- Multi function polypropylene handrail/accessories holder
- 900mm handrail height from platform
- Anti-slip rubber "Boots" for added safety, stability and protection of the stiles

OPTIONS

- Retractable Castors/wheels kits
- 'Fold away' Safety gate

ALUMINIUM RIVETED ORDER PICKERS

130KG PROFESSIONAL INDUSTRIAL



- ✓ **FULLY WELDED CONSTRUCTION**
- ✓ **DOUBLE HOLLOW TREAD**
- ✓ **TRI-BRACING SUPER STABLE**
- ✓ **LIGHTWEIGHT DESIGN**
- ✓ **AUSTRALIAN MADE**
- ✓ **AS/NZS 1892.1**

- Designed for use on commercial sites and warehouses
- Strong, aluminium construction with heavy duty stiles and treads
- Henrob™ riveted front frame
- Box section back leg design gives greater strength and rigidity when working at heights
- Ideal for moderate stock picking applications
- Highly manoueverable and easy to use
- Spring loaded castors
- Anti-slip feet for added safety and stability
- 900mm high square handrail design for greater comfort and grip when climbing and added safety

OPTIONS

- 'Fold away' Safety gate

LADDERWELD™ ALUMINIUM ORDER PICKERS

130KG PROFESSIONAL INDUSTRIAL



- ✓ **FULLY WELDED CONSTRUCTION**
- ✓ **TRI-BRACING SUPER STABLE**
- ✓ **LIGHTWEIGHT DESIGN**
- ✓ **AUSTRALIAN MADE**
- ✓ **AS/NZS 1892.1**

- Designed for use on commercial sites and warehouses
- Ideal for moderate stock picking applications
- Light, strong, aluminium construction with heavy duty stiles and tread
- Fully welded construction
- Box section back leg design gives greater strength and rigidity when working at heights
- Highly manoeuvrable and easy to use
- Spring loaded castors 100mm high kick plate on three sides
- 900mm high square handrail design for greater comfort and grip when climbing and added safety

OPTIONS

- Safety Gate with manual operation (fits in 5mins)

BAILEY
Ladderweld

LADDERWELD™ ALUMINIUM DELUXE ORDER PICKERS

170KG PROFESSIONAL INDUSTRIAL



- ✓ **FULLY WELDED CONSTRUCTION**
- ✓ **TRI-BRACING SUPER STABLE**
- ✓ **LIGHTWEIGHT DESIGN**
- ✓ **AUSTRALIAN MADE**
- ✓ **AS/NZS 1892.1**

- Ideal for high frequency use - stock picking and vehicle maintenance
- Extra strong, aluminium with XHD stiles and 100mm wide treads for superior durability
- Fully welded back section
- Manual brake system with high-vis activation arm to prevent unauthorized access
- New 125mm wheels - improved portability and 'easy glide' action
- New double-steel bracing on bottom tread and additional side bracing provides additional protection from impact damage
- 900mm square handrail and 100mm kick plate on three sides meet Work Cover requirements
- 590 x 710mm platform 3-8'
- 590 x 910mm platform for ladders over 8'

OPTIONS

- Shelf & Safety Gate Kit (15kg capacity)
FS23025 3-8' / FS23026 10-14'

BAILEY
Ladderweld

NEW

LADDERWELD™ ALUMINIUM DELUXE ORDER PICKERS / WALK-THRU DESIGN

170KG PROFESSIONAL INDUSTRIAL



- ✓ **FULLY WELDED CONSTRUCTION**
- ✓ **TRI-BRACING SUPER STABLE**
- ✓ **LIGHTWEIGHT DESIGN**
- ✓ **AUSTRALIAN MADE**
- ✓ **AS/NZS 1892.1**

- Ideal for high frequency use - mezzanine access, stock picking and vehicle access
- Extra strong, aluminium with XHD stiles and 100mm wide treads for superior durability
- Fully welded back section
- Manual brake system with high-vis activation arm to prevent unauthorized access
- New 125mm wheels - improved portability and 'easy glide' action
- New double-steel bracing on bottom tread and additional side bracing provides additional protection from impact damage
- 900mm square handrail and 100mm kick plate on three sides meet Work Cover requirements
- Safety gate fitted as standard
- 590 x 710mm platform 3-8'
- 590 x 910mm platform for ladders over 8'

BAILEY
Ladderweld

NEW

ALUMINIUM PLATFORM STEPLADDERS

PRODUCT	PRODUCT NUMBER	DESCRIPTION	LADDER HEIGHT	PLATFORM HEIGHT	REACH HEIGHT	WEIGHT	EAN CODE
P170 JOB STATION	FSI3538	P170-3 AL JOB STATION	1.86m	0.9m	2.9m	16.9kg	9312097058620
	FSI3539	P170-4 AL JOB STATION	2.16m	1.2m	3.2m	18.4kg	9312097058637
	FSI3540	P170-5 AL JOB STATION	2.47m	1.5m	3.5m	19.9kg	9312097058644
	FSI3541	P170-6 AL JOB STATION	2.77m	1.8m	3.8m	21.9kg	9312097058651
	FSI3542	P170-7 AL JOB STATION	3.07m	2.0m	4.0m	27.4kg	9312097058668
	FSI3543	P170-8 AL JOB STATION	3.38m	2.3m	4.3m	28.5kg	9312097058675
	FSI3544	P170-10 AL JOB STATION	3.99m	2.9m	4.9m	33.2kg	9312097058682
	FSI3545	P170-12 AL JOB STATION	4.6m	3.5m	5.5m	37.6kg	9312097058699
PROFESSIONAL PLATFORM WITH SAFETY GATE	FSI3451	PRO 3 PLATFORM W/- SAFETY GATE	1.76m	0.9m	2.9m	12kg	9312097056022
	FSI3452	PRO 4 PLATFORM W/- SAFETY GATE	2.05m	1.2m	3.2m	13.3kg	9312097056039
	FSI3453	PRO 5 PLATFORM W/- SAFETY GATE	2.33m	1.5m	3.5m	14.7kg	9312097056046
	FSI3454	PRO 6 PLATFORM W/- SAFETY GATE	2.62m	1.8m	3.8m	16.5kg	9312097056053
	FSI3455	PRO 7 PLATFORM W/- SAFETY GATE	2.9m	2.1m	4.1m	20.8kg	9312097056060
	FSI3456	PRO 8 PLATFORM W/- SAFETY GATE	3.19m	2.4m	4.4m	22.9kg	9312097056077
	FSI3457	PRO 10 PLATFORM W/- SAFETY GATE	3.8m	2.9m	4.9m	34kg	9312097056084
	FSI3458	PRO 12 PLATFORM W/- SAFETY GATE	4.3m	3.4m	5.4m	38kg	9312097056091
PROFESSIONAL PLATFORM (WITHOUT SAFETY GATE)	FSI3398	PRO 2 PLATFORM STEPLADDER	1.48m	0.6m	2.6m	8.2kg	9312097055322
	FSI3399	PRO 3 PLATFORM STEPLADDER	1.76m	0.9m	2.9m	9.6kg	9312097055339
	FSI3400	PRO 4 PLATFORM STEPLADDER	2.05m	1.2m	3.2m	10.9kg	9312097055346
	FSI3401	PRO 5 PLATFORM STEPLADDER	2.33m	1.5m	3.5m	12.3kg	9312097055353
	FSI3402	PRO 6 PLATFORM STEPLADDER	2.62m	1.8m	3.8m	14.1kg	9312097055360
LADDERWELD PROFESSIONAL PLATFORM (WITHOUT SAFETY GATE)	FSI0713	PRO 2 PLATFORM STEPLADDER WELDED	1.48m	0.6m	2.6m	11.1kg	9312097021150
	FSI0714	PRO 3 PLATFORM STEPLADDER WELDED	1.76m	0.9m	2.9m	12.5kg	9312097021167
	FSI0715	PRO 4 PLATFORM STEPLADDER WELDED	2.05m	1.2m	3.2m	13.5kg	9312097021174
	FSI0716	PRO 5 PLATFORM STEPLADDER WELDED	2.33m	1.5m	3.5m	14.3kg	9312097021181
	FSI0717	PRO 6 PLATFORM STEPLADDER WELDED	2.62m	1.8m	3.8m	15.8kg	9312097021198
BAILEY Ladderweld	FSI0718	PRO 7 PLATFORM STEPLADDER WELDED	2.9m	2.1m	4.1m	20kg	9312097021204
	FSI0719	PRO 8 PLATFORM STEPLADDER WELDED	3.19m	2.4m	4.4m	21.6kg	9312097021211
STOCK ASSIST	FSI3474	STOCK ASSIST 3	1.76m	0.9m	2.9m	13.1kg	9312097056510
	FSI3475	STOCK ASSIST 4	2.05m	1.2m	3.2m	14.2kg	9312097056527
	FSI3476	STOCK ASSIST 3 W/- SAFETY GATE	1.76m	0.9m	2.9m	15.1kg	9312097056534
	FSI3477	STOCK ASSIST 4 W/- SAFETY GATE	2.05m	1.2m	3.2m	16.2kg	9312097056541
TRADE PLATFORM (WITHOUT SAFETY GATE)	FSI3326	TRADE 2 PLATFORM STEPLADDER	1.4m	0.6m	2.6m	7.2kg	9312097053786
	FSI3327	TRADE 3 PLATFORM STEPLADDER	1.76m	0.9m	2.9m	8.7kg	9312097053793
	FSI3328	TRADE 4 PLATFORM STEPLADDER	2.05m	1.2m	3.2m	9.8kg	9312097053809
	FSI3329	TRADE 5 PLATFORM STEPLADDER	2.33m	1.5m	3.5m	11.3kg	9312097053816
	FSI3330	TRADE 6 PLATFORM STEPLADDER	2.62m	1.8m	3.8m	15.5kg	9312097053823

FIBREGLASS PLATFORM STEPLADDERS

PRODUCT	PRODUCT NO.	DESCRIPTION	LADDER HEIGHT	PLATFORM HEIGHT	REACH HEIGHT	WEIGHT	EAN CODE
P170 JOB STATION	FSI3530	P170-3 FG JOB STATION	1.86m	0.9m	2.9m	17.9kg	9312097058545
	FSI3531	P170-4 FG JOB STATION	2.16m	1.2m	3.2m	19.6kg	9312097058552
	FSI3532	P170-5 FG JOB STATION	2.47m	1.5m	3.5m	21.2kg	9312097058569
	FSI3533	P170-6 FG JOB STATION	2.77m	1.8m	3.8m	23.4kg	9312097058576
	FSI3534	P170-7 FG JOB STATION	3.07m	2.0m	4.0m	29kg	9312097058583
	FSI3535	P170-8 FG JOB STATION	3.38m	2.3m	4.3m	303kg	9312097058590
	FSI3536	P170-10 FG JOB STATION	3.99m	2.9m	4.9m	35.3kg	9312097058606
	FSI3537	P170-12 FG JOB STATION	4.6m	3.5m	5.5m	40.1kg	9312097058613
PROFESSIONAL PLATFORM WITH SAFETY GATE	FSI3339	PRO 3 PLATFORM STEPLADDER W/- SAFETY GATE	1.76m	0.9m	2.9m	13.6kg	9312097053991
	FSI3340	PRO 4 PLATFORM STEPLADDER W/- SAFETY GATE	2.05m	1.2m	3.2m	15kg	9312097054004
	FSI3341	PRO 5 PLATFORM STEPLADDER W/- SAFETY GATE	2.33m	1.5m	3.5m	16.5kg	9312097054011
	FSI3342	PRO 6 PLATFORM STEPLADDER W/- SAFETY GATE	2.62m	1.8m	3.8m	18.4kg	9312097054028
	FSI3343	PRO 7 PLATFORM STEPLADDER W/- SAFETY GATE	3.07m	2.1m	4.1m	22.5kg	9312097054035
	FSI3344	PRO 8 PLATFORM STEPLADDER W/- SAFETY GATE	3.19m	2.4m	4.4m	25kg	9312097054042
PROFESSIONAL PLATFORM (WITHOUT SAFETY GATE)	FSI0721	PRO 3 PLATFORM STEPLADDER	1.76m	0.9m	2.9m	11kg	9312097021235
	FSI0722	PRO 4 PLATFORM STEPLADDER	2.05m	1.2m	3.2m	12.5kg	9312097021242
	FSI0723	PRO 5 PLATFORM STEPLADDER	2.33m	1.5m	3.5m	14kg	9312097021259
	FSI0724	PRO 6 PLATFORM STEPLADDER	2.62m	1.8m	3.8m	16kg	9312097021266
	FSI0725	PRO 7 PLATFORM STEPLADDER	2.9m	2.1m	4.1m	20kg	9312097021273
	FSI0726	PRO 8 PLATFORM STEPLADDER	3.19m	2.4m	4.4m	23kg	9312097021280

Sizes assume a 1.70m person with a vertical 0.30m reach and are subject to change and should not be used as an infallible guide to performance and/or specification.