



Mumme Family manufacturing in Australia since 1936

# Mumme Products

## Catalogue

[www.mummeproducts.com.au](http://www.mummeproducts.com.au)

**February 2012**

# **MUMME TOOLS**

Q U A L I T Y   F O R G E D   H A N D   T O O L S

ABN 35 144 530 647

Mumme Tools Pty Ltd  
PO Box 126 • Lonsdale • SA 5160 • Australia  
24-34 Dorset St. • Lonsdale • SA 5160 • Australia  
phone: +61.8.8186.0000 • fax: +61.8.8186.2222  
info@mummetools.com • [www.mummetools.com](http://www.mummetools.com)

## **Contents**

<b>Aligning</b>	<b>Page 3 - 5</b>
<b>Bars</b>	<b>Page 6 - 11</b>
<b>Bolsters</b>	<b>Page 12</b>
<b>Chisels</b>	<b>Page 13 - 16</b>
<b>Cold Sets</b>	<b>Page 17</b>
<b>Drill Sleeves</b>	<b>Page 17</b>
<b>Fencing</b>	<b>Page 18</b>
<b>G - Clamps</b>	<b>Page 19</b>
<b>Protective Hand Grips</b>	<b>Page 20</b>
<b>Hammers</b>	<b>Page 21 - 33</b>
<b>Handles and Parts</b>	<b>Page 34 - 35</b>
<b>Ladders &amp; Trestles</b>	<b>Page 36 - 37</b>
<b>Masonry</b>	<b>Page 38</b>
<b>Picks</b>	<b>Page 39 - 40</b>
<b>Punches</b>	<b>Page 41 - 42</b>
<b>Rakes</b>	<b>Page 43</b>
<b>Scrapers</b>	<b>Page 44</b>
<b>Shovels</b>	<b>Page 45 - 47</b>
<b>Soldering</b>	<b>Page 47</b>
<b>Tongs</b>	<b>Page 48</b>
<b>Tyre</b>	<b>Page 49 - 51</b>
<b>Wedges</b>	<b>Page 51</b>
<b>Welding Hammers</b>	<b>Page 52</b>

## Aligning

### Barrel Drifts



- USED FOR ALIGNING HOLES IN CONSTRUCTION
- ALSO USED FOR EXPANDING HOLES IN MILD STEEL
- FORGED FROM TOUGH ALLOY STEEL
- TAPER IS FORGED, NOT TURNED, FOR FINER GRAIN, GIVING GREATER TENSILE STRENGTH
- WILL NOT SCORE EDGE WHEN DRIVEN HARD

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5BD12	12mm BARREL DRIFT	3	0.12kg
5BD14	14mm BARREL DRIFT	3	0.16kg
5BD16	16mm BARREL DRIFT	3	0.17kg
5BD18	18mm BARREL DRIFT	3	0.25kg
5BD19	19mm BARREL DRIFT	3	0.28kg
5BD20	20mm BARREL DRIFT	3	0.35kg
5BD22	22mm BARREL DRIFT	3	0.50kg
5BD24	24mm BARREL DRIFT	3	0.52kg
5BD25	25mm BARREL DRIFT	3	0.54kg
5BD27	27mm BARREL DRIFT	3	0.63kg
5BD30	30mm BARREL DRIFT	3	0.80kg
5BD33	33mm BARREL DRIFT	3	1.04kg

### Podger Bars



- USED FOR LEVERING AND ALIGNING
- FORGED FROM TOUGH HIGH TENSILE CARBON-MANGANESE STEEL
- HEEL SET TO 40° FOR OPTIMUM LEVERING, BLADE GROUND TO 30° FOR EASY ENTRY BETWEEN SURFACES
- TAPER IS FORGED, NOT TURNED, FOR MAXIMUM STRENGTH
- HEX PROFILE BAR USED FOR GREATER CONTROL AND TO MINIMISE BAR ROLL

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5POB37516	375x16mm PODGER BAR - HEXAGON	3	0.55kg
5POB37520	375x20mm PODGER BAR - HEXAGON	3	0.83kg
5POB45016	450x16mm PODGER BAR - HEXAGON	3	0.68kg
5POB45020	450x20mm PODGER BAR - HEXAGON	3	1.03kg
5POB60020	600x20mm PODGER BAR - HEXAGON	3	1.43kg
5POB90020	900x20mm PODGER BAR - HEXAGON	3	2.20kg



Quality Forged Hand Tools

*"Correctly Hardened & Tempered  
for Maximum Toughness"*

## Aligning

### Podger Pins



- USED FOR ALIGNING HOLES AND EXPANDING HOLES IN MILD STEEL
- FORGED FROM TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- FORGED, NOT TURNED, LONG TAPERED POINT FOR EASE OF ALIGNING
- FOR ADDED SAFETY FORGED HEAD PREVENTS PIN BEING DRIVEN RIGHT THROUGH HOLE & FALLING
- CAN BE CARRIED ON BELT

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5POP25	25mm PODGER PIN	2	1.48kg
5POP30	30mm PODGER PIN	2	2.04kg

### Pry Bar



- USED FOR PRYING, SEPARATING FLANGES AND ALIGNING HOLES
- FORGED FROM TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- THIN FINELY GROUND CURVED CHISEL END FOR EASE OF ENTRY BETWEEN SURFACES
- FORGED, NOT TURNED LONG TAPERED POINT FOR MAXIMUM STRENGTH
- HEXAGON BAR PROFILE FOR GREATER CONTROL

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5PRBP45016	450x16mm PRY BAR POINTED - HEXAGON	3	0.76kg

### Scaffold Hammer



- DUAL-PURPOSE TOOL USED FOR SCAFFOLD ASSEMBLY
- FORGED FROM HIGH TENSILE CARBON MANGANESE STEEL FOR STRENGTH
- GOOD BALANCE AND WEIGHT
- FORGED, NOT TURNED TAPERED POINT IDEAL FOR ALIGNING
- WILL NOT BREAK OFF NEXT TO HEAD, AS CAN HAPPEN WITH CAST PRODUCTS

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5HSC	SCAFFOLD HAMMER	2	0.83kg



Quality Forged Hand Tools

*"Correctly Hardened & Tempered  
for Maximum Toughness"*



## Aligning

### Spoon Bars



- USED FOR LEVERING, PRYING BETWEEN SURFACES AND ALIGNING HOLES
- FORGED FROM RESILIENT 4140 (AXLE) STEEL
- THIN FINELY GROUND BLADE END FOR EASE OF ENTRY BETWEEN SURFACES
- FORGED, NOT TURNED LONG TAPERED POINT IDEAL FOR ALIGNING
- FULL LENGTH HEAT TREATMENT OF SHAFT FOR BEST PERFORMANCE

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5SB115025	1150x25mm SPOON BAR - 4140 GRADE	2	4.42kg
5SB135025	1350x25mm SPOON BAR - 4140 GRADE	2	4.80kg
5SB30010	300x10mm SPOON BAR - 4140 GRADE	3	0.16kg
5SB45016	450x16mm SPOON BAR - 4140 GRADE	3	0.60kg
5SB60020	600x20mm SPOON BAR - 4140 GRADE	3	1.23kg
5SB75022	750x22mm SPOON BAR - 4140 GRADE	3	2.00kg

### Starter Drifts



- USED FOR ALIGNING WORK, HOLES ETC. IN HEAVY CONSTRUCTION
- FORGED FROM TOUGH HIGH TENSILE CARBON-MANGANESE STEEL
- DESIGNED FOR DRIVING WITH HAMMER
- TAPER IS FORGED, NOT TURNED, FOR FINER GRAIN, GIVING GREATER TENSILE STRENGTH
- WILL NOT SCORE EDGE WHEN DRIVEN HARD
- HEX PROFILE FOR BETTER CONTROL

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5SDL30016	300x16mm STARTER DRIFT - HEXAGON	2	0.44kg
5SDL45020	450x20mm STARTER DRIFT - HEXAGON	2	1.03kg
5SDL45025	450x25mm STARTER DRIFT - HEXAGON	2	1.58kg
5SDL45030	450x30mm STARTER DRIFT - HEXAGON	2	2.16kg



Quality Forged Hand Tools

*"Correctly Hardened & Tempered  
for Maximum Toughness"*

## Bars

### Crowbars - Hexagon



- USED FOR DIGGING HOLES, BREAKING CLAY, ROCK AND CONCRETE
- FORGED FROM TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- GROUND & SHARPENED DIAMOND POINT END FOR EASIER DIGGING, ESPECIALLY IN ROCKY GROUND
- LONG AND SHARPER TAPERED ENDS HEAT TREATED FULL LENGTH OF TAPER FOR BETTER PERFORMANCE
- HEXAGON BAR PROFILE FOR GREATER CONTROL

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5CB150025	1500x25mm CROWBAR - HEXAGON	3	6.12kg
5CB150030	1500x30mm CROWBAR - HEXAGON	2	8.60kg
5CB165025	1650x25mm CROWBAR - HEXAGON	3	6.70kg
5CB165030	1650x30mm CROWBAR - HEXAGON	2	9.50kg
5CB180025	1800x25mm CROWBAR - HEXAGON	3	7.35kg
5CB180030	1800x30mm CROWBAR - HEXAGON	2	10.45kg

### Crowbars - Round



- USED FOR DIGGING HOLES, BREAKING CLAY, ROCK AND CONCRETE
- FORGED FROM TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- GROUND & SHARPENED DIAMOND POINT END FOR EASIER DIGGING, ESP. IN ROCKY GROUND
- LONG AND SHARPER TAPERED ENDS, HEAT TREATED FULL LENGTH OF TAPER FOR BETTER PERFORMANCE
- ROUND BAR PROFILE GOOD FOR COMFORT, EASIER ON HANDS

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5CBR180025	1800x27mm CROWBAR - ROUND	3	7.75kg
5CBR180030	1800x30mm CROWBAR - ROUND	2	9.70kg
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.			
7CBR180022	1800x22mm CROWBAR - ROUND	Min Buy 3	5.50kg

### Fence (Spud) Bar - Loaded



- USED FOR FENCING INCL. DIGGING HOLES, BREAKING CLAY AND TAMPING POSTS TIGHT
- FORGED FROM TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- BLADE END HAS MORE WEIGHT THAN ORDINARY FENCE BAR FOR BETTER DIGGING PENETRATION
- LONG AND SHARPER TAPERED BLADE HEAT TREATED FULL LENGTH OF TAPER FOR BETTER PERFORMANCE
- KNOB FORGED ON BAR, NOT WELDED, MADE TO OPTIMUM SIZE FOR TAMPING

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5FBL1800	1800mm LOADED FENCE BAR	2	10.84kg



Quality Forged Hand Tools

*"Correctly Hardened & Tempered  
for Maximum Toughness"*

## Bars

### Fence (Spud) Bars - Hexagon



- USED FOR FENCING INCL. DIGGING HOLES, BREAKING CLAY AND TAMPING POSTS TIGHT
- FORGED FROM TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- LONG AND SHARPER TAPERED BLADE HEAT TREATED FULL LENGTH FOR BETTER PERFORMANCE
- KNOB FORGED ON BAR, NOT WELDED, MADE TO OPTIMUM SIZE FOR TAMPING
- HEXAGON BAR PROFILE FOR GREATER CONTROL

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5FB150025	1500x25mm FENCE BAR - HEXAGON	3	6.50kg
5FB150030	1500x30mm FENCE BAR - HEXAGON	2	9.25kg
5FB165025	1650x25mm FENCE BAR - HEXAGON	3	7.01kg
5FB165030	1650x30mm FENCE BAR - HEXAGON	2	10.15kg
5FB180025	1800x25mm FENCE BAR - HEXAGON	3	7.77kg
5FB180030	1800x30mm FENCE BAR - HEXAGON	2	11.05kg

### Fence (Spud) Bars - Round




- USED FOR FENCING INCL. DIGGING HOLES, BREAKING CLAY AND TAMPING POSTS TIGHT
- FORGED FROM TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- LONG AND SHARPER TAPERED BLADE HEAT TREATED FULL LENGTH OF TAPER FOR BETTER PERFORMANCE
- KNOB FORGED ON BAR, NOT WELDED, MADE TO OPTIMUM SIZE FOR TAMPING
- ROUND BAR PROFILE GOOD FOR COMFORT, EASIER ON HANDS

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5FBR165025	1650x27mm FENCE BAR - ROUND	3	7.55kg
5FBR180025	1800x27mm FENCE BAR - ROUND	3	8.18kg
5FBR180030	1800x30mm FENCE BAR - ROUND	2	10.25kg

### Goose Neck Bar



- USED FOR LEVERING & MOVING OBJECTS INTO PLACE WITH A LIFT AND SWIVEL MOTION
- FORGED FROM TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- DIAMOND POINT & GOOSENECK ENDS FOR FLEXIBILITY OF USE
- GOOSENECK SET FOR IMPROVED LEVERAGE
- HEXAGON BAR PROFILE FOR GREATER CONTROL

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5GNB180030	1800x30mm GOOSE NECK BAR - HEXAGON	2	11.10kg



Quality Forged Hand Tools

*"Correctly Hardened & Tempered  
for Maximum Toughness"*

## Bars

### Insulated Bar



- USED FOR DIGGING & FENCING WITH SHARP DIGGING BLADE & FORGED RAMMING HEAD

- MADE FROM TOUGH ALLOY STEEL

- NON-CONDUCTIVE COMFORTABLE RUBBER COATED GRIP BONDED TO STEEL 38MM OD


\*\* A SAMPLE BAR HAS BEEN TESTED BY SEQEB (ENERGEX) TO 15000 VOLTS\*\*

\*\* ANY DAMAGE TO THE INSULATION COULD RESULT IN A LOWERING OF INSULATION ABILITIES\*\*

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.			
7IB1650	1650mm INSULATED BAR - RUBBER COATED	Min Buy 1	2
			6.14kg

### Pinch Bars



- USED FOR LEVERING AND MOVING OBJECTS INTO PLACE WITH A LIFT AND SWIVEL MOTION

- FORGED FROM HIGH TENSILE CARBON MANGANESE STEEL FOR MAXIMUM STRENGTH

- HEEL OFFSET TO 40° FOR OPTIMUM LIFTING

- HEXAGON BAR PROFILE FOR GREATER CONTROL

- HEAT TREATED BLADE ENDS FOR MAXIMUM TOUGHNESS

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5PB150025	1500x25mm PINCH BAR - HEXAGON	3	6.15kg
5PB150030	1500x30mm PINCH BAR - HEXAGON	2	8.90kg
5PB165025	1650x25mm PINCH BAR - HEXAGON	3	6.81kg
5PB165030	1650x30mm PINCH BAR - HEXAGON	2	9.94kg
5PB180025	1800x25mm PINCH BAR - HEXAGON	3	7.63kg
5PB180030	1800x30mm PINCH BAR - HEXAGON	2	11.02kg
5PB45016	450x16mm PINCH BAR - HEXAGON	3	0.72kg
5PB60020	600x20mm PINCH BAR - HEXAGON	3	1.53kg
5PB60025	600x25mm PINCH BAR - HEXAGON	3	2.41kg
5PB75025	750x25mm PINCH BAR - HEXAGON	3	3.04kg
5PB90025	900x25mm PINCH BAR - HEXAGON	3	3.65kg



Quality Forged Hand Tools

*"Correctly Hardened & Tempered  
for Maximum Toughness"*

## Bars

### Scaling Bars - Aluminium Hexagon Tubular



- USED IN THE MINING INDUSTRY FOR PRYING OVERHANGING ROCK
- ALUMINIUM TUBE BODY FOR LIGHT WEIGHT AND LESS USER FATIGUE
- INSERTED STEEL ENDS FORGED FROM TOUGH CARBON MANGANESE STEEL
- HEEL OFFSET TO 40 DEGREES FOR OPTIMUM LEVERING.

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description		Pack Qty	Weight ea
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.				
7SCTH1800	1800mm SCALING BAR HEX HOLLOW ALUMINIUM	Min Buy 20	5	2.97kg
7SCTH2400	2400mm SCALING BAR HEX HOLLOW ALUMINIUM	Min Buy 20	5	3.41kg
7SCTH3000	3000mm SCALING BAR HEX HOLLOW ALUMINIUM	Min Buy 20	5	3.84kg
7SCTH3600	3600mm SCALING BAR HEX HOLLOW ALUMINIUM	Min Buy 20	5	4.26kg
7SCTH4300	4300mm SCALING BAR HEX HOLLOW ALUMINIUM	Min Buy 20	5	4.70kg

### Scaling Bars - Aluminium Round Tubular



- USED IN THE MINING INDUSTRY FOR PRYING OVERHANGING ROCK
- ALUMINIUM TUBE BODY FOR LIGHT WEIGHT AND LESS USER FATIGUE
- INSERTED STEEL ENDS FORGED FROM TOUGH CARBON MANGANESE STEEL
- HEEL OFFSET TO 40 DEGREES FOR OPTIMUM LEVERING.

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description		Pack Qty	Weight ea
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.				
7SCT1800	1800mm ALUMINIUM SCALING BAR	Min Buy 20	5	2.89kg
7SCT2400	2440mm ALUMINIUM SCALING BAR	Min Buy 20	5	3.33kg
7SCT3050	3050mm ALUMINIUM SCALING BAR	Min Buy 20	5	3.76kg
7SCT3660	3660mm ALUMINIUM SCALING BAR	Min Buy 20	5	4.20kg
7SCT4320	4320mm ALUMINIUM SCALING BAR	Min Buy 20	5	4.63kg



Quality Forged Hand Tools

**"Correctly Hardened & Tempered  
for Maximum Toughness"**

## Bars

### Scaling Bars - Steel



- USED IN THE MINING INDUSTRY FOR PRYING OVERHANGING ROCK
- FORGED FROM CHROME ALLOY STEEL.
- HEAT TREATED BLADES FOR MAXIMUM TOUGHNESS
- HEX PROFILE FOR GOOD CONTROL
- HEEL OFFSET TO 40 DEGREES FOR OPTIMUM LEVERING

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description		Pack Qty	Weight ea
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.				
7SC120019	1200x20mm SCALING BAR - HEXAGON	Min Buy 50	5	3.12kg
7SC150019	1500x20mm SCALING BAR - HEXAGON	Min Buy 50	5	3.91kg
7SC180019	1800x20mm SCALING BAR - HEXAGON	Min Buy 50	5	4.68kg
7SC210019	2100x20mm SCALING BAR - HEXAGON	Min Buy 50	5	5.45kg
7SC240019	2400x20mm SCALING BAR - HEXAGON	Min Buy 50	5	6.24kg

### Trench Bar



- USED FOR DIGGING AND SQUARING TRENCHES & HOLES AND TAMPING POSTS TIGHT
- FORGED FROM TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- WIDE 113mm HEAVY DUTY BOLSTER BLADE FORGED, NOT WELDED, ON BAR FOR BETTER DURABILITY
- KNOB ALSO FORGED ON BAR, NOT WELDED, MADE TO OPTIMUM SIZE FOR TAMPING
- ROUND BAR PROFILE GOOD FOR COMFORT, EASIER ON HANDS

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5TB180027	1800x27mm TRENCH BAR - 115mm BLADE - ROUND	2	8.30kg

### Wooden Handled Digging Tool



- USED FOR WORKING IN TRENCHES, HOLES AND PITS WHERE CABLES MAY BE PRESENT
- BLADE END FORGED FROM TOUGH ALLOY STEEL
- BLADE IS WELDED FOR ADDITIONAL STRENGTH
- THIS PRODUCT IS NOT RECOMMENDED FOR LEVERING
- FITTED WITH TOUGH USA HICKORY HARDWOOD HANDLE

- CORRECTLY HEAT TREATED TO BEST SUIT PRODUCT APPLICATION  
\* WARNING WEAR SAFETY GOGGLES USER AND BYSTANDER

Part No.	Product Description		Pack Qty	Weight ea
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.				
7DTWH	1600mm WOODEN HANDLED DIGGING TOOL	Min Buy 4	4	3.67kg



**Quality Forged Hand Tools**

***"Correctly Hardened & Tempered  
for Maximum Toughness"***

## Bars

### Wrecking Bars



- USED FOR CONSTRUCTION, DEMOLITION AND WRECKING WORK
- FORGED FROM TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- FINELY GROUND ENDS FOR GOOD LEAD IN, MAKES DEMOLITION WORK EASIER & QUICKER
- OPEN BEND TO GET BEHIND LARGER TIMBERS, HEX PROFILE FOR GREATER CONTROL
- WIDE & THIN ENDS LESS LIKELY TO DAMAGE TIMBERS WHEN REMOVING FOR RESTORATION

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5WB30016	300x16mm WRECKING BAR - HEXAGON	6	0.60kg
5WB45016	450x16mm WRECKING BAR - HEXAGON	6	0.97kg
5WB60020	600x20mm WRECKING BAR - HEXAGON	6	1.80kg
5WB75020	750x20mm WRECKING BAR - HEXAGON	6	2.23kg
5WB90020	900x20mm WRECKING BAR - HEXAGON	6	2.60kg
5WBU	UTILITY WRECKING BAR - FLAT	3	0.60kg



**Quality Forged Hand Tools**

***"Correctly Hardened & Tempered  
for Maximum Toughness"***

## Bolsters

### Brick Bolster



- USED FOR CUTTING BRICKS & CONCRETE
- FORGED FROM ONE PIECE OF TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- HARDENED 113mm BLADE WILL ALSO CUT THROUGH BOLTS
- FINELY GROUND TO GIVE A STRAIGHT CUTTING EDGE
- FITTED WITH PROTECTIVE HAND GRIP FOR SAFETY

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5BBO	115mm BRICK BOLSTER C/W PROTECTIVE GRIP	6	0.90kg

### Electrician Bolster



- USED FOR CHASING PLASTER & OTHER RENOVATION WORK
- FORGED FROM ONE PIECE OF TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- HARDENED 63mm BLADE WILL ALSO CUT THROUGH BOLTS
- FINELY GROUND TO GIVE A STRAIGHT CUTTING EDGE
- FITTED WITH PROTECTIVE HAND GRIP FOR SAFETY

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5EB	63mm ELECTRICIANS BOLSTER C/W PROTECTIVE GRIP	3	0.59kg

### Plumbers Bolster



- USED FOR REMOVING TILES, CUTTING THROUGH CAVITY WALLS
- FORGED FROM ONE PIECE OF TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- LONGER HANDLE ASSISTS WITH DIFFICULT AND HARD TO REACH JOBS
- HARDENED BLADE WILL ALSO CUT THROUGH BOLTS
- FINELY GROUND TO GIVE A STRAIGHT CUTTING EDGE

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5PB	63mm PLUMBERS BOLSTER - 450mm	2	1.18kg



Quality Forged Hand Tools

*"Correctly Hardened & Tempered  
for Maximum Toughness"*



## Chisels

### Alloy Cold Chisels - Premium



- USED FOR CUTTING HIGH TENSILE STEELS AND WELDS
- FORGED FROM CHROME ALLOY STEEL TO GIVE A HARDER BLADE WITH GREAT RESILIENCE
- BLADE WILL NOT SHATTER
- SOFTER HEAD IS DESIGNED TO MUSHROOM, NOT CHIP
- ACCURATELY GROUND TO THE OPTIMUM 60° ANGLE FOR CUTTING

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5AC15013	150x13mm ALLOY COLD CHISEL	5	0.10kg
5AC17516	175x16mm ALLOY COLD CHISEL	5	0.20kg
5AC20020	200x20mm ALLOY COLD CHISEL	5	0.28kg
5AC23022	230x22mm ALLOY COLD CHISEL	5	0.50kg
5AC25025	250x25mm ALLOY COLD CHISEL	5	0.68kg
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.			
7ACPG25025	250x25mm ALLOY COLD CHISEL C/W PROTECTIVE GRIP	Min Buy 2 6	0.70kg

### Set

Part No.	Product Description	Pack Qty	Weight ea
5ACSET5	13,16,20,22 & 25mm ALLOY COLD CHISELS - SET OF 5	2	1.82kg

### Alloy Engineers Chisels - Cross Cut (Cape)



- USED FOR REMOVING OIL SEALS
- ALSO USED FOR CUTTING IN CORNERS AND DIFFICULT & CONFINED AREAS
- FORGED FROM CHROME ALLOY STEEL TO GIVE A HARDER BLADE WITH GREAT RESILIENCE
- CORRECTLY HARDENED AND TEMPERED SO BLADE WILL NOT SHATTER WHEN STRUCK HARD
- ACCURATELY GROUND TO THE OPTIMUM ANGLE FOR CUTTING

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.			
7CHC15013	150x13x6.5mm ALLOY CROSS CUT CHISEL	Min Buy 20 5	0.12kg
7CHC17516	175x16x8mm ALLOY CROSS CUT CHISEL	Min Buy 20 5	0.23kg
7CHC20020	200x20x10mm ALLOY CROSS CUT CHISEL	Min Buy 20 5	0.25kg
7CHC22522	225x22x11mm ALLOY CROSS CUT CHISEL	Min Buy 20 5	0.62kg
7CHC25025	250x25x13mm ALLOY CROSS CUT CHISEL	Min Buy 20 5	0.91kg



Quality Forged Hand Tools

*"Correctly Hardened & Tempered  
for Maximum Toughness"*

## Chisels

### Alloy Engineers Chisels - Diamond Point



- USED FOR CUTTING OILWAYS IN PLAIN BEARINGS
- ALSO USED FOR CUTTING IN CORNERS ETC.
- FORGED FROM CHROME ALLOY STEEL TO GIVE A HARDER BLADE WITH GREAT RESILIENCE
- CORRECTLY HARDENED AND TEMPERED, BLADE WILL NOT SHATTER WHEN STRUCK HARD
- ACCURATELY GROUND TO THE OPTIMUM ANGLE FOR CUTTING

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description		Pack Qty	Weight ea
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.				
7CHD15013	150x13x6.5mm ALLOY DIAMOND POINT CHISEL	Min Buy 20	5	0.12kg
7CHD17516	175x16x8mm ALLOY DIAMOND POINT CHISEL	Min Buy 20	5	0.22kg
7CHD20020	200x20x10mm ALLOY DIAMOND POINT CHISEL	Min Buy 20	5	0.23kg
7CHD22522	225x22x11mm ALLOY DIAMOND POINT CHISEL	Min Buy 20	5	0.60kg
7CHD25025	250x25x13mm ALLOY DIAMOND POINT CHISEL	Min Buy 20	5	0.91kg

### Alloy Engineers Chisels - Round Nose



- USED FOR CUTTING GROOVES FOR GREASEWAYS IN PLAIN BEARINGS
- FORGED FROM CHROME ALLOY STEEL TO GIVE A HARDER BLADE WITH GREAT RESILIENCE
- ACCURATELY GROUND TO OPTIMUM ANGLE FOR CUTTING
- CORRECTLY HARDENED AND TEMPERED, SO WILL NOT SHATTER WHEN STRUCK HARD

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description		Pack Qty	Weight ea
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.				
7CHR15013	150x13x6.5mm ALLOY ROUND NOSE CHISEL	Min Buy 20	5	0.12kg
7CHR17516	175x16x8mm ALLOY ROUND NOSE CHISEL	Min Buy 20	5	0.23kg
7CHR20020	200x20x10mm ALLOY ROUND NOSE CHISEL	Min Buy 20	5	0.25kg
7CHR22522	225x22x11mm ALLOY ROUND NOSE CHISEL	Min Buy 20	5	0.62kg
7CHR25025	250x25x13mm ALLOY ROUND NOSE CHISEL	Min Buy 20	5	0.91kg



Quality Forged Hand Tools

**"Correctly Hardened & Tempered  
for Maximum Toughness"**

## Chisels

### Alloy Masonry Chisel - Premium



- USED FOR MASONRY AND RENOVATION WORK, STRIPPING TILES ETC.
- ALSO USED FOR OTHER GENERAL CUTTING
- FORGED FROM TOUGH CHROME ALLOY STEEL
- LONG FINELY TAPERED & GROUND BLADE, GROUND TO THE OPTIMUM ANGLE FOR CUTTING
- HEAD IS NORMALISED, DESIGNED TO MUSHROOM, NOT CHIP, FOR SAFETY

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5CM25025	250x25mm ALLOY MASONRY CHISEL	3	0.57kg
5CM25038	250x38mm ALLOY MASONRY CHISEL	3	0.59kg
5CM25050	250x50mm ALLOY MASONRY CHISEL	3	0.62kg

### Chisel Bars



- USED WITH HEAVY HAMMER FOR MASONRY AND DEMOLITION WORK
- FORGED FROM TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- BLADE CORRECTLY HARDENED & TEMPERED SO THAT IT WILL NOT SHATTER WHEN DRIVEN HARD
- THE HEAD IS LEFT SOFTER TO MUSHROOM, NOT CHIP, FOR SAFETY
- GROUND & SHARPENED LONG TAPERED BLADE FOR BETTER PERFORMANCE

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5CCB30025	300x25mm CHISEL BAR	3	1.00kg
5CCB37525	375x25mm CHISEL BAR	3	1.33kg
5CCB45025	450x25mm CHISEL BAR	3	1.67kg



Quality Forged Hand Tools

*"Correctly Hardened & Tempered  
for Maximum Toughness"*

# Chisels

## Cold Chisels



- USED FOR GENERAL CUTTING INC. MILD STEEL, BOLTS & CONCRETE
- FORGED FROM TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- BLADE CORRECTLY HARDENED & TEMPERED SO THAT IT WILL NOT SHATTER
- THE HEAD IS LEFT SOFTER TO MUSHROOM, NOT CHIP, FOR SAFETY
- CUTTING EDGE GROUND TO THE OPTIMUM ANGLE FOR BEST PERFORMANCE & DURABILITY

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5CC15006	150x6mm COLD CHISEL	5	0.03kg
5CC15010	150x10mm COLD CHISEL	5	0.08kg
5CC15013	150x13mm COLD CHISEL	5	0.14kg
5CC17516	175x16mm COLD CHISEL	5	0.20kg
5CC20020	200x20mm COLD CHISEL	5	0.32kg
5CC23022	230x22mm COLD CHISEL	5	0.57kg
5CC25025	250x25mm COLD CHISEL	5	0.62kg

### Set

Part No.	Product Description	Pack Qty	Weight ea
5CCSET5	13,16,20,22 & 25mm COLD CHISELS - SET OF 5	2	1.90kg

## Plugging Chisels



- USED FOR CUTTING MORTAR JOINTS
- FORGED FROM TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- REVERSE TAPERED BLADE TO AVOID JAMMING
- ACCURATELY GROUND AND SHARPENED CUTTING EDGE

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5PC	7mm - 260x16mm PLUGGING CHISEL - HEXAGON	3	0.33kg



Quality Forged Hand Tools

*"Correctly Hardened & Tempered  
for Maximum Toughness"*

## Cold Sets

### Cold Sets



- USED FOR STRIKING WITH SLEDGE HAMMER
- FORGED FROM TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- CORRECTLY HARDENED AND TEMPERED, BLADE WILL NOT SHATTER WHEN STRUCK HARD
- THE HEAD IS LEFT SOFTER TO MUSHROOM, NOT CHIP, FOR SAFETY

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description		Pack Qty	Weight ea
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.				
7SCSH225	225mm COLD SET STEEL HANDLED	Min Buy 1	4	1.75kg

## Drill Sleeves

### Drill Sleeves



- USED FOR ADAPTING MORSE TAPER DRILLS TO FIT LARGER MACHINES
- PRECISION TURNED FROM STEEL TO EXACTING STANDARDS
- HARDENED & GROUND FOR LONG LIFE
- CORRECTLY HEAT TREATED TO BEST SUIT PRODUCT APPLICATION

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5XD12	1-2 MORSE TAPER DRILL SLEEVE - HARDENED & GROUND	3	0.11kg
5XD23	2-3 MORSE TAPER DRILL SLEEVE - HARDENED & GROUND	3	0.18kg
5XD34	3-4 MORSE TAPER DRILL SLEEVE - HARDENED & GROUND	3	0.40kg
5XD45	4-5 MORSE TAPER DRILL SLEEVE - HARDENED & GROUND	3	1.04kg
5XD56	5-6 MORSE TAPER DRILL SLEEVE - HARDENED & GROUND	2	2.66kg



Quality Forged Hand Tools

*"Correctly Hardened & Tempered  
for Maximum Toughness"*

## Fencing

### Star Dropper Hammer



- USED FOR DRIVING IN STAR (FENCING) DROPPERS
- ALSO USED TO DRIVE IN MARKER PEGS, STAKES, CONCRETING STAKES ETC.
- HEAVY 8KG UNIT DRIVES DROPPERS VERY QUICKLY AND EFFICIENTLY
- SOLID STEEL HANDLES & SLUG WELDED TOGETHER (NOT TO PIPE) GIVES GREAT STRENGTH

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5SDSH	8kg STAR DROPPER HAMMER	2	8.68kg

### Star Dropper Remover



- USED FOR REMOVING STAR DROPPERS (ALSO CALLED STAR PICKETS OR FENCING DROPPERS)
- ALSO USED FOR REMOVING SELECTED PIPES AND STEEL PEGS
- MADE FROM HIGH TENSILE STEEL FOR DURABILITY AND LONG LIFE
- GRIPPER BITES EFFICIENTLY INTO DROPPER FOR EASY EXTRACTION
- LONG HANDLE FOR EXCELLENT LEVERAGE

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5SDR	STAR DROPPER REMOVER	2	8.06kg



Quality Forged Hand Tools

*"Correctly Hardened & Tempered  
for Maximum Toughness"*

## G-Clamps

### G-Clamps - Bar Type



- USED FOR CLAMPING MATERIALS IN WOOD OR METALWORK
- DROP FORGED FROM HIGH TENSILE STEEL FOR HIGH STRENGTH WITHOUT BREAKING
- 200mm TESTED TO OVER 3 TONNE PRESSURE WITH NO DEFORMATION
- CLAMP HAS DEEP THROAT FOR FLEXIBILITY AND MACHINED CLAMPING FACE
- UNC THREAD WITH CLOSE TOLERANCE TO GIVE TIGHT CLAMPING PRESSURE
- CORRECTLY HEAT TREATED TO BEST SUIT PRODUCT APPLICATION
- \* WARNING WEAR SAFETY GOGGLES USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5GCB100	100mm INDUSTRIAL BAR TYPE G-CLAMP	2	1.62kg
5GCB150	150mm INDUSTRIAL BAR TYPE G-CLAMP	2	2.45kg
5GCB200	200mm INDUSTRIAL BAR TYPE G-CLAMP	2	3.40kg

### G-Clamps - Hex Head



- USED FOR CLAMPING WOOD OR METALWORK MATERIALS IN CONFINED SPACES
- DROP FORGED FROM HIGH TENSILE STEEL FOR HIGH STRENGTH WITHOUT BREAKING
- 200mm TESTED TO OVER 3 TONNE PRESSURE WITH NO DEFORMATION
- CLAMP HAS DEEP THROAT FOR FLEXIBILITY, MACHINED CLAMPING FACE FOR EFFICIENCY
- UNC THREAD WITH CLOSE TOLERANCE TO GIVE TIGHT CLAMPING PRESSURE
- \* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5GCS100	100mm INDUSTRIAL HEX HEAD G-CLAMP	2	1.52kg
5GCS150	150mm INDUSTRIAL HEX HEAD G-CLAMP	2	2.21kg

### G-Clamps - Wing Type



- USED FOR CLAMPING WOOD OR METALWORK MATERIALS
- DROP FORGED FROM HIGH TENSILE STEEL FOR HIGH STRENGTH WITHOUT BREAKING
- 200mm TESTED TO OVER 3 TONNE PRESSURE WITH NO DEFORMATION
- CLAMP HAS DEEP THROAT FOR FLEXIBILITY, MACHINED CLAMPING FACE FOR EFFICIENCY
- UNC THREAD WITH CLOSE TOLERANCE TO GIVE TIGHT CLAMPING PRESSURE
- \* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5GCW050	50mm INDUSTRIAL WING TYPE G-CLAMP	2	0.65kg
5GCW150	150mm INDUSTRIAL WING TYPE G-CLAMP	2	2.38kg
5GCW200	200mm INDUSTRIAL WING TYPE G-CLAMP	2	3.40kg



**Quality Forged Hand Tools**

***"Correctly Hardened & Tempered  
for Maximum Toughness"***

## Grips

### Protective Grips



- USED TO PREVENTS INJURY FROM MIS-HITS
- MADE FROM NON-SLIP RUBBER COMPOUND
- GIVES COMFORTABLE GRIP ON TOOLS
- HELPS TO ABSORB SHOCK AND VIBRATION TO MINIMISE USER FATIGUE

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description		Pack Qty	Weight ea
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.				
7RPG14	RUBBER PROTECTIVE GRIP TO SUIT 14-16mm DIAM & 14mm AF HEX	Min Buy 1	6	0.08kg
7RPG16	RUBBER PROTECTIVE GRIP TO SUIT 17-18mm DIAM & 16mm AF HEX	Min Buy 1	6	0.08kg
7RPG20	RUBBER PROTECTIVE GRIP TO SUIT 19-22mm DIAM & 19-20mm AF HEX	Min Buy 1	6	0.09kg
7RPG27	RUBBER PROTECTIVE GRIP TO SUIT 26-27mm DIAM & 25mm AF HEX	Min Buy 1	6	0.09kg



**Quality Forged Hand Tools**

***"Correctly Hardened & Tempered  
for Maximum Toughness"***



## Hammers - Fibreglass Handled

### Ball Pein Hammers - Fibreglass Rubber Grip Handle



- USED IN METAL WORK FOR STRIKING PUNCHES AND CHISELS
- ALSO USED FOR RIVETING WORK WITH BALL END
- HEAD FORGED FROM HIGH-TENSILE CARBON MANGANESE STEEL WITH HARDENED AND TEMPERED FACES
- A THICK FIBREGLASS HANDLE FOR EXTRA STRENGTH WITH A NON-SLIP, OIL RESISTANT RUBBERISED COATING
- COMFORTABLE, THICK RUBBER GRIP FOR BETTER PROTECTION FROM SHOCK AND VIBRATION
- THIS PRODUCT MUST BE MAINTAINED IN ACCORDANCE WITH AUSTRALIAN STANDARD 3797:1991

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5HBPFRH0.675	675g BALL PEIN HAMMER C/W 350mm FIBREGLASS RUBBER GRIP HANDLE	2	1.10kg
5HBPFRH0.900	900g BALL PEIN HAMMER C/W 350mm FIBREGLASS RUBBER GRIP HANDLE	2	1.22kg
5HBPFRH1.135	1.135kg BALL PEIN HAMMER C/W 400mm FIBREGLASS RUBBER GRIP HANDLE	2	1.56kg
5HBPFRH1.360	1.360kg BALL PEIN HAMMER C/W 400mm FIBREGLASS RUBBER GRIP HANDLE	2	1.86kg

### Ball Pein Hammers - Normalised - Fibreglass Rubber Grip Hndl



- A SOFT FACED BALL PEIN HAMMER FOR APPLICATIONS WHERE RISK OF CHIPPING NEEDS TO BE MINIMISED
- USED IN METAL WORK FOR STRIKING PUNCHES & CHISELS
- ALSO USED FOR RIVETING WORK WITH BALL END
- HEAD FORGED FROM TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- A THICK CORED FIBREGLASS HANDLE FOR EXTRA STRENGTH WITH A NON-SLIP, OIL RESISTANT RUBBERISED COATING
- THIS PRODUCT MUST BE MAINTAINED IN ACCORDANCE WITH AUSTRALIAN STANDARD 3797:1991

Part No.	Product Description	Pack Qty	Weight ea
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.			
7HBPNFRH0.675	675g NORMALISED BALL PEIN HAMMER C/W 350mm FIBREGLASS RUBBER GRIP HANDLE	Min Buy 6 2	1.10kg
7HBPNFRH0.900	900g NORMALISED BALL PEIN HAMMER C/W 350mm FIBREGLASS RUBBER GRIP HANDLE	Min Buy 6 2	1.22kg
7HBPNFRH1.135	1.135kg NORMALISED BALL PEIN HAMMER C/W 400mm FIBREGLASS RUBBER GRIP HANDLE	Min Buy 6 2	1.56kg
7HBPNFRH1.360	1.360kg NORMALISED BALL PEIN HAMMER C/W 400mm FIBREGLASS RUBBER GRIP HANDLE	Min Buy 6 2	1.86kg



Quality Forged Hand Tools

*"Correctly Hardened & Tempered  
for Maximum Toughness"*

## Hammers - Fibreglass Handled

### Brass Hammers - Fibreglass Rubber Grip Handled



- USED IN NON-SPARKING ENVIRONMENTS OR TO AVOID DAMAGE TO STRUCK OBJECTS
- HEAD FORGED FROM BRASS FOR SOFTER NON-DAMAGING BLOW
- COMFORTABLE THICK RUBBER GRIP HANDLE FOR BETTER PROTECTION FROM SHOCK AND VIBRATION
- HANDLE INCLUDES BOTH OVERSTRIKE PROTECTION AND LARGE SWEEP AT BASE TO PREVENT LOSS OF GRIP
- THIS PRODUCT MUST BE MAINTAINED IN ACCORDANCE WITH AUSTRALIAN STANDARD 3797:1991

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description		Pack Qty	Weight ea
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.				
7HBRFRH04	4lb BRASS HAMMER C/W 400mm FIBREGLASS RUBBER GRIP HANDLE	Min Buy 1	2	2.22kg
7HBRFRH07	7lb BRASS HAMMER C/W PINNED 800mm FIBREGLASS RUBBER GRIP HANDLE	Min Buy 1	4	4.01kg
7HBRFRH10	10lb BRASS HAMMER C/W PINNED 900mm FIBREGLASS RUBBER GRIP HANDLE	Min Buy 1	4	5.55kg
7HBRFRH14	14lb BRASS HAMMER C/W PINNED 900mm FIBREGLASS RUBBER GRIP HANDLE	Min Buy 1	2	6.78kg

### Claw Hammer - Fibreglass Rubber Grip Handled



- USED FOR GENERAL WOODWORKING APPLICATIONS
- ACCURATELY GROUND CLAW FOR SUPERIOR NAIL EXTRACTION
- HEAD FORGED FROM HIGH-TENSILE CARBON MANGANESE STEEL, WITH HARDENED AND TEMPERED FACE AND CLAW
- A THICK-CORED FIBREGLASS HANDLE FOR EXTRA STRENGTH WITH A NON-SLIP, OIL RESISTANT RUBBERISED COATING
- COMFORTABLE, THICK RUBBER GRIP FOR BETTER PROTECTION FROM SHOCK AND VIBRATION
- THIS PRODUCT MUST BE MAINTAINED IN ACCORDANCE WITH AUSTRALIAN STANDARD 3797:1991

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description		Pack Qty	Weight ea
5HCLFRH0.575	575g CLAW HAMMER C/W 350mm FIBREGLASS RUBBER GRIP HANDLE		2	1.11kg
5HCLFRH0.675	675g CLAW HAMMER C/W 350mm FIBREGLASS RUBBER GRIP HANDLE		2	1.21kg



**Quality Forged Hand Tools**

***"Correctly Hardened & Tempered  
for Maximum Toughness"***

## Hammers - Fibreglass Handled

### Claw Hammer - Normalised - Fibreglass Rubber Grip Handle



- USED FOR GENERAL WOODWORKING APPLICATION WHERE RISK OF CHIPPING AND DAMAGE TO STRUCK OBJECTS NEEDS TO BE MINIMISED
- HEAD FORGED FROM TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- THE FACE IS NORMALISED TO BE SOFTER AND LESS LIKELY TO CHIP
- ACCURATELY GROUND CLAW FOR SUPERIOR NAIL EXTRACTION
- NORMALISED STRIKING FACE HAS HARDNESS BELOW 20HRC
- A THICK CORED FIBREGLASS HANDLE FOR EXTRA STRENGTH WITH A NON-SLIP, OIL RESISTANT RUBBERISED COATING
- COMFORTABLE, THICK RUBBER GRIP FOR BETTER PROTECTION FROM SHOCK AND VIBRATION
- THIS PRODUCT MUST BE MAINTAINED IN ACCORDANCE WITH AUSTRALIAN STANDARD 3797:1991

Part No.	Product Description		Pack Qty	Weight ea
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.				
7HCLNFRH0.575	575g NORMALISED CLAW HAMMER C/W 350mm FIBREGLASS RUBBER GRIP HANDLE	Min Buy 6	2	1.11kg
7HCLNFRH0.675	675g NORMALISED CLAW HAMMER C/W 350mm FIBREGLASS RUBBER GRIP HANDLE	Min Buy 6	2	1.21kg

### Club Hammer - Masons - Fibreglass Rubber Grip Handled



- A GREAT ALL-ROUND CLUB HAMMER FOR GENERAL STRIKING APPLICATIONS
- HEAD FORGED FROM TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- A THICK FIBREGLASS HANDLE FOR EXTRA STRENGTH WITH A NON-SLIP, OIL RESISTANT RUBBERISED COATING
- COMFORTABLE, THICK RUBBER GRIP FOR BETTER PROTECTION FROM SHOCK AND VIBRATION
- IDEAL FOR CLOSE-IN WORK IN CONFINED SPACES
- THIS PRODUCT MUST BE MAINTAINED IN ACCORDANCE WITH AUSTRALIAN STANDARD 3797:1991

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description		Pack Qty	Weight ea
5HCMFRH1.35	1.35kg MASONS CLUB HAMMER C/W 250mm FIBREGLASS RUBBER GRIP HANDLE		2	1.60kg



Quality Forged Hand Tools

*"Correctly Hardened & Tempered  
for Maximum Toughness"*

## Hammers - Fibreglass Handled

### Club Hammer - Normalised - Fibreglass Rubber Grip Handled



- GREAT ALL ROUND CLUB HAMMER FOR GENERAL STRIKING APPLICATIONS WHERE RISK OF CHIPPING AND DAMAGE TO STRUCK OBJECTS NEEDS TO BE MINIMISED
- HEAD IS FORGED FROM HIGH TENSILE STEEL THEN NORMALISED TO GIVE A SOFTER FACE THAT IS LESS LIKELY TO CHIP
- NORMALISED STRIKING FACES HAVE HARDNESSES BELOW 20 HRC
- A THICK CORED FIBREGLASS HANDLE FOR EXTRA STRENGTH WITH A NON-SLIP, OIL RESISTANT RUBBERISED COATING
- IDEAL FOR WORK IN CONFINED SPACES
- THIS PRODUCT MUST BE MAINTAINED IN ACCORDANCE WITH AUSTRALIAN STANDARD 3797:1991

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.			
7HCMNFRH1.35	1.35kg NORMALISED MASONS CLUB HAMMER C/W 250mm FIBREGLASS RUBBER GRIP HANDLE	Min Buy 10 2	1.60kg

### Copper Hammers - Fibreglass Rubber Grip Handled



- USED IN NON-SPARKING ENVIRONMENTS OR TO AVOID DAMAGE TO STRUCK OBJECTS
- NON-MARKING, SOFT FACED HAMMER
- HEAD FORGED FROM PURE ELECTROLYTIC COPPER - CONTAINS NO OXYGEN SO UNLIKE CAST WILL NOT CHIP OR BREAK
- GIVES A DEAD BLOW DOES NOT BOUNCE
- HEAD IS SECURELY EPOXIED TO HANDLE - LARGE SIZES ALSO PINNED
- COMFORTABLE, THICK RUBBER GRIP FOR BETTER PROTECTION FROM SHOCK AND VIBRATION
- LARGE SWEEP AT BASE TO PREVENT LOSS OF GRIP
- THIS PRODUCT MUST BE MAINTAINED IN ACCORDANCE WITH AUSTRALIAN STANDARD 3797:1991

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.			
7HCFRH02	2lb COPPER HAMMER C/W 350mm FIBREGLASS RUBBER GRIP HANDLE	Min Buy 1 2	1.25kg
7HCFRH03	3lb COPPER HAMMER C/W 400mm FIBREGLASS RUBBER GRIP HANDLE	Min Buy 1 2	1.80kg
7HCFRH04	4lb COPPER HAMMER C/W 400mm FIBREGLASS RUBBER GRIP HANDLE	Min Buy 1 2	2.22kg
7HCFRH07	7lb COPPER HAMMER C/W PINNED 800mm FIBREGLASS RUBBER GRIP HANDLE	Min Buy 1 4	4.00kg
7HCFRH10	10lb COPPER HAMMER C/W PINNED 900mm FIBREGLASS RUBBER GRIP HANDLE	Min Buy 1 4	5.77kg
7HCFRH14	14lb COPPER HAMMER C/W PINNED 900mm FIBREGLASS RUBBER GRIP HANDLE	Min Buy 1 2	6.84kg
7HCFRH28	28lb COPPER HAMMER C/W PINNED 900mm FIBREGLASS RUBBER GRIP HANDLE	Min Buy 1 2	13.27kg



Quality Forged Hand Tools

*"Correctly Hardened & Tempered  
for Maximum Toughness"*

## Hammers - Fibreglass Handled

### Drill (Gympie) Hammer - Fibreglass Rubber Grip



- USED FOR MINING AND CONFINED ENVIRONMENTS
- ALSO IDEAL FOR CLOSE WORK WITH ENOUGH HEAD WEIGHT FOR EFFECTIVE HAMMERING
- HEAD FORGED FROM TOUGH, HIGH-TENSILE CARBON MANGANESE STEEL, WITH HARDENED AND TEMPERED FACE
- A THICK FIBREGLASS HANDLE FOR EXTRA STRENGTH WITH A NON-SLIP, OIL RESISTANT RUBBERISED COATING
- COMFORTABLE, THICK RUBBER GRIP FOR BETTER PROTECTION FROM SHOCK AND VIBRATION
- THIS PRODUCT MUST BE MAINTAINED IN ACCORDANCE WITH AUSTRALIAN STANDARD 3797:1991

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5HDRFRH2.0	2kg DRILL HAMMER C/W 400mm FIBREGLASS RUBBER GRIP HANDLE	2	2.39kg

### Drill (Gympie) Hammers - Normalised - Fibreglass Rubber Grip



- USED FOR MINING AND CONFINED ENVIRONMENTS WHERE THE RISK OF CHIPPING OR DAMAGE TO STRUCK OBJECTS NEEDS TO BE MINIMISED
- HEAD IS FORGED FROM HIGH-TENSILE STEEL THEN NORMALISED TO GIVE A SOFTER FACE THAT IS LESS LIKELY TO CHIP
- NORMALISED STRIKING FACES HAVE HARDNESSES BELOW 20HRC
- FITTED WITH A THICK FIBREGLASS HANDLE FOR EXTRA STRENGTH WITH A NON-SLIP, OIL RESISTANT RUBBERISED COATING
- COMFORTABLE, THICK RUBBER GRIP FOR BETTER PROTECTION FROM SHOCK AND VIBRATION
- THIS PRODUCT MUST BE MAINTAINED IN ACCORDANCE WITH AUSTRALIAN STANDARD 3797:1991

Part No.	Product Description	Pack Qty	Weight ea
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.			
7HDRNFRH2.0	2kg NORMALISED DRILL HAMMER C/W 400mm FIBREGLASS RUBBER GRIP HANDLE	Min Buy 6 2	2.39kg



Quality Forged Hand Tools

*"Correctly Hardened & Tempered  
for Maximum Toughness"*

## Hammers - Fibreglass Handled

### Scutch Hammers - Fibreglass Rubber Grip Handled



- USED FOR CLEANING, SHAPING AND CHASING MASONRY, INC. STONE AND PLASTER
- LARGE HEAD FORGED WITH SUFFICIENT MATERIAL TO SUPPORT COMB FOR ADDED STRENGTH
- MACHINED SLOT FOR ACCURATE BLADE FITTING
- GREAT FOR RENOVATION, REMOVING CEMENT TO REPLACE TILES, CLEANING BRICKS ETC.
- A THICK FIBREGLASS HANDLE FOR EXTRA STRENGTH WITH A NON-SLIP, OIL RESISTANT RUBBERISED COATING
- COMFORTABLE, THICK RUBBER GRIP FOR BETTER PROTECTION FROM SHOCK AND VIBRATION
- THIS PRODUCT MUST BE MAINTAINED IN ACCORDANCE WITH AUSTRALIAN STANDARD 3797:1991

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5HSCFRH38	38mm SCUTCH HAMMER C/W 350mm FIBREGLASS RUBBER GRIP HANDLE	2	1.38kg

### Sledge Hammer - Normalised - Fibreglass Rubber Grip Handled



- A SOFT FACED SLEDGE HAMMER FOR HEAVY APPLICATIONS WHERE RISK OF CHIPPING NEEDS TO BE MINIMISED
- HEAD IS FORGED FROM HIGH TENSILE STEEL THEN NORMALISED TO GIVE A SOFTER FACE THAT IS LESS LIKELY TO CHIP
- HEAD IS PINNED TO HANDLE AS WELL AS EPOXIED TO PREVENT HEAD COMING OFF
- A THICK CORED FIBREGLASS HANDLE FOR EXTRA STRENGTH WITH A NON-SLIP OIL RESISTANT RUBBERISED COATING
- LARGE SWEEP AT BASE TO PREVENT GRIP LOSS
- COMFORTABLE THICK RUBBER GRIP GIVES BETTER PROTECTION FROM SHOCK AND VIBRATION
- THIS PRODUCT MUST BE MAINTAINED IN ACCORDANCE WITH AUSTRALIAN STANDARD 3797:1991

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.			
7HSNFRH04	4lb NORMALISED HAMMER C/W PINNED 300mm FIBREGLASS RUBBER GRIP HANDLE	Min Buy 4 2	2.09kg
7HSNFRH07	7lb NORMALISED HAMMER C/W PINNED 800mm FIBREGLASS RUBBER GRIP HANDLE	Min Buy 4 4	4.04kg
7HSNFRH10	10lb NORMALISED HAMMER C/W PINNED 900mm FIBREGLASS RUBBER GRIP HANDLE	Min Buy 4 4	5.55kg
7HSNFRH14	14lb NORMALISED HAMMER C/W PINNED 900mm FIBREGLASS RUBBER GRIP HANDLE	Min Buy 4 2	7.59kg



**Quality Forged Hand Tools**

***"Correctly Hardened & Tempered  
for Maximum Toughness"***

## Hammers - Fibreglass Handled

### Sledge Hammers - Fibreglass Rubber Grip Handled - Pinned



- A WELL BALANCED VERSATILE SLEDGE HAMMER FOR THE BUILDING AND CONSTRUCTION INDUSTRY
- FORGED FROM HIGH TENSILE STEEL WITH HARDENED AND TEMPERED FACES AND A RUBBER GRIP FIBREGLASS HANDLE
- THICK HANDLE WITH LARGE SWEEP AT BASE TO PREVENT LOSS OF GRIP
- COMFORTABLE THICK RUBBER GRIP FOR BETTER PROTECTION FROM SHOCK AND VIBRATION
- THIS PRODUCT MUST BE MAINTAINED IN ACCORDANCE WITH AUSTRALIAN STANDARD 3797:1991

Part No.	Product Description	Pack Qty	Weight ea
5HDFRH04400	4lb DEMOLITION HAMMER C/W 400mm FIBREGLASS RUBBER GRIP HANDLE	2	2.32kg
5HSFRH07	7lb SLEDGE HAMMER C/W PINNED 800mm FIBREGLASS RUBBER GRIP HANDLE	4	4.48kg
5HSFRH10	10lb SLEDGE HAMMER C/W PINNED 900mm FIBREGLASS RUBBER GRIP HANDLE	4	5.55kg
5HSFRH14	14lb SLEDGE HAMMER C/W PINNED 900mm FIBREGLASS RUBBER GRIP HANDLE	2	7.59kg



Quality Forged Hand Tools

*"Correctly Hardened & Tempered  
for Maximum Toughness"*



## Hammers - Wooden Handled

### Ball Pein Hammers - Normalised - Wooden Handle



- A SOFT FACED BALL PEIN HAMMER FOR APPLICATIONS WHERE RISK OF CHIPPING NEEDS TO BE MINIMISED
- USED IN METAL WORK FOR STRIKING PUNCHES & CHISELS
- ALSO USED FOR RIVETING WORK WITH BALL END
- HEAD FORGED FROM TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- TOUGH HARDWOOD HANDLE COMPLIANT WITH AUSTRALIAN STANDARD 1729-1994
- THIS PRODUCT MUST BE MAINTAINED IN ACCORDANCE WITH AUSTRALIAN STANDARD 3797:1991

Part No.	Product Description		Pack Qty	Weight ea
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.				
7HBPNH0.675	675g NORMALISED BALL PEIN HAMMER C/W 350mm WOODEN HANDLE	Min Buy 6	2	0.96kg
7HBPNH0.900	900g NORMALISED BALL PEIN HAMMER C/W 350mm WOODEN HANDLE	Min Buy 6	2	1.06kg
7HBPNH1.135	1.135kg NORMALISED BALL PEIN HAMMER C/W 400mm WOODEN HANDLE	Min Buy 6	2	1.38kg
7HBPNH1.360	1.360kg NORMALISED BALL PEIN HAMMER C/W 400mm WOODEN HANDLE	Min Buy 6	2	1.54kg

### Ball Pein Hammers - Wooden Handle



- USED IN METAL WORK FOR STRIKING PUNCHES & CHISELS
- ALSO USED FOR RIVETING WORK WITH BALL END
- HEAD FORGED FROM TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- TOUGH HARDWOOD HANDLE COMPLIANT WITH AUSTRALIAN STANDARD 1729-1994
- THIS PRODUCT MUST BE MAINTAINED ACCORDING TO AUSTRALIAN STANDARD 3797:1991

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description		Pack Qty	Weight ea
5HBPH0.675	675g BALL PEIN HAMMER C/W 350mm WOODEN HANDLE		2	0.96kg
5HBPH0.900	900g BALL PEIN HAMMER C/W 350mm WOODEN HANDLE		2	1.06kg
5HBPH1.135	1.135kg BALL PEIN HAMMER C/W 400mm WOODEN HANDLE		2	1.38kg
5HBPH1.360	1.360kg BALL PEIN HAMMER C/W 400mm WOODEN HANDLE		2	1.54kg



Quality Forged Hand Tools

*"Correctly Hardened & Tempered  
for Maximum Toughness"*



## Hammers - Wooden Handled

### Claw Hammer - Normalised - Wooden Handle



- USED FOR GENERAL WOODWORKING APPLICATION WHERE RISK OF CHIPPING AND DAMAGE TO STRUCK OBJECTS NEEDS TO BE MINIMISED
- ACCURATELY GROUND CLAW FOR SUPERIOR NAIL EXTRACTION
- HEAD FORGED FROM HIGH TENSILE CARBON MANGANESE STEEL AND THE FACE IS NORMALISED TO BE SOFTER AND LESS LIKELY TO CHIP
- NORMALISED STRIKING FACE HAS HARDNESS BELOW 20HRC
- TOUGH HARDWOOD HANDLE COMPLIANT WITH AUSTRALIAN STANDARD 1729-1994
- HANDLE IS FITTED TO HEAD WITH A GLUED WOODEN AND STEEL WEDGE ASSEMBLY
- THIS PRODUCT MUST BE MAINTAINED IN ACCORDANCE WITH AUSTRALIAN STANDARD 3797:1991

Part No.	Product Description		Pack Qty	Weight ea
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.				
7HCLNH0.575	575g NORMALISED CLAW HAMMER C/W 350mm WOODEN HANDLE	Min Buy 6	2	0.82kg
7HCLNH0.675	675g NORMALISED CLAW HAMMER C/W 350mm WOODEN HANDLE	Min Buy 6	2	1.00kg

### Claw Hammers - Wooden Handle



- A QUALITY CLAW HAMMER FOR GENERAL WOODWORKING APPLICATION
- ACCURATELY GROUND CLAW FOR SUPERIOR NAIL EXTRACTION
- HEAD FORGED FROM TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- TOUGH HARDWOOD HANDLE COMPLIANT WITH AUSTRALIAN STANDARD 1729-1994
- THIS PRODUCT MUST BE MAINTAINED IN ACCORDANCE WITH AUSTRALIAN STANDARD 3797:1991

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5HCLH0.575	575g CLAW HAMMER C/W 350mm WOODEN HANDLE	2	0.82kg
5HCLH0.675	675g CLAW HAMMER C/W 350mm WOODEN HANDLE	2	1.00kg

### Club Hammer - English - Wooden Handled



- USED FOR GENERAL BUILDING AND CONSTRUCTION WORK
- FORGED FROM TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- MADE TO ENGLISH PATTERN WITH A TOUGH HICKORY HANDLE
- THIS PRODUCT MUST BE MAINTAINED IN ACCORDANCE WITH AUSTRALIAN STANDARD 3797:1991

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5HCEN	3lb ENGLISH CLUB HAMMER C/W 250mm WOODEN HANDLE	2	1.45kg



Quality Forged Hand Tools

**"Correctly Hardened & Tempered  
for Maximum Toughness"**

## Hammers - Wooden Handled

### Club Hammer - Masons - Wooden Handled



- A GREAT ALL-ROUND CLUB HAMMER FOR GENERAL STRIKING APPLICATIONS
- HEAD FORGED FROM TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- TOUGH HARDWOOD HANDLE COMPLIANT WITH AUSTRALIAN STANDARD 1729-1994
- IDEAL FOR CLOSE-IN WORK IN CONFINED SPACES
- THIS PRODUCT MUST BE MAINTAINED IN ACCORDANCE WITH AUSTRALIAN STANDARD 3797:1991

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5HCMH1.35	1.35kg MASONS CLUB HAMMER C/W 250mm WOODEN HANDLE	2	1.45kg

### Club Hammers - Normalised - Wooden Handle



- GREAT ALL ROUND CLUB HAMMER FOR GENERAL STRIKING APPLICATIONS WHERE RISK OF CHIPPING AND DAMAGE TO STRUCK OBJECTS NEEDS TO BE MINIMISED
- HEAD IS FORGED FROM HIGH TENSILE STEEL THEN NORMALISED TO GIVE A SOFTER FACE THAT IS LESS LIKELY TO CHIP
- NORMALISED STRIKING FACES HAVE HARDNESSES BELOW 20 HRC
- TOUGH HARDWOOD HANDLE COMPLIANT WITH AUSTRALIAN STANDARD 1729-1994
- IDEAL FOR WORK IN CONFINED SPACES
- HANDLE IS FITTED TO HEAD WITH A GLUED WOODEN AND STEEL WEDGE ASSEMBLY
- THIS PRODUCT MUST BE MAINTAINED IN ACCORDANCE WITH AUSTRALIAN STANDARD 3797:1991

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.			
7HCMNH1.35	1.35kg NORMALISED MASONS CLUB HAMMER C/W 250mm WOODEN HANDLE	Min Buy 10 2	1.45kg



Quality Forged Hand Tools

*"Correctly Hardened & Tempered  
for Maximum Toughness"*

## Hammers - Wooden Handled

### Copper Hammers - Wooden Handled



- NON-MARKING SOFT FACED HAMMER
- FORGED FROM PURE ELECTROLYTIC COPPER
- CONTAINS NO OXYGEN SO UNLIKE CAST WILL NOT CHIP OR BREAK
- GIVES A DEAD BLOW - DOESN'T BOUNCE
- TOUGH HARDWOOD HANDLE COMPLIANT WITH AUSTRALIAN STANDARD 1729-1994
- THIS PRODUCT MUST BE MAINTAINED IN ACCORDANCE WITH AUSTRALIAN STANDARD 3797:1991

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description		Pack Qty	Weight ea
5HCH01	1lb COPPER HAMMER C/W 300mm WOODEN HANDLE		2	0.50kg
5HCH02	2lb COPPER HAMMER C/W 350mm WOODEN HANDLE		2	1.14kg
5HCH03	3lb COPPER HAMMER C/W 350mm WOODEN HANDLE		2	1.68kg
5HCH04	4lb COPPER HAMMER C/W 400mm WOODEN HANDLE		2	2.13kg
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.				
7HCH07	7lb COPPER SLEDGE HAMMER C/W 750mm WOODEN HANDLE	Min Buy 1	4	3.74kg
7HCH10	10lb COPPER SLEDGE HAMMER C/W 900mm WOODEN HANDLE	Min Buy 1	4	5.60kg
7HCH14	14lb COPPER SLEDGE HAMMER C/W 900mm WOODEN HANDLE	Min Buy 1	2	7.40kg

### Drill (Gympie) Hammer - Wooden Handle



- A HAMMER IDEAL FOR MINING AND CONFINED WORKING ENVIRONMENTS
- HEAD FORGED FROM HIGH TENSILE CARBON MANGANESE STEEL
- TOUGH HARDWOOD HANDLE COMPLIANT WITH AUSTRALIAN STANDARD 1729-1994
- IDEAL FOR CLOSE WORK WITH ENOUGH HEAD WEIGHT FOR EFFECTIVE HAMMERING
- THIS PRODUCT MUST BE MAINTAINED IN ACCORDANCE WITH AUSTRALIAN STANDARD 3797:1991

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description		Pack Qty	Weight ea
5HDRH2.0	2kg DRILL HAMMER C/W 400mm WOODEN HANDLE		2	2.20kg



Quality Forged Hand Tools

*"Correctly Hardened & Tempered  
for Maximum Toughness"*

## Hammers - Wooden Handled

### Drill (Gympie) Hammers - Normalised - Wooden Handle



- USED FOR MINING AND CONFINED ENVIRONMENTS WHERE THE RISK OF CHIPPING OR DAMAGE TO STRUCK OBJECTS NEEDS TO BE MINIMISED
- HEAD IS FORGED FRM HIGH-TENSILE STEEL THEN NORMALISED TO GIVE A SOFTER FACE THAT IS LESS LIKELY TO CHIP
- NORMALISED STRIKING FACES HAVE HARDNESSES BELOW 20HRC
- TOUGH HARDWOOD HANDLE COMPLIANT WITH AUSTRALIAN STANDARD 1729-1994
- THIS PRODUCT MUST BE MAINTAINED IN ACCORDANCE WITH AUSTRALIAN STANDARD 3797:1991

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.			
7HDRNH2.0	2kg NORMALISED DRILL HAMMER C/W 400mm WOODEN HANDLE	Min Buy 6 2	2.20kg

### Scutch Hammers - Wooden Handled



- USED FOR CLEANING, SHAPING AND CHASING MASONRY, INC. STONE AND PLASTER
- LARGE HEAD FORGED WITH SUFFICIENT MATERIAL TO SUPPORT COMB FOR ADDED STRENGTH
- MACHINED SLOT FOR ACCURATE BLADE FITTING
- GREAT FOR RENOVATION, REMOVING CEMENT TO REPLACE TILES, CLEANING BRICKS ETC.
- THIS PRODUCT MUST BE MAINTAINED IN ACCORDANCE WITH AUSTRALIAN STANDARD 3797:1991

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5HSCH38	38mm SCUTCH HAMMER C/W 350mm WOODEN HANDLE	2	1.25kg

### Sledge Hammer - Normalised - Wooden Handled



- A SOFT FACED SLEDGE HAMMER FOR HEAVY APPLICATIONS WHERE RISK OF CHIPPING NEEDS TO BE MINIMISED
- HEAD IS FORGED FROM HIGH TENSILE STEEL THEN NORMALISED TO GIVE A SOFTER FACE THAT IS LESS LIKELY TO CHIP
- HEAD IS SECURED WITH WOODEN AND METAL WEDGES FOR ADDED SECURITY
- TOUGH HARDWOOD HANDLE COMPLIANT WITH AUSTRALIAN STANDARD 1729-1994
- EXTRA THICK SHOULDER TO PREVENT BREAKAGES FROM MIS-HITS
- THIS PRODUCT MUST BE MAINTAINED IN ACCORDANCE WITH AUSTRALIAN STANDARD 3797:1991

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.			
7HSNH04	4lb NORMALISED HAMMER C/W 600mm WOODEN HANDLE	Min Buy 4 4	2.14kg
7HSNH07	7lb NORMALISED HAMMER C/W 750mm WOODEN HANDLE	Min Buy 4 4	3.74kg
7HSNH10	10lb NORMALISED HAMMER C/W 900mm WOODEN HANDLE	Min Buy 4 4	5.60kg
7HSNH14	14lb NORMALISED HAMMER C/W 900mm WOODEN HANDLE	Min Buy 4 2	7.40kg



**Quality Forged Hand Tools**

***"Correctly Hardened & Tempered  
for Maximum Toughness"***

## Hammers - Wooden Handled

### Sledge Hammers - Wooden Handled - Australian Spotted Gum



- A WELL BALANCED VERSATILE SLEDGE HAMMER FOR THE BUILDING AND CONSTRUCTION INDUSTRY
- FORGED FROM TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- HARDENED AND TEMPERED FACES FOR INCREASED PRODUCT LIFE
- HEAD SECURED WITH WOODEN AND METAL WEDGES FOR ADDED SAFETY
- FITTED WITH TOUGH AUSTRALIAN SPOTTED GUM HARDWOOD HANDLE, OILED FOR LONG LIFE AND USER COMFORT
- EXTRA THICK SHOULDER TO PREVENT BREAKAGES FROM MIS-HITS
- THIS PRODUCT MUST BE MAINTAINED IN ACCORDANCE WITH AUSTRALIAN STANDARD 3797:1991

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5HSH04	4lb SLEDGE HAMMER C/W 600mm WOODEN HANDLE	4	2.14kg
5HSH07	7lb SLEDGE HAMMER C/W 750mm WOODEN HANDLE	4	3.74kg
5HSH10	10lb SLEDGE HAMMER C/W 900mm WOODEN HANDLE	4	5.60kg
5HSH14	14lb SLEDGE HAMMER C/W 900mm WOODEN HANDLE	2	7.40kg

### Sledge Hammers - Wooden Handled - USA Hickory



- A WELL BALANCED VERSATILE SLEDGE HAMMER FOR THE BUILDING AND CONSTRUCTION INDUSTRY
- FORGED FROM TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- HARDENED AND TEMPERED FACES FOR INCREASED PRODUCT LIFE
- HEAD SECURED WITH WOODEN AND METAL WEDGES FOR ADDED SAFETY
- TOUGH HARDWOOD HANDLE COMPLIANT WITH AUSTRALIAN STANDARD 1729-1994
- LIGHTWEIGHT AND STRONG HANDLE GIVES GOOD BALANCE, REDUCES SHOCK & VIBRATION
- THIS PRODUCT MUST BE MAINTAINED IN ACCORDANCE WITH AUSTRALIAN STANDARD 3797:1991

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5HSHH04	4lb SLEDGE HAMMER C/W 600mm WOODEN HICKORY HANDLE	4	2.07kg
5HSHH07	7lb SLEDGE HAMMER C/W 750mm WOODEN HICKORY HANDLE	4	3.65kg
5HSHH08	8lb SLEDGE HAMMER C/W 750mm WOODEN HICKORY HANDLE	4	4.06kg
5HSHH10	10lb SLEDGE HAMMER C/W 900mm WOODEN HICKORY HANDLE	4	5.42kg
5HSHH14	14lb SLEDGE HAMMER C/W 900mm WOODEN HICKORY HANDLE	2	7.22kg



**Quality Forged Hand Tools**

***"Correctly Hardened & Tempered  
for Maximum Toughness"***

## Handles and Parts

### File Handles



- USED TO HANDLE FILES AND OTHER SUITABLE TOOLS
- PRE-DRILLED WOODEN HANDLE WITH METAL COLLAR
- FITS TO HANDLE BY PLACING TANG OF FILE IN THE HOLE & TAPPING LIGHTLY ON BENCH UNTIL TIGHT
- SOFTWOOD TIMBER WILL ABSORB SWEAT & OIL WHEN USING

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description		Pack Qty	Weight ea
5FH075	75mm FILE HANDLE	Min Buy 100	100	0.02kg
5FH100	100mm FILE HANDLE	Min Buy 100	100	0.03kg
5FH125	125mm FILE HANDLE	Min Buy 100	100	0.04kg
5FH150	150mm FILE HANDLE	Min Buy 100	100	0.05kg

### Pack of 2

Part No.	Product Description		Pack Qty	Weight ea
5FHPP075	75mm FILE HANDLE PACK OF 2		6	0.04kg
5FHPP100	100mm FILE HANDLE PACK OF 2		6	0.05kg
5FHPP125	125mm FILE HANDLE PACK OF 2		6	0.07kg
5FHPP150	150mm FILE HANDLE PACK OF 2		6	0.09kg

### Over Strike Protector - Sledge Hammer



- USED FOR FITTING TO SLEDGE HAMMER HANDLE TO REDUCE OVERSTRIKE DAMAGE
- SIZED FOR INTERFERENCE FIT TO WOODEN HANDLED SLEDGEHAMMERS
- MADE FROM NON-SLIP HIGH-DENSITY RUBBER COMPOUND
- HELPS TO ABSORB SHOCK AND VIBRATION WHEN OVERSTRIKE OCCURS

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description		Pack Qty	Weight ea
5HOSPL	OVER STRIKE PROTECTOR LARGE - 750-900mm SLEDGE HANDLE		6	0.19kg
5HOSPS	OVER STRIKE PROTECTOR SMALL - 600mm SLEDGE HANDLE		6	0.15kg



Quality Forged Hand Tools

*"Correctly Hardened & Tempered  
for Maximum Toughness"*



## Handles and Parts

### Replacement USA Hickory Handles



- 1ST GRADE QUALITY USA-MADE HARDWOOD HICKORY HANDLE
- GROWN FROM MANAGED USA RESOURCE
- LIGHTWEIGHT AND STRONG HANDLE GIVES GOOD BALANCE, REDUCES SHOCK & VIBRATION

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5HHS600	600mm SLEDGE HAMMER REPLACEMENT HICKORY HANDLE	3	0.38kg
5HHS750	750mm SLEDGE HAMMER REPLACEMENT HICKORY HANDLE	3	0.68kg
5HHS900	900mm SLEDGE HAMMER REPLACEMENT HICKORY HANDLE	3	0.78kg

### Steel Ring Wedge for Fitting Wooden Handle



- FOR SECURELY WEDGING WOODEN HANDLED HAMMERS WHEN RE-HANDLING
- TURNED FROM 100% STEEL - NO ALUMINIUM OR OTHER NON-FERROUS CONTENT
- SHARP LEADING EDGE FOR EASY AND EFFICIENT WEDGING

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

#### Pre Pack

Part No.	Product Description	Pack Qty	Weight ea
5HWSR10	10mm STEEL RING WEDGE PACK OF 2 - FOR FITTING WOODEN HANDLE TO 450 - 900g HEAD	6	0.01kg
5HWSR12	12mm STEEL RING WEDGE PACK OF 2 - FOR FITTING WOODEN HANDLE TO 675 - 1800g HEAD	6	0.01kg
5HWSR15	15mm STEEL RING WEDGE PACK OF 2 - FOR FITTING WOODEN HANDLE TO 1351 - 4000g HEAD	6	0.02kg
5HWSR17	17mm STEEL RING WEDGE PACK OF 2 - FOR FITTING WOODEN HANDLE TO 4001 - 6300g HEAD	6	0.03kg

### Wooden Wedge for Fitting Wooden Handle



- USED FOR WEDGING WOODEN HANDLES WHEN RE-HANDLING SLEDGEHAMMERS
- MADE FROM SELECTED HARDWOOD



#### Pre Pack

Part No.	Product Description	Pack Qty	Weight ea
5HWW	WOODEN WEDGE PACK OF 2 - FOR WOODEN HANDLE REPLACEMENT	2	0.01kg




Quality Forged Hand Tools

*"Correctly Hardened & Tempered  
for Maximum Toughness"*

## Ladders & Trestles

### Ladders - Industrial



- USED IN THE BUILDING AND CONSTRUCTION INDUSTRY
- ALSO USED IN MINES WHERE ALUMINIUM IS NOT ALLOWED (E.G. UNDERGROUND)
- FULLY WELDED ALL STEEL CONSTRUCTION
- EXTREMELY RIGID & STABLE, DOES NOT FLEX LIKE MANY ALUMINIUM LADDERS
- NO SLIP STEP DESIGN FOR SAFETY
- RATED TO 165 kg, UNIQUE DESIGN KEEPS CENTRE OF GRAVITY INSIDE BASE

Part No.	Product Description	Pack Qty	Weight ea
5LI1800	1800mm INDUSTRIAL STEP LADDER -TUBULAR STEEL 165kg	2	13.39kg
5LI2100	2100mm INDUSTRIAL STEP LADDER -TUBULAR STEEL 165kg	2	15.23kg
5LI2400	2400mm INDUSTRIAL STEP LADDER -TUBULAR STEEL 165kg	2	18.00kg
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.			
7LI3000	3000mm INDUSTRIAL STEP LADDER TUBULAR STEEL 165kg	Min Buy 2	30.00kg

### Trestles - Aluminium Industrial



- USED IN THE BUILDING AND CONSTRUCTION INDUSTRY
- FULLY WELDED ALL ALUMINIUM CONSTRUCTION
- EXTREMELY RIGID & STABLE, DOES NOT FLEX LIKE MANY ALUMINIUM TRESTLES
- LIGHTWEIGHT YET STRONG ALTERNATIVE TO ALL-STEEL TRESTLE
- HEAVY DUTY LOAD RATING OF 150kg

Part No.	Product Description	Pack Qty	Weight ea
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.			
7TIA1200	1200mm INDUSTRIAL TRESTLE- TUBULAR ALUMINIUM 150kg	Min Buy 2	12.00kg
7TIA1800	1800mm INDUSTRIAL TRESTLE- TUBULAR ALUMINIUM 150kg	Min Buy 2	12.56kg
7TIA2400	2400mm INDUSTRIAL TRESTLE- TUBULAR ALUMINIUM 120kg	Min Buy 2	16.12kg
7TIA3000	3000mm INDUSTRIAL TRESTLE- TUBULAR ALUMINIUM 120kg	Min Buy 2	22.50kg



Quality Forged Hand Tools

**"Correctly Hardened & Tempered  
for Maximum Toughness"**



## Ladders & Trestles

### Trestles - Tubular Steel Industrial



- USED IN THE BUILDING AND CONSTRUCTION INDUSTRY
- ALSO USED IN MINES WHERE ALUMINIUM IS NOT ALLOWED (E.G. UNDERGROUND)
- FULLY WELDED ALL STEEL CONSTRUCTION
- EXTREMELY RIGID & STABLE, DOES NOT FLEX LIKE MANY ALUMINIUM TRESTLES
- EXTRA HEAVY DUTY LOAD RATING OF 250kg
- CORRECTLY HEAT TREATED TO BEST SUIT PRODUCT APPLICATION
- \* WARNING WEAR SAFETY GOGGLES USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5TI1200	1200mm INDUSTRIAL TRESTLE - TUBULAR STEEL 250kg	2	11.92kg
5TI1800	1800mm INDUSTRIAL TRESTLE - TUBULAR STEEL 200kg	2	17.00kg
5TI2400	2400mm INDUSTRIAL TRESTLE - TUBULAR STEEL 150kg	2	22.50kg
5TI900	900mm INDUSTRIAL TRESTLE - TUBULAR STEEL 250kg	2	9.72kg
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.			
7TI3000	3000mm INDUSTRIAL TRESTLE - TUBULAR STEEL 150kg	Min Buy 2	22.50kg



**Quality Forged Hand Tools**

***"Correctly Hardened & Tempered  
for Maximum Toughness"***

## Masonry

### Dutch Pin



- PLASTERER'S TOOL FOR CLAMPING LEVEL BOARDS
- CAN ALSO BE DRIVEN INTO TIMBER POSTS FOR LEVELING
- FORGED FROM TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- 125mm LONG SQUARE SHAFT FOR BETTER LOCKING CONTROL
- POINT IS HEAT TREATED FOR STRENGTH AND DURABILITY

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5DP	DUTCH PIN	5	0.17kg

### Scutch Comb Holders




- USED FOR CLEANING, SHAPING AND CHASING MASONRY, INC. STONE AND PLASTER
- LARGE HEAD FORGED WITH SUFFICIENT MATERIAL TO SUPPORT COMB FOR ADDED STRENGTH
- SUPPLIED WITH HARDENED ENGLISH-MADE REPLACEABLE COMB
- MACHINED SLOT FOR ACCURATE BLADE FITTING
- GREAT FOR RENOVATION, REMOVING CEMENT TO REPLACE TILES, CLEANING BRICKS ETC.

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5SHWC25	25mm SCUTCH HOLDER C/W COMB	2	0.54kg
5SHWC38	38mm SCUTCH HOLDER C/W COMB	2	0.60kg
5SHWC50	50mm SCUTCH HOLDER C/W COMB	2	0.70kg

### Scutch Combs



- USED WITH HOLDER FOR CLEANING, SHAPING AND CHASING MASONRY, INC. STONE & PLASTER
- MADE FROM HIGH TENSILE STEEL, HARDENED AND TEMPERED FOR STRENGTH AND DURABILITY
- QUALITY ENGLISH PRODUCT MADE TO EXACTING STANDARDS
- PLATED TO PREVENT RUSTING
- DOUBLE-SIDED FOR DOUBLE LIFE

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5SC25	25mm SCUTCH COMBS	Min Buy 20 20	0.01kg
5SC38	38mm SCUTCH COMBS	Min Buy 20 20	0.02kg
5SC50	50mm SCUTCH COMBS	Min Buy 20 20	0.03kg



Quality Forged Hand Tools

*"Correctly Hardened & Tempered  
for Maximum Toughness"*

## Picks

### Picks - Mattock Cutter



- USED FOR DIGGING, BREAKING UP SOIL & CLAY, CUTTING ROOTS ETC.
- FORGED FROM TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- BLADES CORRECTLY CURVED AND WEIGHTED MEANING LESS STRESS ON BACK & EASIER DIGGING
- GROUND & SHARPENED CUTTING EDGES TO MINIMISE EFFORT
- CORRECTLY HEAT TREATED BLADES, SO WILL NOT CHIP OR BEND

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5PPMC	5lb MATTOCK CUTTER	2	2.03kg

### Picks - Mattock Pick



- USED FOR DIGGING, BREAKING UP SOIL, CLAY ETC.
- FORGED FROM TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- BLADES CORRECTLY CURVED AND WEIGHTED MEANING LESS STRESS ON BACK & EASIER DIGGING
- GROUND & SHARPENED CUTTING EDGE AND POINT TO MINIMISE EFFORT
- CORRECTLY HEAT TREATED BLADES, SO WILL NOT BEND OR BREAK

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5PPMP	5lb MATTOCK PICK	2	1.89kg

### Picks - Miners



- USED FOR MINERAL EXPLORATION, GEMSTONE FOSSICKING ETC.
- FORGED FROM TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- GROUND & SHARPENED POINTS TO MINIMISE EFFORT
- CORRECTLY HEAT TREATED BLADES, SO WILL NOT BEND OR BREAK

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER



Part No.	Product Description	Pack Qty	Weight ea
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.			
7PPMP1.125	1.125kg DOUBLE END MINERS PICK	Min Buy 20	2
			1.16kg




Quality Forged Hand Tools

*"Correctly Hardened & Tempered  
for Maximum Toughness"*

## Picks

### Picks - Plumbers



- USED FOR DIGGING, BREAKING UP SOIL, CLAY ETC.
- FORGED FROM TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- BLADES CORRECTLY CURVED AND WEIGHTED MEANING LESS STRESS ON BACK & EASIER DIGGING
- GROUND & SHARPENED CUTTING EDGES TO MINIMISE EFFORT
- CORRECTLY HEAT TREATED BLADES, SO WILL NOT BEND OR BREAK

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5PP	6lb PLUMBERS PICK	2	2.45kg

### Picks - Road Pick



- USED FOR ROADWORKS, DIGGING, BREAKING UP SOIL, CLAY, ASPHALT ETC.
- FORGED FROM TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- BLADES CORRECTLY CURVED AND WEIGHTED MEANING LESS STRESS ON BACK & EASIER DIGGING
- GROUND & SHARPENED CUTTING EDGES TO MINIMISE EFFORT
- CORRECTLY HEAT TREATED BLADES, SO WILL NOT BEND OR BREAK

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5PPRP	6lb ROAD PICK	2	2.66kg



Quality Forged Hand Tools

*"Correctly Hardened & Tempered  
for Maximum Toughness"*

## Punches

### Brass Punches



- USED FOR DRIVING WHERE STEEL PUNCH COULD CAUSE DAMAGE, E.G. THREADS, SHAFTS
- MADE FROM SPECIALLY SELECTED BRASS, CORRECT COMPOSITION FOR PUNCH USE
- KNURLED SHAFT FOR GOOD GRIP



\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description		Pack Qty	Weight ea
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.				
7BP29219	292x19mm BRASS PUNCH	Min Buy 12	3	0.70kg
7BP29225	292x25mm BRASS PUNCH	Min Buy 12	3	1.25kg
7BP29232	292x32mm BRASS PUNCH	Min Buy 12	3	1.96kg

### Centre Punches



- FOR PUNCHING HEAVY DUTY MATERIALS
- FORGED FROM TOUGH ALLOY STEEL
- LARGE BODY MAKES FOR EASIER STRIKING
- THICK POINT GIVES LARGER CENTRE DOT TO FIT WEB OF DRILL, TO MINIMISE DRILL RUN-OFF
- HEAT TREATED POINT FOR LONG LIFE AND RELIABILITY



\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5CP13816	8mm - 138x16mm CENTRE PUNCH - HEXAGON	5	0.18kg
5CP17520	10mm - 175x20mm CENTRE PUNCH - HEXAGON	5	0.36kg

### Flooring Punches



- USED FOR DRIVING NAILS BELOW THE SURFACE OF TIMBER PRIOR TO SANDING
- FORGED FROM TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- ACCURATELY DRILLED 3mm CUP FOR ACCURATE PUNCHING
- TAPER FORGED FOR STRENGTH & SOFT HEAD WILL MUSHROOM NOT CHIP FOR SAFETY
- HEX PROFILE FOR BETTER CONTROL - WON'T ROLL AWAY



\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5NPH3	3mm - 150x16mm HEXAGON FLOORING PUNCH	5	0.21kg



Quality Forged Hand Tools

*"Correctly Hardened & Tempered  
for Maximum Toughness"*

## Punches

### Roofing Punches



- USED FOR PUNCHING SHEET METAL PRIOR TO NAILING OR SCREWING
- ALSO USED AS AN AWL FOR TIMBER WORK
- FORGED FROM TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- FINELY GROUND & SHARPENED POINT FOR ACCURATE WORK
- HEX PROFILE FOR BETTER CONTROL - WON'T ROLL AWAY

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5RP	ROOFING PUNCH HEXAGON	3	0.22kg

### Wire Rope Punches



- USED FOR THE SAFE DRIVING OUT OF VARIOUS SIZED PINS AND KEYS IN MACHINERY
- LONG RUBBER HANDLE TO ALLOW TWO HANDED HOLD AND LESSEN SHOCKS FROM BLOW
- HEAD ATTACHED WITH WIRE ROPE TO REDUCE SHOCK
- URETHANE RING AROUND HEAD TO REDUCE LIKELIHOOD OF CHIPPING
- HEAT TREATED PUNCH, SO WILL NOT SHATTER

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description		Pack Qty	Weight ea
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.				
7WRP13	13mm DIAMETER - 120mm LONG SHAFT - WIRE ROPE PUNCH	Min Buy 1	2	1.35kg
7WRP16	16mm DIAMETER - 120mm LONG SHAFT - WIRE ROPE PUNCH	Min Buy 1	2	1.45kg
7WRP19	19mm DIAMETER - 120mm LONG SHAFT - WIRE ROPE PUNCH	Min Buy 1	2	1.65kg
7WRP22	22mm DIAMETER - 120mm LONG SHAFT - WIRE ROPE PUNCH	Min Buy 1	2	2.00kg
7WRP25	25mm DIAMETER - 120mm LONG SHAFT - WIRE ROPE PUNCH	Min Buy 1	2	2.10kg
7WRP32	32mm DIAMETER - 120mm LONG SHAFT - WIRE ROPE PUNCH	Min Buy 1	2	2.40kg



Quality Forged Hand Tools

*"Correctly Hardened & Tempered  
for Maximum Toughness"*

## Rakes

### Bitumen Rake



- HEAVY DUTY RAKE USED FOR SPREADING HOT ASPHALT PRIOR TO ROLLING
- FORGED FROM TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- LONG METAL SHANK FOR EXTENDED LIFE
- TOUGH HARDWOOD HANDLE
- LONG 1950mm OVERALL LENGTH TO MAINTAIN SAFE DISTANCE FROM HOT ASPHALT

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.			
7RB16	16 TOOTH HOT BITUMEN RAKE C/W 1500mm WOODEN HANDLE	Min Buy 20 4	2.40kg

### Landscapers Rake



- GENERAL PURPOSE RAKE USED FOR EVERYDAY GARDENING AND LANDSCAPING
- FORGED FROM TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- TOUGH HARDWOOD HANDLE
- LONG 1500mm HANDLE

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.			
7RG16	16 TOOTH LANDSCAPERS RAKE C/W WOODEN HANDLE	Min Buy 4 4	1.52kg




Quality Forged Hand Tools

*"Correctly Hardened & Tempered  
for Maximum Toughness"*

## Scrapers

### Floor Scraper Blades



- USED FOR GENERAL CLEANING AND SCRAPING, INC. CEMENT BOARDS
- MADE FROM 316 STAINLESS STEEL (FOOD, SURGICAL AND MARINE GRADE)
- DOUBLE SIDED FOR DOUBLE LIFE
- FOR USE WITH T-HANDLE FLOOR SCRAPER

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5SFB150	150mm REPLACEMENT BLADE FOR FLOOR SCRAPER 316 GRADE S/S	3	0.15kg
5SFB200	200mm REPLACEMENT BLADE FOR FLOOR SCRAPER 316 GRADE S/S	3	0.23kg
5SFB300	300mm REPLACEMENT BLADE FOR FLOOR SCRAPER 316 GRADE S/S	3	0.30kg

### Floor Scrapers



- USED FOR GENERAL CLEANING AND SCRAPING, INC. CEMENT BOARDS
- BLADE MADE FROM 316 STAINLESS STEEL (FOOD, SURGICAL AND MARINE GRADE)
- EASILY REPLACEABLE PRESS FIT DOUBLE SIDED BLADE FOR DOUBLE LIFE
- T-HANDLE FOR GOOD CONTROL AND EASE OF USE
- REPLACEMENT BLADES AVAILABLE

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5SF150	150mm T-HANDLE FLOOR SCRAPER C/W 316 S/S BLADE	3	1.62kg
5SF200	200mm T-HANDLE FLOOR SCRAPER C/W 316 S/S BLADE	3	1.75kg
5SF300	300mm T-HANDLE FLOOR SCRAPER C/W 316 S/S BLADE	3	2.06kg



Quality Forged Hand Tools

*"Correctly Hardened & Tempered  
for Maximum Toughness"*



## Shovels

### Aluminium Shovel



- USED FOR SHOVELLING GRAIN, BARK AND LIGHT MATERIALS
- PRESSED FROM LIGHT BUT STRONG ALUMINIUM ALLOY
- LARGE CAPACITY BLADE, RIBBED FOR ADDED STRENGTH
- ERGONOMICALLY DESIGNED 'D' HANDLE FOR EASE OF USE AND COMFORT

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5SHGD	ALUMINIUM GRAIN SHOVEL 'D' HANDLE C/W 700mm WOODEN HANDLE	4	1.75kg

### Plumbers Shovel - Wooden Handle



- POPULAR POINTED SHOVEL, USED FOR DIGGING IN GRAVELLY AND STONY SOIL
- BLADE FORGED FROM TOUGH AND WEAR-RESISTANT CHROME ALLOY STEEL
- FITTED WITH TOUGH HARDWOOD HANDLE, OILED FOR LONG LIFE AND USER COMFORT

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5SHPL	PLUMBERS SHOVEL C/W 1310mm LONG WOODEN HANDLE	4	2.39kg

### Post Hole Shovel - Nupla Fibreglass Handled



- USED FOR DIGGING TRENCHES AND HOLES
- FORGED BLADE, RIBBED FOR EXTRA STRENGTH
- FITTED WITH A QUALITY U.S.A MADE NUPLA FIBREGLASS HANDLE
- TREADED TOP FOR SAFETY
- GOOD HANDLE LENGTH FOR EXCELLENT LEVERAGE AND DIGGING PERFORMANCE

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
6NSHPH	POST HOLE SHOVEL C/W 1200mm NUPLA FIBREGLASS HANDLE	Min Buy 4 4	2.16kg



Quality Forged Hand Tools

*"Correctly Hardened & Tempered  
for Maximum Toughness"*

## Shovels

### Post Hole Shovel - Wooden Handle



- USED FOR DIGGING TRENCHES AND HOLES
- BLADE FORGED FROM CHROME ALLOY STEEL, RIBBED FOR EXTRA STRENGTH
- TOUGH AND WEAR RESISTANT
- FITTED WITH TOUGH HARDWOOD HANDLE, OILED FOR LONG LIFE AND USER COMFORT
- TREADED TOP FOR SAFETY

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5SHPH	POST HOLE SHOVEL C/W 1310mm LONG WOODEN HANDLE	4	2.44kg

### Spade - Wooden Handle



- STRAIGHT BLADED SPADE USED FOR SQUARING SIDES OF TRENCHES AND BEDS
- BLADE FORGED FROM CHROME ALLOY STEEL
- TOUGH AND WEAR RESISTANT
- FITTED WITH TOUGH HARDWOOD HANDLE, OILED FOR LONG LIFE AND USER COMFORT
- TREADED TOP FOR SAFETY

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5SPL	SPADE C/W 1310mm LONG WOODEN HANDLE	4	2.57kg

### Square Mouth Shovel - Nupla Fibreglass Handled



- VERSATILE SHOVEL FOR LOADING & UNLOADING, MIXING CONCRETE ETC.
- FORGED BLADE FOR STRENGTH AND DURABILITY
- FITTED WITH A QUALITY U.S.A MADE NUPLA FIBREGLASS HANDLE
- LITTLE OR NO MAINTENANCE REQUIRED
- GOOD HANDLE LENGTH FOR EXCELLENT LEVERAGE AND SHOVELLING PERFORMANCE

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
6NSHSM	SQUARE MOUTH SHOVEL C/W 1200mm NUPLA FIBREGLASS HANDLE	Min Buy 4 4	2.45kg



Quality Forged Hand Tools

*"Correctly Hardened & Tempered  
for Maximum Toughness"*

## Shovels

### Square Mouth Shovel - Wooden Handle



- GENERAL PURPOSE SHOVEL FOR LOADING & UNLOADING, MIXING CONCRETE ETC.
- BLADE FORGED FROM CHROME ALLOY STEEL
- TOUGH AND WEAR RESISTANT
- FITTED WITH TOUGH HARDWOOD HANDLE, OILED FOR LONG LIFE AND USER COMFORT

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5SHSML	SQUARE MOUTH SHOVEL C/W 1310mm LONG WOODEN HANDLE	4	2.32kg

## Soldering

### Wooden Handled



- USED FOR SOLDERING SHEET METAL AND METAL PRODUCTS
- FORGED FROM PURE ELECTROLYTIC COPPER - CONTAINS NO OXYGEN SO POINT CAN BE REDRAWN OUT FOR EXTENDED LIFE
- GROUND POINTS FOR EASIER TINNING
- ROD IS IMPRESSED AND COPPER HEAD FORGED ON IT

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.			
7SIH08	8oz SOLDERING IRON HANDLED	Min Buy 20	5 0.00kg
7SIH12	12oz SOLDERING IRON HANDLED	Min Buy 20	5 0.00kg
7SIH16	16oz SOLDERING IRON HANDLED	Min Buy 20	5 0.00kg
7SIH20	20oz SOLDERING IRON HANDLED	Min Buy 20	5 0.65kg
7SIH24	24oz SOLDERING IRON HANDLED	Min Buy 20	5 0.70kg
7SIH32	32oz SOLDERING IRON HANDLED	Min Buy 20	5 0.00kg
7SIH40	40oz SOLDERING IRON HANDLED	Min Buy 20	5 0.00kg



Quality Forged Hand Tools

*"Correctly Hardened & Tempered  
for Maximum Toughness"*

# Tongs

## Blacksmiths - Flat Nose



- USED FOR HOLDING HOT WORK, LOADING KILNS ETC.
- DESIGNED FOR BEST USE WITH FLAT MATERIAL
- FORGED FROM TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- REINS WILL TAKE HEAVY PRESSURE WHEN GRIPPING WITHOUT BENDING
- TAPERED BEAK FOR EASIER PICK UP

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description		Pack Qty	Weight ea
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.				
7BTF350	350mm FLAT NOSE BLACKSMITHS TONGS	Min Buy 4	4	1.06kg
7BTF450	450mm FLAT NOSE BLACKSMITHS TONGS	Min Buy 4	4	1.37kg
7BTF600	600mm FLAT NOSE BLACKSMITHS TONGS	Min Buy 4	4	1.42kg

## Blacksmiths - Round Nose



- USED FOR HOLDING HOT WORK, LOADING KILNS ETC.
- DESIGNED FOR BEST USE WITH ROUND 20mm DIAMETER MATERIAL
- FORGED FROM TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- REINS WILL TAKE HEAVY PRESSURE WHEN GRIPPING WITHOUT BENDING
- TAPERED BEAK FOR EASIER PICK UP

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description		Pack Qty	Weight ea
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.				
7BTR350	350mm ROUND NOSE BLACKSMITHS TONGS	Min Buy 4	4	0.98kg
7BTR450	450mm ROUND NOSE BLACKSMITHS TONGS	Min Buy 4	4	1.31kg
7BTR600	600mm ROUND NOSE BLACKSMITHS TONGS	Min Buy 4	4	1.64kg



Quality Forged Hand Tools

*"Correctly Hardened & Tempered  
for Maximum Toughness"*

# Tyre

## Bead Breaker - Slide Hammer - Heavy Duty



- USED FOR BREAKING BEADS ON CAR AND TRUCK TYRES
- MADE FROM HIGH TENSILE STEEL WITH HEXAGON SHAFT FOR EXCELLENT CONTROL
- HANDLED FOR TWO PERSON USE
- WELL BALANCED HEAVY UNIT (11 kg) WITH THE WEIGHT WHERE NEEDED MOST - IN STRIKER
- HARDENED AND TEMPERED FOOT FOR DURABILITY AND TOUGHNESS
- GOOD LENGTH TO MINIMIZE BACK STRAIN

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.			
7BB124	124 HEAVY DUTY 11Kg BEAD BREAKER	Min Buy 1	11.00kg

## Bead Breakers - Hand Chisel



- USED FOR BREAKING TYRE BEADS
- MADE FROM TOUGH HIGH TENSILE CARBON MANGANESE STEEL
- BLADE SHAPED TO GIVE GOOD PENETRATION OF BEAD
- GROUND END FREE OF BURRS TO MINIMIZE TYRE DAMAGE

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.			
7BB130	130 BEAD CHISEL 350mm	Min Buy 20	2.07kg

## Bead Breakers - Slide Hammer



- USED FOR BREAKING BEADS ON CAR AND TRUCK TYRES
- MADE FROM HIGH TENSILE STEEL WITH HEXAGON SHAFT FOR EXCELLENT CONTROL
- WELL BALANCED HEAVY UNIT WITH THE WEIGHT WHERE NEEDED MOST - IN STRIKER
- HARDENED AND TEMPERED FOOT FOR DURABILITY AND TOUGHNESS
- GOOD LENGTH TO MINIMIZE BACK STRAIN

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5BB122	122 BEAD BREAKER 7 kg SLIDE HAMMER	2	6.84kg




Quality Forged Hand Tools

*"Correctly Hardened & Tempered  
for Maximum Toughness"*

## Tyre

### Cleat Bar



- USED FOR REMOVING RIMS FROM HUBS ON LARGE EARTHMOVING VEHICLES
- FORGED FROM TOUGH 4140 ALLOY STEEL
- HEAT TREATED FOR MAXIMUM TOUGHNESS
- FORGED AND GROUND ENDS FOR EASIER ENTRY

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.			
7CL900	900mm CLEAT BAR - 4140 GRADE	Min Buy 20	3 2.40kg

### Tyre Levers



- USED FOR REMOVAL AND FITTING OF 4WD, CAR AND TRUCK TYRES
- FORGED FROM TOUGH CHROME ALLOY STEEL
- CORRECTLY HARDENED AND TEMPERED TO BE TOUGH & RESILIENT
- FINE TAPERED & GROUND ENDS FOR EASIER USE AND PREVENTION OF DAMAGE TO TYRES

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5TL600	600mm TYRE LEVER	3	1.14kg

### Tyre Levers - Heavy Duty



- USED FOR REMOVAL AND FITTING OF 4WD, CAR AND TRUCK TYRES
- FORGED FROM TOUGH CHROME ALLOY STEEL
- CORRECTLY HARDENED AND TEMPERED TO BE TOUGH & RESILIENT
- FINE TAPERED & GROUND ENDS FOR EASIER USE AND PREVENTION OF DAMAGE TO TYRES

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5TL600HD	600mm TYRE LEVER HEAVY DUTY - HEXAGON	3	1.50kg



Quality Forged Hand Tools

*"Correctly Hardened & Tempered  
for Maximum Toughness"*

## Tyre

### Tyre Levers - Tubeless Truck Fitting



- USED FOR REMOVAL (MTL1) & FITTING (MTL2) OF TUBELESS TRUCK TYRES
- DESIGNED FOR FUNCTION AND LONG LIFE
- FORGED FROM TOUGH ALLOY STEEL
- FINE TAPERED & GROUND ENDS TO ELIMINATE DAMAGE TO TYRE
- GOOD LENGTH FOR GREAT LEVERAGE

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5MTL1	MTL1 STRAIGHT HALTE BAR - REMOVAL TYRE LEVER	3	2.35kg

### Tyre Levers - Tubeless Truck Removal




- USED FOR FITTING (MTL2) & REMOVAL (MTL1) OF TUBELESS TRUCK TYRES
- DESIGNED FOR FUNCTION AND LONG LIFE
- FORGED FROM TOUGH ALLOY STEEL
- FINE TAPERED & GROUND ENDS TO ELIMINATE DAMAGE TO TYRE
- GOOD LENGTH FOR GREAT LEVERAGE

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5MTL2	MTL2 CURVED FACE BAR - FITTING TYRE LEVER	3	2.34kg

## Wedges

### Fox Wedges



- USED FOR SPLITTING MATING SURFACES
- ALSO USED FOR PACKING MACHINERY AND STRUCTURES LEVEL BEFORE FIXING
- FORGED & GROUND BLADE WITH FINE EDGE FOR EASY ENTRY

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5FW07538	75x38x12mm FOX WEDGE	25	0.16kg
5FW10025	100x25x8mm FOX WEDGE	25	0.10kg
5FW17550	175x50x12mm FOX WEDGE	10	0.46kg
The following products may be manufactured to order and may have a minimum order qty (can include multiple sizes) and lead time.			
7FW27050	270x50x25mm FOX WEDGES	Min Buy 30	1.83kg
7FWSS10025	100x25x8mm FOX WEDGE - STAINLESS STEEL	Min Buy 25	0.10kg



Quality Forged Hand Tools

*"Correctly Hardened & Tempered  
for Maximum Toughness"*

## Welding Hammer - Rubber Grip

### Welding Hammers



- USED FOR CHIPPING OFF SLAG AND SPATTER AROUND WELDS
- ALSO USED AS GEOLOGIST'S OR MINER'S TOOL
- HEAD FORGED FROM CHROME ALLOY STEEL
- EXCELLENT BALANCE, WITH HARDENED ENDS THAT DO NOT FLATTEN WHEN CHIPPING

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5WHRG	WELDING HAMMER ALLOY HEAD C/W RUBBER GRIP	3	0.52kg

## Welding Hammer - Spring Grip

### Welding Hammers



- USED FOR CHIPPING OFF SLAG AND SPATTER AROUND WELDS
- ALSO USED AS GEOLOGIST'S OR MINER'S TOOL
- HEAD FORGED FROM CHROME ALLOY STEEL
- EXCELLENT BALANCE, WITH HARDENED ENDS THAT DO NOT FLATTEN WHEN CHIPPING

\* WARNING: EYE PROTECTION AND GLOVES MUST BE WORN BY USER AND BYSTANDER

Part No.	Product Description	Pack Qty	Weight ea
5WHSP	WELDING HAMMER ALLOY HEAD C/W SPRING GRIP	3	0.45kg



Quality Forged Hand Tools

*"Correctly Hardened & Tempered  
for Maximum Toughness"*