

LOCKOUT / TAGOUT


WHAT IS LOCKOUT/TAGOUT?

- Lockout/tagout is an important safety procedure that involves shutting off the power to industrial machines or equipment during maintenance or repair. This procedure protects employees from risks caused by power sources. Used properly in conjunction with a well-planned lockout process, safety padlocks help ensure that employees can not inadvertently activate a piece of equipment while someone else is working on it.
- 1 Employee / 1 Padlock / 1 Key this means all employees carry a unique key and no one else's key can open another colleague's safety padlock.



SAFETY PADLOCK ORDERING PROCEDURES

Is your customer a Registered End User on the Master Lock Oracle Key Charting System?



How do I Register my End User?

Simply arrange for your end user to complete the "MASTER LOCK KEY CHARTING REGISTRATION FORM" and forward with your official purchase order to Mayo Hardware Pty Ltd. A unique ID number will be assigned to your end user and sent via email to the nominated email address (Please keep end user ID number on record for re-ordering purposes).

Re-ordering for a Registered End User:

Clearly identify on the purchase order the following information "REGISTERED END USER, <<INSERT COMPANY NAME, END USER ID NUMBER>>".

If you are placing an order for a Registered End User with an existing Master Key System, please include the Master Key Number on your order.

For additional information please contact your Mayo Hardware representative.




LOCKOUT / TAGOUT




KEYING OPTIONS

- Keyed To Differ (KD) Each lock is opened by its own unique key that does not open any other lock in the set. Keyed to differ is the standard keying on all Master Lock Safety Padlocks.
- Keyed Alike (KA) This option provides the "same key" convenience and eliminates the need for multiple keys where numerous padlocks are used. Keyed Alike is ideal for situations where employees have more than one safety padlock.
- Master Keyed (MK) In a Master Keyed System, a master key opens all the locks in the system although each lock has its own unique key. This permits overriding master key systems along departmental or other functional lines, to allow supervisory access.



SAFETY LOCKOUT PADLOCK MAINTENANCE

- Over time, dust, particles and chemicals in the air settle on and in the padlock. They can create friction inside the precision locking and keying components and impede the opening and closing of the padlock.
- Annual cleaning is recommended. In particularly dusty or corrosive environments clean every three months.
- Clean the padlock body, then use pressurised air to blow out dust.
- Apply a greaseless 'dry' lubricant such as Selleys Eze-Glide.
- A very light spray of lubricant is recommended. Do not apply a heavy coat. Less is better. Insert key, open and close padlock several times to distribute lubricant. Wipe excess off key.
- NEVER use an oil or dry graphite lubricant. Oil attracts dust.
 Oil can also interfere with the movement of the pins in the locking mechanism. Graphite is often applied in excess, which then interferes with part movement. ONLY use a 'dry' lubricant for best results.
- Regular cleaning and lubrication of your safety padlock will extend and ensure years of long life.




Average Number Of Times Opened Per Day	Dry Lubricant Application Schedule (Normal Environment)
1 to 50	Once Per Year
51 to 100	Twice Per Year

0410 ZENEX™ THERMOPLASTIC SAFETY PADLOCKS



- Tough, lightweight, dielectric Zenex[™] body withstands chemicals and performs effectively in extreme conditions.
- 6mm metal shackle for corrosion resistance.
- Key-retaining ensures padlocks are not left unlocked.
- Includes write-on "Danger" and "Property of" labels in English, French and Spanish.
- Laser engrave on up to 4 sides.

Item Code	Description	Carton Qty	Shackle Opening Height (mm)	Shackle Dia.(mm)
0410	Keyed Different	6	38mm	6mm
0410LT	Keyed Different — Extra Length Shackle	6	76mm	6mm
0410KA Keyed Alike 6 38mm		38mm	6mm	
0410KALT	Keyed Alike — Extra Length Shackle	6	76mm	6mm
0410MK	Keyed Different – Master Keyed	6	38mm	6mm
0410KAMK	Keyed Alike — Master Keyed	6	38mm	6mm



Eight colour options for easy padlock identification.
 Add desired colour suffix to the end of the item code.



S31 COMPACT ZENEX™ THERMOPLASTIC SAFETY PADLOCKS



S31

- Marine grade 316 stainless steel shackle provides superior corrosion resistance.
- 4.76mm shackle fits more applications.
- Durable padlock weighs just 76g, making it easy to carry more.
- Tough, lightweight, dielectric Zenex[™] body withstands chemicals and performs effectively in extreme conditions.
- Key-retaining ensures padlocks are not left unlocked.
 (non-key retaining model available by special order if required).
- Includes write-on "Danger" and "Property of" labels in English, French and Spanish.
- Laser engrave on up to 4 sides.
- Padlock supplied with a weather tough cover that seals at the shackle and keyway keeping out dust, dirt and grime.


Item Code	Description	Carton Qty	Shackle Opening Height (mm)	Shackle Dia.(mm)
S31	Keyed Different	6	38mm	4.76mm
S31KA	Keyed Alike	6	38mm	4.76mm
S31MK	Master Keyed	6	38mm	4.76mm
S31KAMK	Keyed Alike – Master Keyed	6	38mm	4.76mm
S30COVERS Weather Tough Cover For S31/ S32/ S33 – 72PK		-	-	-

16 mm → Ø 4.76 mm → Ø 4.76 mm →

Nine colour options for easy padlock identification.
 Add desired colour suffix to the end of the item code.



Distributed exclusively by



SAFETY PADLOCKS



0406 ZENEX™ THERMOPLASTIC SAFETY PADLOCKS



0406

- All components are non-magnetic plastic, copper and brass.
- Ideal for electrical lockout, confined spaces and mining.
- Tough, lightweight, dielectric Zenex[™] body withstands chemicals and performs effectively in extreme conditions.
- Nylon shackle withstands over 136kg pull.
- Key-retaining ensures padlocks are not left unlocked.
- Includes write-on "Danger" and "Property of" labels in English, French and Spanish.
- Laser engrave on up to 4 sides.

Item Code	Description	Carton Qty	Shackle Opening Height (mm)	Shackle Dia.(mm)
0406	Keyed Different	6	38mm	6mm
0406KA	Keyed Alike	6	38mm	6mm
0406MK	Master Keyed	6	38mm	6mm
0406KAMK	Keyed Alike – Master Keyed	6	38mm	6mm



Eight colour options for easy padlock identification.
 Add desired colour suffix to the end of the item code.



WEATHER TOUGH SAFETY PADLOCK COVERS



- Durable weather tough covers seal at the shackle and keyway keeping out dust, dirt and grime.
- Suitable for Master Lock safety padlocks only.

Item Code	Description	GTIN	Carton Qty
S30COVERS	Weather Tough Covers Suit S31 Padlocks	071649168888	72
400COVERS	Weather Tough Covers Suit 0406/0410 Padlocks	071649199158	12

6835 ALUMINIUM SAFETY PADLOCKS



- Durable baked-on powder coated finish.
- Over 10,000 key changes available.
- Over 101,000 key changes available with optional cylinders.
- 40mm wide solid body construction stands up to physical abuse and provides excellent corrosion resistance.
- UV stable.
- 6mm diameter steel shackle with plated finish for corrosion resistance.
- Available key retaining (standard) or non-key retaining.
- Laser engrave on up to 4 sides.

Item Code	Description	Carton Qty	Shackle Opening Height (mm)	Shackle Dia.(mm)
6835	Keyed Different	6	25mm	6mm
6835LF	Keyed Different — Extra Length Shackle	6	38mm	6mm
6835LT	6835LT Keyed Different – Extra Length Shackle		75mm	6mm
6835KA	Keyed Alike	6	25mm	6mm
6835LFKA	Keyed Alike — Extra Length Shackle	6	38mm	6mm
6835LTKA	Keyed Alike — Extra Length Shackle	6	75mm	6mm
6835MK	Master Keyed	6	25mm	6mm
6835LFMK	Master Keyed — Extra Length Shackle	6	38mm	6mm
6835LTMK Master Keyed — Extra Length Shackle		6	75mm	6mm
6835KAMK	Keyed Alike – Master Keyed	6	25mm	6mm
6835LFKAMK	Keyed Alike — Master Keyed — Extra Length Shackle	6	38mm	6mm
6835LTKAMK	Keyed Alike — Master Keyed — Extra Length Shackle	6	75mm	6mm



Six colour options for easy padlock identification.
 Add desired colour suffix to the end of the item code.











Distributed exclusively by

PADLOCK ACCESSORIES & ID



PHOTO IDENTIFICATION PADLOCK LABELS



- Identification labels allow you to permanently personalise the safety padlocks in your facility to make the user immediately recognisable.
- Picture of employee is sealed under laminate.

Item Code	Description	GTIN
S142	Photo ID Labels For S31, S32, S33, 0406 & 0410 (6pk)	071649160356
6835-5700	Photo ID Labels For 6835 (6pk)	071469207730

CUSTOM TRAFFOLITE LABELS & TAGS



- Durable traffolite material can be laser engraved and cut to a variety of shapes and sizes.
- Ideal for projects that require long-term durability, wear, impact and fade resistance as well as cleanability.
- Colours available black background/white text, white background/ black text, yellow background/black text and red background/white text.

Item Code	Description	
TL1	Traffolite Adhesive Engraved 25 x 30.5mm	
TL2	Traffolite Adhesive Engraved 73 x 36mm	
TL3	Traffolite Adhesive Engraved 109 x 66mm	
TL1	Traffolite Non Adhesive Engraved 25 x 30.5mm	
TL2	Traffolite Non Adhesive Engraved 73 x 36mm	
TL3	Traffolite Non Adhesive Engraved 109 x 66mm	

Contact your Mayo Hardware representative for more information on Custom Traffolite Labels & Tags.

LASER ENGRAVING



- Laser engraving permanently marks your safety padlocks so that important information needed for your business is always visible.
- Mayo Hardware can laser engrave your safety padlocks within five working days.
- Engrave your company name and logo to reduce padlock theft, key number to increase key selection speed or employee name to identify padlock owner.

Item Code	Description	
ENGSAF	In-House Laser Engraving — Safety Lockout	

Note: For all engraving orders, please ensure a completed engraving spreadsheet accompanies your purchase order. Contact your Mayo Hardware representative for more details.

PADLOCK ACCESSORIES & ID

SAFETY LOCKOUT ACCESSORIES



- Chains keep padlocks close to equipment requiring safety lockout.
- Engravable brass tags for individual worker identification.
- Tags attach to safety padlocks with shackle collars.

Item Code	Description	GTIN
0071CS	Steel Chain — 22.9cm Long, Light Weight Zinc Plated: Fits All Master Lock Shackle Collars (Sold Separately) (12Pk)	071649510007
0071CH	Steel Chain – 22.9cm Long, Heavy Duty Zinc Plated: Fits All Master Lock Shackle Collars (Sold Separately) (12Pk)	071649510106
0071SC8	Shackle Collar — Fits 6.35mm Diameter Shackles And Smaller; For 410, 411, & 6835 Safety Padlocks	071649510304
0071SC9	Shackle Collar — Fits 7.1mm Diameter Shackles And Smaller; For 0003 Safety Padlocks	071649510403
0071TAG	Brass Tag — 13mm x 44mm, Includes Ring For Attaching To Shackle Collars Listed Above	071649510908

LOCKOUT LEASH™ LANYARD



- Lanyard for mounting padlock near lockout point.
- Customise length from 50 to 910mm.
- Fits all Master Lock safety padlocks.

Item Code	Description	
S100	Safety Lockout Leash™	

SAFETY LOCKOUT HASPS



SAFETY LOCKOUT HASPS



- Attach hasp to energy disconnect switch.
- Designed for multiple worker lockout.
- Keeps equipment inoperative while maintenance or repairs are being undertaken.
- Multiple styles available to fit most needs including spark resistant aluminium, dielectric plastic, dual jaw aluminium and stainless steel.





S440	S450

Item Code	Description	GTIN	Carton Qty	Inside Jaw Diameter	Padlock Capacity
0416	Aluminium Hasp 25mm	071649216602	12	25mm	6
0417	Aluminium Hasp 38mm	071649216619	12	38mm	6
0418	Heavy Duty Steel Hasp — 4 Lock	071649216626	12	25mm	4
0419	Heavy Duty Steel Hasp — 8 Lock	071649217180	12	25mm	8
0420	Steel Hasp 25mm	071649442407	12	25mm	6
0421	Steel Hasp 38mm	071649613876	12	38mm	6
0427	Aluminium Snap On Hasp — Red	071649216787	6	44 x 54mm	5
0427YLW	Aluminium Snap On Hasp — Yellow	071649235955	6	44 x 54mm	5
0428	Nylon Hasp	071649218293	12	25 x 63mm	6
0429	Dual Jaw Aluminium Hasp	071649218309	12	44 x 54mm	8
S430	4mm Shackle Hasp	3520190933232	12	25mm	2
S431	Stainless Steel Hasp	071649145650	12	25mm	8
S440	Aluminium Hasp — 12 Hole	071649257858	6	27mm	12
S450	Aluminium Hasp — 24 Hole	071649257841	6	27mm	24

GRIP TIGHT™ CIRCUIT BREAKER LOCKOUTS





- Secure and simple mounting for a solid lockout. Grips tight with simple thumb turn and clamping handle.
- Exclusive design accommodates virtually all styles of breaker toggles.
- Narrow profile permits side-by-side breaker lockout.
- Compact devices are easy to carry and easy to store.
- Devices accept all Master Lock safety padlock shackle and lockout hasp diameters.
- Durable construction with powder coated steel and reinforced polymer allows operation in harsh environments.

Item Code	Description	GTIN	Carton Qty
0491B	Grip Tight Circuit Breaker Lockout — Tall & Wide Toggles	071649229718	6
0493B	Grip Tight Circuit Breaker Lockout — Standard Single & Double Toggles	071649229725	6
0506	Set Of Each Device — 1 x 0491B and 1 x 0493B	071649229732	6

MINIATURE CIRCUIT BREAKER & FUSE LOCKOUTS



- Effectively lockout miniature circuit breakers and fuse holders.
- The miniature circuit breaker lockouts are quick and easy to apply.
- Works with all Master Lock safety padlocks and lockout hasps.



Item Code	Description	GTIN	Carton Qty
S2390	Miniature Circuit Breaker Lockout <11mm	071649096136	144
S2391	Miniature Circuit Breaker Lockout 11mm-13mm	071649096297	144
S2392	Miniature Circuit Breaker Lockout With Pin-In Toggles	071649140877	144
S2393	Universal Miniature Circuit Breaker Lockout	071649140860	144
S2394	Miniature Circuit Breaker Lockout Universal — Tool Free	071649198809	144
CBL-2	Circuit Breaker Lockout — Small	9316861179788	1
FL1	Fuse Blocker Lockout	9316861008774	1



S2394

FL1

Distributed exclusively by



ELECTRICAL LOCKOUT



CIRCUIT BREAKER SWITCH PADLOCK



- 5mm diameter cable shackle allows padlock to properly lock all types of circuit breaker lockout devices.
- Flexible cable allows the compact lock body to be positioned so that the control panel door closes properly.
- Fits the tight space constraints within circuit breaker shutoff boxes.
- Numerous key changes are available to minimise the possibility of unwanted key duplication.

0007C5RED

Item Code	Description	GTIN	Carton Qty
0007C5RED	Circuit Breaker Switch Padlock	071649213809	6

UNIVERSAL WALL SWITCH LOCKOUT







- Patent-pending design ensures switch can be locked on or off.
- Hinges open for unobstructed normal operation of switch.
- Includes English/Spanish and English/French labels.



Item Code	Description	GTIN	Carton Qty
0496B	Universal Wall Switch Lockout	071649225550	6

ROTATING ELECTRICAL PLUG LOCKOUTS



- Surrounds the electrical plug preventing accidental reconnection.
- Rotating design allows for easier installation in confined space applications.
- Tough, lightweight, dielectric Zenex[™] thermoplastic body withstands chemicals and performs effectively in extreme conditions (temperature range -46°C to + 177°C).
- Complete with highly visible permanent safety labels (English, French and Spanish). Labels can be written on to identify the responsible person, then erased for the next job.

Item Code	Description	GTIN	Carton Qty	Dimensions
0487	Plug Lockout Small — 120 & 240 Volt Plugs	071649216794	6	100 x 110 x 70mm
0488	Plug Lockout Large — 240 & 250 Volt Plugs	071649216800	6	190 x 130 x 90mm

PUSH BUTTON & ROTARY SWITCH COVERS



0488

S2151





S2153





- S2151 includes one cover, one new install base and one retrofit base with double-sided adhesive tape.
- S2152AST includes 12 new install bases, allowing one S2151 to service multiple switches.
- S2153 is fixed in place to ensure instant availability.
- Fits both 30.5mm and 22.5mm diameter switches.
- Clear base and cover allows visibility of nameplates and labels.
- Horseshoe-shaped retrofit base allows use with raised nameplates and off-centre installation to accommodate rotary switch knobs.
- Accommodates buttons up to 50mm diameter and 45mm tall.

Item Code	Description	GTIN	Carton Qty
S2151	Removable Push Button Cover	071649170980	6
S2152AST	Pack of 12 Bases For S2151	071649170997	24
S2153	Fixed Push Button Cover	071649171000	6
S2154AST	Pack of 12 Adhesive Bases For S2151	071649179921	24

ELECTRICAL LOCKOUT



OVERSIZED PLUG & HOIST CONTROL COVERS



- Flexible and durable rip-stop nylon bag fits easily in safety tool boxes.
- Lockout with up to six padlocks or hasps.
- Offers broad application solutions.



Item Code	Description	GTIN	Carton Qty	Dimensions
0453L	Large Nylon Oversized Plug & Control Lockout	071649225420	6	158 x 431mm
0453XL	Extra Large Nylon Oversized Plug & Control Lockout	071649100543	6	254 x 660mm
0453XXL	Extra Extra Large Nylon Oversized Plug & Control Lockout	071649100550	6	355 x 914mm

PNEUMATIC LOCKOUTS



- Prevents pneumatic fitting from being connected to pressurised
- Fits virtually all male pneumatic fittings found in manufacturing facilities.
- Stainless steel construction for corrosion resistance.
- Works with all Master Lock safety padlocks and lockout hasps.

Item Code	Description	GTIN	Carton Qty	Dimensions
S3900	Stainless Steel Pneumatic Lockouts	071649239649	6	35 x 197 x 3mm

PRESSURISED GAS VALVE LOCKOUT



S3910

- Surrounds the valve operating handle to protect against accidental valve opening.
- Design works with valve guard in place.
- Fits virtually all pressurised valves up to 76mm diameter.
- Compact size easily stored when not being used.
- Includes danger labels in English, French and Spanish.

Item Code	Description	GTIN	Carton Qty
S3910	Pressurised Gas Valve Lockout	071649088612	6

ADJUSTABLE BALL VALVE LOCKOUT





S3080

- Easy to use device prevents accidental activation of a closed ball valve.
- Adjustable design fits 12.7mm to 50.8mm valves.
- Durable, lightweight thermoplastic material is chemical resistant and performs effectively in extreme environments.
- Removable insert accommodates a wide range of handle designs and dimensions.
- Works with S806 cable lockout device for the most secure fit.

Item Code	Description	GTIN	Carton Qty
S3080	Adjustable Ball Valve Lockout	071649188008	6



HANDLE-ON SEAL TIGHT™ BALL VALVE LOCKOUT DEVICE





S3068

- Clamps tight on handle stop to prevent handle movement.
- Fits a wide range of ball valve sizes (6.35mm to 100mm).
- Works on insulated pipes and in close quarters.
- Durable aluminium and steel construction defies corrosive environments and temperatures up to 532°C.
- Light weight and compact for easy carrying and storage.
- Includes danger labels in English, Czech, French, Spanish, Flemish/Dutch, German, Italian, Japanese, Mandarin Chinese, Polish and Portuguese.

Item Code	Description	GTIN	Carton Qty
S3068	Seal Tight Handle-On Lockout	071649130021	6

BALL VALVE LOCKOUT DEVICES



S3476



S3477

- Heat resistant powder-coated steel body.
- Two sizes to fit most valves.
- Easy to use, single piece design locks ball valves in the 'off' position.
- Compact size easily stored when not being used.
- Two rows of lockout points for more accuracy.

Item Code	Description	GTIN	Carton Qty
S3476	Handle-On Steel — Fits 6-25mm	3520190933256	6
S3477	Handle-On Steel — Fits 32-76mm	3520190933263	6

HANDLE-OFF SEAL TIGHT™ BALL VALVE LOCKOUT DEVICE



0468L



- Device encloses the valve stem with the handle removed to make accidental reactivation virtually impossible.
- Works in almost all valve installations metal and PVC valves, insulated pipes, pipes mounted close to the wall or ceiling, and valves with tight access due to close proximity of other valves or pipes.
- Lightweight, flexible device is easily carried to the job and then folded for compact storage in safety toolboxes.
- Includes write-on labels in English, French and Spanish.
- Constructed of durable PVC polyester fabric and HDPE plastic. The Seal Tight™ Valve Lockout withstands corrosive environments and operates in temperature extremes from -40°C to 121°C.

Item Code	Description	GTIN	Carton Qty
0468L	Seal Tight™ Handle-Off Lockout	071649229749	6

BUTTERFLY VALVE LOCKOUT



S3920

- Durable, lightweight thermoplastic material is chemical resistant and performs effectively in extreme environments.
- Stainless steel rivet allows device to smoothly pivot open and close to ensure proper fit.
- Adjustable design fits the majority of butterfly valves.
- Directional application arrows allow for ease of installation and minimise user error.
- Compact design allows device to be applied in tight applications.



S3921

Item Code	Description	GTIN	Carton Qty
S3920	Butterfly Valve Lockout Without Cable	071649188008	24
S3921	Butterfly Valve Lockout With 4 x 900mm Cable	071649198441	24

Distributed exclusively by





ROTATING GATE VALVE LOCKOUTS



- Tough lightweight, dielectric Zenex[™] thermoplastic bodies withstand chemicals and perform effectively in temperature extremes from -46°C to +177°C.
- Surrounds the valve operating handle to protect against accidental valve opening.
- Unique, rotating design allows for easier installation in confined space applications.
- Centre knockout can be removed for rising stem gate valves.
- Each size rotates into itself and nests within the next larger size to save space in storage.
- Multiple workers can apply their safety padlocks.
- Complete with highly visible permanent safety labels (English, French and Spanish) that can be written on to identify the responsible person, then erased for the next job.

Item Code	Description	GTIN	Carton Qty
0480	Fits 25mm-76mm Diameter Valve Handles	071649216732	6
0481	Fits 50mm-127mm Diameter Valve Handles	071649216749	6
0482	Fits 101mm-165mm Diameter Valve Handles	071649216756	6
0483	Fits 152mm-254mm Diameter Valve Handles	071649216763	6
0484	Fits 203mm-330mm Diameter Valve Handles	071649216770	6
0485	Set Of 5 (0480-0484)	071649218668	1

BLIND FLANGE LOCKOUT DEVICES



- Adjustable device provides secure fit on a variety of flange widths.
- Fully conceals flange bolts preventing access to blind till work complete.
- Four lockout holes for multiple workers.
- Durable powder-coated aluminium and hardened steel construction withstands conditions indoors and out.
- Three sizes available to cover and lock-out nuts ranging from 19mm to 69mm diameter.

Item Code	Description	GTIN	Carton Qty
S3922	Blind Lockout Device Small — Suit 19-28.7mm Nut Dia.	071649274374	6
S3923	Blind Lockout Device Medium — Suit 33.3-47.8mm Nut Dia.	071649274381	6
S3924	Blind Lockout Device Large — Suit 52.3-69.9mm Nut Dia.	071649274398	6

CABLE LOCKOUTS & LOCK BOXES

CABLE LOCKOUTS





- Integrated safety hasp and cable is ideal for multiple circuit breaker panel and side-by-side gate valve lockouts.
- Tough lightweight thermoplastic body withstands chemicals and performs effectively in extreme conditions (-47°C to +149°C).
- Tough, flexible multi-stranded steel cable is insulated with a clear plastic coating.
- Feed the cable through the points to be locked out, and then back through the lockout body. Cinch it tight to remove any slack with the patented locking feature.

Item Code	Description	GTIN	Carton Qty
S806	Adjustable Cable Lockout 1.8m x 4mm	3520190934970	6
S806CBL3	Adjustable Cable Lockout 900mm x 4mm	071649147715	6
S806CBL15	Adjustable Cable Lockout 4.5m x 4mm	071649147715	6

Note: Other cable sizes available on request.

LATCH TIGHT™ GROUP LOCK BOXES





0503RED 0503YLW

- Secure each lockout point on a piece of equipment with a single padlock. Place the keys in the group lock box and then each authorised employee places their personal padlock on the lock box.
- When work is complete, each employee takes their personal padlock off the lock box, freeing the keys inside.
- All Master Lock group lock boxes feature an exclusive, Latch Tight locking mechanism that prevents keys from being accessed until the last employee removes their padlock.
- Durable powder coated finish with stainless steel handle.
- 0503RED and 0503YLW can be mounted or carried from job to job and accept 14 padlocks or hasps.
- 0498A is a portable solution. Available in red, it accepts 12 padlocks or hasps.

Item Code	Description	GTIN	Carton Qty	Dimensions
0498A	Portable Group Lock Box	071649218415	1	152 x 235 x 95mm
0503RED	Group Lock Box — Red	071649227745	1	324 x 89 x 162mm
0503YLW	Group Lock Box — Yellow	071649227752	1	324 x 89 x 162mm

STEERING WHEEL COVERS



STEERING WHEEL COVERS



- Three sizes available for various wheel diameters.
- Trilingual warning notifies employees not to start or move vehicle.
- Lock in place with a 0421 haps and safety padlock.
- For added security, use a Master Lock S806 lockout cable around steering wheel and foot pedals.

Item Code	Description	GTIN	Carton Qty
4716	406mm Diameter Steering Wheel Cover	071649225291	6
4720	508mm Diameter Steering Wheel Cover	071649225307	6
4724	609mm Diameter Steering Wheel Cover	071649225314	6







4720

4724

PERMIT / DOCUMENT HOLDERS

PERMIT HOLDER



PH1

- Heavy duty PVC is strong and durable.
- Hook and loop top ensures water, dirt and grime is kept out.
- Reflective strap on both sides.
- Eyelets to hang from machinery.
- Ideal for storing permits and isolation documents, fits A4.
- Apply safety padlock to lock permit and key inside.

Item Code	Description	GTIN	Carton Qty	Internal Storage Area (H x L)
PH1	Permit Document Holder — Yellow	9316861183136	100	355 x 225mm

CUSTOM LOCKOUT KIT

• Customise lockout kits to meet the specific safety lockout needs of each end user.

1. SELECT A POUCH OR TOOLBOX



S1017



S1010

2. SELECT SAFETY PADLOCKS





0406



3. SELECT LOCKOUT/TAGOUT ACCESSORIES



- Contact Mayo Hardware Customer Service for more information on Custom Lockout Kits. -





MINI LOCKOUT POUCHES





PEKS31REDKA6

SAFETYPOUCH

- Safety lockout pouch holds up to six padlocks.
- Clear PVC anti-cracking window ideal for identification tag.
- Hook and loop closure with quick release buckle.
- Compact lockout pouch features hook and loop straps on back allow pouch to be easily applied or removed from a belt.
- Two standard kits available, or ask your Mayo Hardware representative to "Build Your Own Kit".







KEYCHAIN

Item Code	Description	Carton Qty
PEKS31REDKA6	Contains: 6 x S31 Padlocks Keyed Alike, 1 x 0420 Hasp, 1 x Retractable Key Chain	1
SAFETYPOUCH	Safety Padlock Pouch (Unfilled)	1
S1010	Compact Lockout Pouch (Unfilled)	1
KEYCHAIN	Retractable Key Chain	1

PERSONAL LOCKOUT POUCHES



1456P410KA

Zippered	l pouch is easy	to carry or v	wear with adj	ustable waist/should	der
strap.					

• Two standard kits available, one designed with an electrical focus, the other for general maintenance, or ask your Mayo Hardware representative to "Build Your Own Kit".

Item Code	Description	Carton Qty
1456E410	Electrical Lockout Focus. Contains: 1 x Padlock, 1 x 0007C5RED Breaker Switch Padlock, 1 x 0420 Hasp, 2 x 0493B Circuit Breaker Lockouts, 1 x 0491B Circuit Breaker Lockout and 1 x 0497A (12/pack) Do Not Operate Tags	1
1456P410KA	Padlocks & Tags. Contains: 3 x Padlocks Keyed Alike, 1 x 0420 Hasp and 1 x 0497A (12/pack) Do Not Operate Tags	1

PERSONAL LOCKOUT KITS



- Safety lockout carry case keeps lockout devices and padlocks together.
- Kits include high-use components, satisfying most lockout applications.
- Personal kits are for an individual worker; padlocks are supplied keyed-alike for added worker convenience.
- Three standard kits available, one designed with an electrical focus, one with a valve focus and one combining both electrical and valve lockout devices.



Item Code	Description	Carton Qty
1457E410KA	Electrical Lockout Focus. Contains: 3 x Padlocks, 1 x 0007C5RED Breaker Switch Padlock, 1 x 0420 Hasp, 1 x 0427 Hasp, 3 x 0493B Circuit Breaker Lockouts, 2 x 0491B Circuit Breaker Lockout, 1 x 0496B Universal Wall Switch Lockout and 1 x 0497A (12/pack) Do Not Operate Tags	1
1457V410KA	Valve Lockout Focus. Contains: 3 x Padlocks, 1 x 0420 Hasp, 1 x 0427 Hasp, 1 x S806 Adjustable Cable Lockout, 1 x 0480, 1 x 0481 & 1 x 0482 Gate Valve Lockout, 1 x 0468L and 1 x S3068 Ball Valve Lockouts and 1 x 0497A (12/pack) Do Not Operate Tags	1
1457VE410KA	Electrical & Valve Lockout Focus. Contains: 3 x Padlocks, 1 x 0007C5RED Breaker Switch Padlock, 1 x 0420 Hasp, 1 x 0427 Hasp, 1 x 5806 Adjustable Cable Lockout, 1 x 0480, 1 x 0481 & 1 x 0482 Gate Valve Lockout, 1 x 0468L and 1 x 53068 Ball Valve Lockouts 3 x 0493B Circuit Breaker Lockouts, 2 x 0491B Circuit Breaker Lockout, 1 x 0496B Universal Wall Switch Lockout and 1 x 0497A (12/pack) Do Not Operate tags	1
S1017	Toolbox, Unfilled — 420 x 230 x 216mm	1
S1023	Toolbox, Unfilled – 571 x 254 x 254mm	1

- Custom lockout kits available, Contact Mayo Hardware Customer Service for more details. -



GROUP LOCKOUT KITS



- Lightweight safety lockout carry case (381 x 241 x 178mm) with modular, translucent storage compartments for improved organisation and fast component selection.
- Separate compartments for effective grouping of (1) padlocks & hasps, (2) valve lockouts and (3) electrical lockout components.
- Group kits are for multiple workers; padlocks are supplied keyed-different to ensure that no employee can open a colleague's padlock.
- Three kits available, one designed with an electrical focus, one with a valve focus and one combining both electrical and valve lockout devices.







1458VE410

Item Code	Description		
1458E410	Electrical Lockout Focus. Contains: 6 x Padlocks, 2 x 0007C5RED Breaker Switch Padlock, 1 x 0420 Hasp, 1 x 0427 Hasp, 1 x S806 Adjustable Cable Lockout, 1 x 0487 & 1x 0488 Plug Lockouts, 4 x 0493B Circuit Breaker Lockouts, 2 x 0491B Circuit Breaker Lockout, 2 x 0496B Universal Wall Switch Lockout and 2 x 0497A (12/pack) Do Not Operate tags	1	
1458V410	Valve Lockout Focus. Contains: 6 x Padlocks, 1 x 0420 Hasp, 1 x 0427 Hasp, 1 x 5806 Adjustable Cable Lockout, 1 x 0480, 1 x 0481, 1 x 0482 & 1 x 0483 Gate Valve Lockout, 1 x 0468L and 1 x 53068 Ball Valve Lockouts and 2 x 0497A (12/pack) Do Not Operate tags	1	
1458VE410	Electrical & Valve Lockout Focus. Contains: 6 x Padlocks, 2 x 0007C5RED Breaker Switch Padlock, 1 x 0420 Hasp, 1 x 0427 Hasp, 1 x 5806 Adjustable Cable Lockout, 1 x 0487 & 1 x 0488 Plug Lockouts, 1 x 0480, 1 x 0481 & 1 x 0482 Gate Valve Lockout, 1 x 0468L and 1 x S3068 Ball Valve Lockouts 6 x 0493B Circuit Breaker Lockouts, 3 x 0491B Circuit Breaker Lockout, 2 x 0496B Universal Wall Switch Lockout and 2 x 0497A (12/pack) Do Not Operate tags	1	
1458	Carry Case, Unfilled – 381 x 171 x 241mm	1	

- Custom lockout kits available, Contact Mayo Hardware Customer Service for more details. -

PADLOCK STATIONS



1484BP410

- Integrated, one-piece moulded construction eliminates loose parts.
- Resilient polycarbonate material provides incredible heat resistance and impact strength.
- Exclusive translucent cover protects contents.
- Lockable to prevent loss of valuable safety padlocks.
- Secure with a combination lock for simple access control (sold separately).
- Innovative hinge holds cover open for easy product selection.





1482BP410

1483BP410

Item Code			
With Accessories	Without Accessories	Description	
1482BP410	1482B	4 Lock Station. Contains 4 x Padlocks, 2 x Lockout Hasps, 12 x Do Not Operate Danger Tags (1pk)	
1483BP410	1483B	10 Lock Station. Contains 10 x Padlocks, 2 x Lockout Hasps, 24 x Do Not Operate Danger Tags (2pk)	
1484BP410	1484B	20 Lock Station. Contains 20 x Padlocks, 4 x Lockout Hasps, 48 x Do Not Operate Danger Tags (4pk)	1

HEAVY DUTY PADLOCK RACKS



- Heavy gauge steel with durable powder coated finish ensures long life.
- Includes labels in English, Spanish/English and French/English.
- Safety padlocks sold separately.

Item Code	Description	GTIN	Carton Qty
S1506	Heavy Duty Padlock Rack — 6 Padlocks	071649239670	1
S1518	Heavy Duty Padlock Rack — 18 Padlocks	071649239687	1



S125

- Ideal for storing padlocks near lockout points or can be conveniently carried.
- Holds up to 12 padlocks (sold separately).
- Key chain/lanyard included.

Item Code	Description	GTIN	Carton Qty
S125	Padlock Caddy	071649118869	24


Distributed exclusively by



LOCKOUT STATIONS



DELUXE LOCKOUT STATION



- Durable construction ensures long life in your facility.
- Covered compartments protect devices and keep dust and grime out.
- Upper and lower sections lockable to ensure devices are there when needed for lockout. Add a combination lock for simple access control.
- 16 hanger clips hold 2 padlocks or lockout hasps each.
- Moveable dividers in top and bottom trays help organise devices.
- Holes provided along the bottom for optional peg hook hangers to hang large, bulky devices.

Item Code			
With Accessories	Without Accessories	Description	
S1900VE410	S1900	Contains: 6 x 0410 Padlocks, 2 x 0420 Hasps, 1 x 0427 Hasp, 1 x S806 Adjustable Cable Lockout, 1 x 0488 Plug Lockout, 1 x 0480, 1 x 0481, 1 x 0482 & 1 x 0483 Gate Valve Lockout, 1 x 0468L and 1 x S3068 Ball Valve Lockouts, 6 x 0493B Circuit Breaker Lockouts, 2 x 0496B Universal Wall Switch Lockouts and 2 x 0497A (12/pack) Do Not Operate Tags.	

LOCKOUT STATIONS



S1850E410



Item Code					
With Accessories	Without Accessories	Description			
S1850E410	S1850	Contains: 6 x 0410 Padlocks, 1 x 0420 Hasp, 1 x 0427 Hasp, 1 x 0488 Plug Lockout, 4 x 0493B Circuit Breaker Lockouts, 2 x 0491B Circuit Breaker Lockout, 2 x 0496B Universal Wall Switch Lockout and 2 x 0497A (12/pack) Do Not Operate Tags.	1		
S1850V410	S1850	Contains: 6 x 0410 Padlocks, 1 x 0420 Hasp, 1 x 0427 Hasp, 1 x 0488 Plug Lockout, 1 x 0480, 1 x 0481 & 1 x 0482 Gate Valve Lockout, 1 x 0468L and 1 x S3068 Ball Valve Lockouts and 2 x 0497A (12/pack) Do Not Operate Tags.	1		

LOCKOUT STATIONS

COMPACT LOCKOUT STATIONS





S1705P410

S1720E410

- Compact lockout stations hold machine specific lockout devices and padlocks near lockout point.
- Four hanger clips for safety padlocks or hasps.
- Includes face labels in English, Spanish/English, or French/English.
- Available filled or unfilled.
- Measures 248 x 197 x 86mm.







S1700

S1745E410

Item Code			
With Accessories	Without Accessories	Description	Carton Qty
S1705P410	S1700	Contains: 1 x 0410 Padlock, 1 x 0421 Hasp, and 1 x 0497A (12/pack) Do Not Operate Tags.	1
S1720E410	S1700	Contains: 2 x 0410 Padlocks, 2 x 0420 Hasps, 2 x 0491B & 2 x 0493B Circuit Breaker Lockouts and 1 x 0497A (12/pack) Do Not Operate Tags.	1
S1745E410	S1700	Contains: 1 x 0410 Padlocks, 1 x 0488 Plug Lockout and 1 x 0497A (12/pack) Do Not Operate Tags.	1



GUARDIAN EXTREME™ TAGS

- Made from rugged industrial grade polypropylene, Guardian Extreme™ tags are designed to withstand the most demanding conditions.
- Tags withstand over 30 chemicals and resist UV radiation, grease, oil, humidity and frequent wash downs.
- Re-usable, tags can be written on and erased.
- Six tags per pack.
- Custom tags available (minimum order quantities apply).
- Tags manufactured from metal detectable material also available, ideal for food processing plants.













































S4050









To order a metal detectable
version of any of the above
tags, simply add "MT" to the
end of the item code.

GUARDIAN EXTREME™ SCAFFOLD TAGS



Scaffold tags prevent against hazardous risks relative to the untimely use of a scaffold that is being erected, dismounted or maintained.

- Ideal for outdoor use.
- Resistant to wash downs, humidity, snow, oil, chemicals, extreme temperatures and UV radiation.
- Graphics fused into rugged industrial-grade polypropylene .
- Easy to read in any conditions with long lasting performance.
- Highly identifiable and visible tags: Red, Yellow and Green.

Item Code	Description	GTIN	Carton Qty	Dimensions
S4700	Scafftag Danger — Red	071649125669	1	228 x 76 x 2mm
S4702	Scafftag OK — Green	071649125775	1	228 x 76 x 2mm
S4701	Scafftag Caution — Yellow	071649125768	1	228 x 76 x 2mm

SAFETY TAGS




- Durable polyester laminate resists water, grease and extreme temperatures.
- Heavy duty construction withstands over 22.7kg of pull force.
- Customise with name, department and expected completion time.
- 12 tags with ties per pack.

Item Code	Description	GTIN	Carton Qty
0497A	Do Not Operate Danger Tags (12pk)	071649218408	1
S597 *	Information Tags (12pk)	071649273582	1
S697 *	Out Of Service Tags (12pk)	071649273599	1

^{*} COMING SOON



Distributed exclusively by





SELF-LAMINATING PHOTO IDENTIFICATION TAGS



S4801



- 146 x 79mm heavy duty tags.
- Clear adhesive overlay allows tags to be personalised onsite.
- 9.5mm diameter brass grommet withstands over 22.7kg of pull force.
- Durable polyester laminate resists water, grease and extreme temperatures.
- Customise with name, department, expected completion.
- 12 tags and ties per pack.

Item Code	Description	GTIN	Carton Qty
S4801	Do Not Operate Self Laminating Photo Tags (12pk)	071649189180	6

Step 1 >



Step 2 >



Step 3 >



SAFETY MAINTENANCE FLAGS



S297

- Compact 140 x 32mm size allows for application in virtually any area.
- Durable laminated material withstands extreme environments.
- Features write-on area for employee identification and project completion date.
- Easy to attach to your personal padlock no zip tie needed.
- Accepts all Master Lock Safety padlock shackle diameters.

Item Code	Description	GTIN	Carton Qty
S297	Do Not Operate Maintenance Flags (100pk)	071649268045	1

BOXED ROLL OF TAGS



S4810

- Durable 150 x 76mm polypropylene tag material withstands extreme environments.
- Box provides convenient storage and transportation between jobsites.
- Suitable for use with all Master Lock Safety padlocks.
- Features area for listing employee identification, date and information about work being done.

Item Code	Description	GTIN	Carton Qty
S4810	Do Not Operate Boxed Roll of Tags (100pk)	071649273490	1

DISPOSABLE SAFETY TAGS





TAGINFO

TAGOOS

- Disposable tags with 'Out of Service' and 'Information' messaging.
- 150 x 75mm tags supplied with string ties.
- Durable 200gsm waterproof non-tear material suitable for indoor and outdoor applications.
- 8mm brass eyelet.

Item Code	Description	GTIN	Carton Qty
TAGINFO	Information Tag (25pk)	9316861011385	1
TAG00S	Out Of Service Tag (25pk)	9316861011378	1




COMPACT TAG STATIONS



- Three hanger clips for safety padlocks or hasps.
- Includes face labels in English, Spanish/English and French/English.

Item Code	Description	GTIN	Carton Qty	Dimensions
S1601	Tag Station (Unfilled)	071649239656	1	97 x 146 x 38mm
S1601A	Tag Station with 12 English Tags	-	1	97 x 146 x 38mm

DELUXE TAG CENTRE



S1800

- Two tip-out drawers with dividers to create 2,3,4,5, or 6 compartments.
- Each compartment holds 25 tags, 150 tag capacity.
- Compartments can also be used for lockout devices.
- Eight hanger clips along bottom for safety padlocks or hasps.
- Upper tray for cable ties and small lockout devices.
- Durable construction for years of use in corrosive environments.
- Lockable. Use combination padlock to limit access to unauthorised employees.
- Also suitable for ear plugs and eyewear.

Item Code	Description	GTIN	Carton Qty	Dimensions
S1800	Tag Centre (Unfilled)	071649080579	1	279 x 559 x 105mm

CONFINED SPACE CONTROL COVERS

Confined Space Control Covers (CSCC) fit most size entry and egress points on man-ways, heater doors, nozzles, broken pipe work and vessel skirts. The lockable and adjustable CSCC is fitted over the existing flange and is secured by installing a Master Lock safety padlock, giving plant safety personnel 100% control of the confined space.

SOLID – WATER RESISTANT CONFINED SPACE COVERS



- Excellent resistance against oils and hydro-carbons.
- Excellent water/dust/pest barrier.
- Fire and chemical resistant coating: (silicone rubber) can withstand 232°C.
- Fabric can withstand 537°C.

Item Code	Description	Carton Qty
S203CSS	CS Cover Solid — Small (Fit standard 508mm (20") entry points)	1
S203CSM	CS Cover Solid — Medium (Fit standard 610mm (24") entry points)	1
S203CSL	CS Cover Solid — Large (Fit standard 762mm (30") entry points)	1
S203CSXL	CS Cover Solid — X-Large (Fit standard 914mm (36") entry points)	1

VENTILATED CONFINED SPACE COVERS



- Excellent resistance against oils and hydro-carbons.
- Excellent water/dust/pest barrier.
- Fire and chemical resistant coating: (silicone rubber) can withstand 232°C.
- Fabric can withstand 537°C.
- 38mm (1½") test port included.

Item Code	Description	
S202CSS	CS Cover Ventilated — Small (Fit Standard 508mm (20") Entry Points)	1
S202CSM	CS Cover Ventilated – Medium (Fit Standard 610mm (24") Entry Points)	1
S202CSL	CS Cover Ventilated — Large (Fit Standard 762mm (30") Entry Points)	1
S202CSXL	CS Cover Ventilated — X-Large (Fit Standard 914mm (36") Entry Points)	1

ELASTIC CONFINED SPACE COVERS



- Designed for high traffic confined spaces.
- Constructed from treated polyester mesh.
- 25mm elastic band runs the entire diameter of the cover for a secure fit.
- Bright red fabric for visual warning.

Item Code	Description	
S201CSS	CS Cover Elastic Red Mesh — Small (Fit Standard 508mm (20") Entry Points)	1
S201CSM	CS Cover Elastic Red Mesh — Medium (Fit Standard 610mm (24") Entry Points)	1
S201CSL	CS Cover Elastic Red Mesh — Large (Fit Standard 762mm (30") Entry Points)	1
S201CSXL	CS Cover Elastic Red Mesh — X-Large (Fit Standard 914mm (36") Entry Points)	1